The Journal of

Membrane Biology

An international journal
for studies on the structure, function and genesis
of biomembranes

Volumes 91–100 1986–1987

Editorial Board

W.R. Loewenstein, Miami, Editor-in-Chief

Q. Al-Awqati, Columbia
G. Blobel, Rockefeller
D. Branton, Harvard
P. Cuatrecasas, Glaxo
J.M. Diamond, California, L.A.
D. Engelman, Yale
S. Fleischer, Vanderbilt
J.G. Forte, California, Berkeley
G. Guidotti, Harvard
J. Handler, N.I.H.
D.A. Haydon, Cambridge
A. Helenius, Yale
L. Heppel, Cornell
W.L. Hubbell, California, L.A.
R.B. Kelly, California, S.F.
A. Klug, Cambridge
P. Läuger, Konstanz
S.E. Luria, MIT
E.A.C. MacRobbie, Cambridge
V.T. Marchesi, Yale
H.M. McConnell, Stanford
S. McLaughlin, SUNY, Stony Brook
I. Mellman, Yale
C. Miller, Brandeis
H. Murer, Zurich
Y.A. Ovchinnikov, USSR Acad. Sci. Moscow
G.E. Palade, Yale
E. Racker, Cornell
H. Reuter, Bern
B. Sakmann, Max-Planck, Göttingen
R. W. Schekman, California, Berkeley
S.G. Schultz, Texas
S.J. Singer, California, S.D.
C.L. Slayman, Yale
K.R. Spring, N.I.H.
C.F. Stevens, Yale
W. Stoeckenius, California, S.F.
D. Urry, Alabama
H.H. Ussing, Copenhagen

D.J. Fritts, Assistant to the Editor

Springer International

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in West Germany

© 1987 by Springer-Verlag New York Inc.

Author Index — Volumes 91–100

Adelsberger-Mangan, D.M., Colombini, M.: Elimination and Restoration of Voltage Dependence in the Mitochondrial Channel, VDAC, by Graded Modification with Succinic Anhydride 98:157

Adelsberger-Mangan, D.M., *see* Forte, M., et al. 99:67

Aertgeerts, P.A.P.M., *see* De Maziere, A.M.G.L., et al. 97: 107

Alegria, G., *see* Toro, M., et al. 95:1

Althoff, G., *see* Lill, H., et al. 98:69

Alva, R., *see* Toro, M., et al. 95:1

Alvarez, O., *see* Cecchi, X., et al. 91:11

Andersen, J.P., Vilsen, B., Collins, J.H., Jørgensen, P.L.: Localization of E1-E2 Conformational Transitions of Sarcoplasmic Reticulum Ca-ATPase by Tryptic Cleavage and Hydrophobic Labeling 93:85

Anderson, S.K., *see* Atkinson, M.M., et al. 91:53

Apell, H.-J., Borlinghaus, R., Läuger, P.: Fast Charge Translocations Associated with Partial Reactions of the Na,K-Pump: II. Microscopic Analysis of Transient Currents 97:179

Apell, H.-J., *see* Borlinghaus, R., et al. 97:161

Arellano, R.O., Ramon, F., Rivera, A., Zampighi, G.A.: Lowering of pH Does Not Directly Affect the Junctional Resistance of Crayfish Lateral Axons 94:293

Arzt, E., *see* Toro, M., et al. 95:1

Asher, C., *see* Garty, H., et al. 95:151

Atkinson, M.M., Anderson, S.K., Sheridan, J.D.: Modification of Gap Junctions in Cells Transformed by a Temperature-Sensitive Mutant of Rous Sarcoma Virus 91:53

Atkinson, M.M., *see* Biegon, R.P., et al. 96:225

Avenet, P., Lindemann, B.: Action Potentials in Epithelial Taste Receptor Cells Induced by Mucosal Calcium 95:265

Avenet, P., Lindemann, B.: Patch-Clamp Study of Isolated Taste Receptor Cells of the Frog 97:223

Banyard, M.R.C., *see* Dulhunty, A.F., et al. 99:79

Barry, P.H., *see* Quartararo, N., et al. 97:137

Baum, B.J., *see* Turner, R.J., et al. 94:143

Baxendale, L.M., *see* Garcia-Diaz, J.F., et al. 92:27

Beck, F.X., *see* Rick, R., et al. 95:229

Beilby, M.J.: Factors Controlling the K^+ Conductance in *Chara* 93:187

Bennekou, P., Christophersen, P.: Flux Ratio of Valinomycin-Mediated K^+ Fluxes Across the Human Red Cell Membrane in the Presence of the Protono- phore CCCP 93:221

Bentzel, C.J., Fromm, M., Palant, C.E., Hegel, U.: Protamine Alters Structure and Conductance of *Necturus* Gallbladder Tight Junctions Without Major Electrical Effects on the Apical Cell Membrane 95:9

Benz, R., Schmid, A., Vos-Scheperkeuter, G.H.: Mechanism of Sugar Transport Through the Sugar-Specific LamB Channel of *Escherichia coli* Outer Membrane 100:21

Benz, R., Schmid, A., Wiedmer, T., Sims, P.J.: Single-Channel Analysis of the Conductance Fluctuations Induced in Lipid Bilayer Membranes by Complement Proteins C5b-9 94:37

Benz, R., *see* Kasianowicz, J., et al. 95:73, 99:226

Berteloot, A., *see* Blais, A., et al. 99:113

Bertl, A., Gradmann, D.: Current-Voltage Relationships of Potassium Channels in the Plasmalemma of *Acetabularia* 99:43

Biegon, R.P., Atkinson, M.M., Liu, T.-F., Kam, E.Y., Sheridan, J.D.: Permeance of Novikoff Hepatoma Gap Junctions: Quantitative Video Analysis of Dye Transfer 96:225

Binder, H.J., Murer, H.: Potassium/Proton Exchange in Brush-Border Membrane of Rat Ileum 91:77

Birnir, B., Hirayama, B., Wright, E.M.: Lanthanide/Proline Cotransport across Rabbit Renal Brush Borders 100:221

Bishop, L.J., Cohen, F.S., Davidson, V.L., Cramer, W.A.: Chemical Modification of the Two Histidine and Single Cysteine Residues in the Channel-Forming Domain of Colicin E1 92:237

Bissonnette, P., *see* Blais, A., et al. 99:113

Bjerregaard, H.F., Nielsen, R.: Prostaglandin E_2-Stimulated Glandular Ion and Water Secretion in Isolated Frog Skin (*Rana esculenta*) 97:9

Blais, A., Bissonnette, P., Berteloot, A.: Common Characteristics for Na^+- Dependent Sugar Transport in Caco-2 Cells and Human Fetal Colon 99:113

Blatt, M.R.: Electrical Characteristics of Stomatal Guard Cells: The Contribution of ATP-Dependent "Electrogenic" Transport Revealed by Current-Voltage and Difference-Current-Voltage Analysis 98:257

Blatt, M.R.: Interpretation of Steady-State Current-Voltage Curves: Consequences and Implications of Current Subtraction in Transport Studies 92:91

Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L.: Potassium-Proton Symport in *Neurospora*: Kinetic Control by pH and Membrane Potential 98:169

Blumenfeld, N., *see* Canessa, M., et al. 97:97

Boheim, G., *see* Menestrina, G., et al. 93:111

Bolivar, J.J., Cereijido, M.: Voltage and Ca^{2+}-Activated K^+ Channel in Cultured Epithelial Cells (MDCK) 97:43

Bookchin, R.M., *see* Freeman, C.J., et al. 96:235

Bookchin, R.M., *see* Lew, V.L. 92:57

Borlinghaus, R., Apell, H.-J., Läuger, P.: Fast Charge Translocations Associated with Partial Reactions of the Na,K-Pump: I. Current and Voltage Transients after Photochemical Release of ATP 97:161

Borlinghaus, R., *see* Apell, H.-J., et al. 97:179

Borovjagin, V.L., Sabelnikov, A.G., Tarahovsky, Y.S., Vasilenko, I.A.: Polymorphic Behavior of Gram-Negative Bacteria Membranes 100:229

Botta, G., *see* Cremaschi, D., et al. 95:209, 219

Boulpaep, E.L., *see* Steels, P.S. 100:165

Bours, H., *see* Walters, J.A.L.I., et al. 91:73

Bowman, B.J., Bowman, E.J.: H^+-ATPases from Mitochondria, Plasma Membranes, and Vacuoles of Fungal Cells 94:83

Bowman, C.L., *see* Tedeschi, H., et al. 97:21

Bowman, E.J., *see* Bowman, B.J. 94:83

Boyer, J.L., *see* Graf, J., et al. 95:241

Braw, R., *see* Burnham, C., et al. 93:177

Bridges, R.J., *see* Reinhardt, R., et al. 95:47

Brown, A.M., *see* Josephson, I.R. 94:19

Brown, C.D.A., *see* Kolb, H.A., et al. 92:207

Broyart, J.-P., *see* Nguyen, T.D., et al. 98:197

Bryant, G., Wolfe, J.: Electromechanical Stresses Produced in the Plasma Membranes of Suspended Cells by Applied Electric Fields 96:129

Burckhardt, G., *see* Friedrich, T., et al. 94:253

Burger, M.M., *see* Niggli, V. 100:97

Burnham, C., Braw, R., Karlish, S.J.D.: A Ca-Dependent K Channel in "Luminal" Membranes from the Renal Outer Medulla 93:177

Busse, R., *see* Fichtner, H., et al. 98:125

Cabrini, G., Verkman, A.S.: Potential-Sensitive Response Mechanism of DiS- C_3-(5) in Biological Membranes 92:171

Cafiso, D.S., *see* Perkins, W.R. 96:165

Camus, J.C., *see* Chatelain, P., et al. 93:23
Canessa, M., Fabry, M.E., Blumenfeld, N., Nagel, R.L.: Volume-Stimulated, Cl^--Dependent K^+ Efflux is Highly Expressed in Young Human Red Cells Containing Normal Hemoglobin or HbS 97:97
Castaing, M., Lehn, J.-M.: Efficiency, Na^+/K^+ Selectivity and Temperature Dependence of Ion Transport through Lipid Membranes by (221)C_{10}-Cryptand, an Ionizable Mobile Carrier 97:79
Cecchi, X., Alvarez, O., Wolff, D.: Characterization of a Calcium-Activated Potassium Channel from Rabbit Intestinal Smooth Muscle Incorporated into Planar Bilayers 91:11
Cerbon, J., *see* Toro, M., et al. 95:1
Cereijido, M., *see* Bolivar, J.J. 97:43
Chatelain, P., Robberecht, P., Waelbroeck, M., Camus, J.C., Christophe, J.: Modulation by *n*-Alkanols of Rat Cardiac Adenylate Cyclase Activity 93:23
Cheeseman, C.I., *see* Maenz, D.D. 97:259
Chen, P.-Y., Verkman, A.S.: Renal Basolateral Membrane Anion Transporter Characterized by a Fluorescent Disulfonic Stilbene 100:1
Chesnoy-Marchais, D., Evans, M.G.: Nonselective Ionic Channels in *Aplysia* Neurones 93:75
Chevalier, J., Pinto da Silva, P.: Osmotic Reversal Induces Assembly of Tight Junction Strands at the Basal Pole of Toad Bladder Epithelial Cells but Does Not Reverse Cell Polarity 95:199
Christensen, P., *see* Lambert, I.H., et al. 98:249
Christophe, J., *see* Chatelain, P., et al. 93:23
Christophersen, P., *see* Bennekou, P. 93:221
Christophersen, P., *see* Vestergaard-Bogind, B., et al. 95:121
Ciani, S., *see* Robello, M., et al. 95:55
Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G.: Diacylglycerols Stimulate Short-Circuit Current across Frog Skin by Increasing Apical Na^+ Permeability 97:193
Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E.: ^{31}P NMR Analysis of Intracellular pH of Swiss Mouse 3T3 Cells: Effects of Extracellular Na^+ and K^+ and Mitogenic Stimulation 94:55
Civan, M.M., *see* Garty, H. 99:93
Clausen, C., Dixon, T.E.: Membrane Electrical Parameters in Turtle Bladder Measured Using Impedance-Analysis Techniques 92:9
Clausen, C., Reinach, P.S., Marcus, D.C.: Membrane Transport Parameters in Frog Corneal Epithelium Measured Using Impedance Analysis Techniques 91:213
Clausen, C., *see* Dixon, T.E., et al. 94:233
Clausen, C., *see* Wills, N.K. 95:21
Clauss, W., Durr, J.E., Guth, D., Skadhauge, E.: Effects of Adrenal Steroids on Na Transport in the Lower Intestine (Coprodeum) of the Hen 96:141
Coachman, D., *see* Dixon, T.E., et al. 94:233
Cohen, F.S., *see* Bishop, L.J., et al. 92:237
Coleman, H.A.: Chloride Currents in *Chara*—A Patch-Clamp Study 93:55
Collins, J.H., *see* Andersen, J.P., et al. 93:85
Colombini, M., *see* Adelsberger-Mangan, D.M. 98:157
Colombini, M., *see* Dill, E.T., et al. 99:187
Colombini, M., *see* Forte, M., et al. 99:67
Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S.: A Cation Channel in Frog Lens Epithelia Responsive to Pressure and Calcium 93:259
Cornejo, M., Guggino, S.E., Guggino, W.B.: Modification of Ca^{2+}-Activated K^+ Channels in Cultured Medullary Thick Ascending Limb Cells by N-Bromoacetamide 99:147
Coyne, M.D., Dagan, D., Levitan, I.B.: Calcium and Barium Permeable Channels from *Aplysia* Nervous System Reconstituted in Lipid Bilayers 97:206
Crabb, J.H., Jackson, R.C.: Polycation Inhibition of Exocytosis from Sea Urchin Egg Cortex 91:85
Cragoe, E.J., Jr., *see* Li, J.H.-Y., et al. 95:171
Cramer, W.A., *see* Bishop, L.J., et al. 92:237
Cramer, W.A., *see* Peterson, A.A. 99:197
Cremaschi, D., Meyer, G., Botta, G., Rossetti, C.: The Nature of the Neutral Na^+-Cl^--Coupled Entry at the Apical Membrane of Rabbit Gallbladder Epithelium: II. Na^+-Cl^- Symport Is Independent of K^+ 95:219
Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P.: The Nature of the Neutral Na^+-Cl^--Coupled Entry at the Apical Membrane of Rabbit Gallbladder Epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 Double Exchange and Na^+-Cl^- Symport 95:209
Cujdik, T., *see* Kinsella, J.L., et al. 91:183
Dagan, D., *see* Coyne, M.D., et al. 97:206
Davidson, V.L., *see* Bishop, L.J., et al. 92:237
De Bault, L.E., *see* Flagg-Newton, J.L. 100:207
De Maziere, A.M.G.L., Scheuermann, D.W., Aertgeerts, P.A.P.M.: Complementarity of Particles and Pits in Freeze-Fractured Hepatic and Cardiac Gap Junctions 97:107
Délèze, J., Hervé, J.C.: Quantitative Gap Junction Alterations in Mammalian Heart Cells Quickly Frozen or Chemically Fixed after Electrical Uncoupling 93:11
Devés, R., Krupka, R.M.: Effects on Transport of Rapidly Penetrating, Competing Substrates: Activation and Inhibition of the Choline Carrier in Erythrocytes by Imidazole 99:13
Devés, R., Reyes, G., Krupka, R.M.: The Carrier Reorientation Step in Erythrocyte Choline Transport: pH Effects and the Involvement of a Carrier Ionizing Group 93:165
Diamond, J.M., *see* Ferraris, R.P. 94:65, 77
DiBona, D.R., *see* Rick, R. 96:85
Dietl, R., Wang, W., Oberleithner, H.: Fused Cells of Frog Proximal Tubule: I. Basic Membrane Properties 100:43
Dill, E.T., Holden, M.H., Colombini, M.: Voltage Gating in VDAC is Markedly Inhibited by Micromolar Quantities of Aluminum 99:187
Dix, J.A., *see* Solomon, A.K., et al. 91:259
Dixon, T.E., Clausen, C., Coachman, D., Lane, B.: Proton Transport and Membrane Shuttling in Turtle Bladder Epithelium 94:233
Dixon, T.E., *see* Clausen, C. 92:9
Doppler, W., Maly, K., Grunicke, H.: Role of the Na^+/H^+ Antiport in the Regulation of the Internal pH of Ehrlich Ascites Tumor Cells in Culture 91:147
Dorge, A., *see* Rick, R., et al. 95:229
Dowgert, M.F., *see* Wolfe, J., et al. 93:63
Dubinsky, W.P., *see* Langridge-Smith, J.E. 94:197
Duch, D.S., Levinson, S.R.: Neurotoxin-Modulated Uptake of Sodium by Highly Purified Preparation of the Electroplax Tetrodotoxin-Binding Glycopeptide Reconstituted into Lipid Vesicles 98:43
Duch, D.S., Levinson, S.R.: Spontaneous Opening at Zero Membrane Potential of Sodium Channels from Eel Electroplax Reconstituted into Lipid Vesicles 98:57
Duhm, J.: Furosemide-Sensitive K^+ (Rb^+) Transport in Human Erthyrocytes: Modes of Operation, Dependence on Extracellular and Intracellular Na^+, Kinetics, pH Dependency and the Effect of Cell Volume and N-Ethylmaleimide 98:15
Duhm, J., *see* Engelmann, B. 98:79
Dulhunty, A.F., Banyard, M.R.C., Medveczky, C.J.: Distribution of Calcium ATPase in the Sarcoplasmic Reticulum of Fast- and Slow-Twitch Muscles Determined with Monoclonal Antibodies 99:79
Dunham, P.B., *see* Kracke, G.R. 98:117

Dunker, A.K., *see* Huang, J.-L., et al. 100:193
Dunne, M.J., Findlay, I., Petersen, O.H., Wollheim, C.B.: ATP-Sensitive K^+ Channels in an Insulin-Secreting Cell Line are Inhibited by D-Glyceraldehyde and Activated by Membrane Permeabilization 93:271
Dunne, M.J., Illot, M.C., Petersen, O.H.: Interaction of Diazoxide, Tolbutamide and ATP^{4-} on Nucleoside-Dependent K^+ Channels in an Insulin-Secreting Cell Line 99:215
Durr, J.E., *see* Clauss, W., et al. 96:141
Eberl, G., *see* Kaufmann, E., et al. 91:129
Ehrenberg, B., *see* Gross, E., et al. 97:215
Eisenberg, R.S., *see* Cooper, K.E., et al. 93:259
Elliott, J.R., Murrell, R.D.,, Haydon, D.A.: Local Anesthetic Action of Carboxylic Esters: Evidence for the Significance of Molecular Volume and for the Number of Sites Involved 95:143
Ellory, J.C., *see* Hall, A.C. 94:1
Engberts, J.B.F.N., *see* Rupert, L.A.M., et al. 95:255
Engelmann, B., Duhm, J.: Intracellular Calcium Content of Human Erythrocytes: Relation to Sodium Transport Systems 98:79
Englesberg, E., Moffett, J.: A Genetic Approach to the Study of Neutral Amino Acid Transport in Mammalian Cells in Culture (*Topical Review*) 91:199
Epstein, F.H., *see* Marver, D., et al. 94:205
Eskesen, K., Ussing, H.H.: Single-File Diffusion Through K^+ Channels in Frog Skin Epithelium 91:245
Essig, A., *see* Garcia-Diaz, J.F., et al. 92:27
Estrada-O., S., *see* Toro, M., et al. 95:1
Evans, M.G., *see* Chesnoy-Marchais, D. 93:75
Evans, T.C., Hennessey, T., Nelson, D.L.: Electrophysiological Evidence Suggests a Defective Ca^{2+} Control Mechanism in a New *Paramecium* Mutant 98:275
Fabry, M.E., *see* Canessa, M., et al. 97:97
Fairley, K.A., Walker, N.A.: Amine Ion Porter in *Chara australis*: Effects of Alkyl Substitution and External pH 98:191
Feracci, H., *see* Massey, D., et al. 96:19
Ferraris, R.P., Diamond, J.M.: A Method for Measuring Apical Glucose Transporter Site Density in Intact Intestinal Mucosa by Means of Phlorizin Binding 94:65
Ferraris, R.P., Diamond, J.M.: Use of Phlorizin Binding to Demonstrate Induction of Intestinal Glucose Transporters 94:77
Fichtner, H., Frobe, U., Busse, R., Kohlhardt, M.: Single Nonselective Cation Channels and Ca^{2+}-Activated K^+ Channels in Aortic Endothelial Cells 98:125
Field, M., *see* O'Grady, S.M., et al. 91:33, 96:11
Fincham, D.A., Wolowyk, M.W., Young, J.D.: Volume-Sensitive Taurine Transport in Fish Erythrocytes 96:45
Findlay, I., *see* Dunne, M.J., et al. 93:271
Finkelstein, A., *see* Raymond, L., et al. 92:255
Finkelstein, A., *see* Slatin, S.L., et al. 92:247
Fisahn, J., *see* Hansen, U.-P. 98:1
Fisahn, J., Hansen, U.-P., Gradmann, D.: Determination of Charge, Stoichiometry and Reaction Constants from I - V Curve Studies on a K^+ Transporter in *Nitella* 94:245
Flagg-Newton, J.L., De Bault, L.E.: Modulating Effect of Cystamine and Unsaturated Fatty Acids on Gamma-Glutamyl Transpeptidase: Relation to Cellular Oxidative Status 100:207
Folsom, B., *see* Huang, J.-L., et al. 100:193
Forsyth, G.W., *see* Maenz, D.D., et al. 96:243
Forte, M., Adelsberger-Mangan, D., Colombini, M.: Purification and Characterization of the Voltage-Dependent Anion Channel from the Outer Mitochondrial Membrane of Yeast 99:67
Foskett, J.K., Ussing, H.H.: Localization of Chloride Conductance to Mitochondria-Rich Cells in Frog Skin Epithelium 91:251
Fox, J.A.: Ion Channel Subconductance States (*Topical Review*) 97:1
Freeman, C.J., Bookchin, R.M., Ortiz, O.E., Lew, V.L.: K-Permeabilized Human Red Cells Lose an Alkaline, Hypertonic Fluid Containing Excess K over Diffusible Anions 96:235
Fresia, M., *see* Robello, M., et al. 95:55
Friedrich, T., Sablotni, J., Burckhardt, G.: Identification of the Renal Na^+/H^+ Exchanger with N,N'-Dicyclohexylcarbodiimide (DCCD) and Amiloride Analogues 94:253
Friedrich, T., *see* Montrose, M.H., et al. 97:63
Frobe, U., *see* Fichtner, H., et al. 98:125
Frohlich, O., Jones, S.C.: Denaturation of a Membrane Transport Protein by Urea: The Erythrocyte Anion Exchanger 98:33
Fromm, M., *see* Bentzel, C.J., et al. 95:9
Gabriel, S.E., *see* Maenz, D.D., et al. 96:243
Gadian, D.G., *see* Civan, M.M., et al. 94:55
Gage, P.W., *see* Quartararo, N., et al. 97:137
Garcia-Diaz, J.F., Klemperer, G., Baxendale, L.M., Essig, A.: Cell Sodium Activity and Sodium Pump Function in Frog Skin 92:37
Garty, H., Asher, C., Yeger, O.: Direct Inhibition of Epithelial Na^+ Channels by a pH-Dependent Interaction with Calcium, and by Other Divalent Ions 95:151
Garty, H., Civan, M.M.: Ba^{2+}-Inhibitable $^{86}Rb^+$ Fluxes across Membranes of Vesicles from Toad Urinary Bladder 99:93
Garty, H., Warncke, J., Lindemann, B.: An Amiloride-Sensitive Na^+ Conductance in the Basolateral Membrane of Toad Urinary Bladder 95:91
Geck, P., Heinz, E.: The Na-K-2Cl Cotransport System (*Topical Review*) 91:97
George, J.N., *see* Turner, R.J., et al. 94:143
Gibson, J., *see* Ritchie, R.J. 95:131
Ginsberg, H., Stein, W.D.: Biophysical Analysis of Novel Transport Pathways Induced in Red Blood Cell Membranes (*Topical Review*) 96:1
Goligorsky, M.S., Hruska, K.A.: Transcytosis in Cultured Proximal Tubular Cells 93:237
Goligorsky, M.S., Menton, D.N., Hruska, K.: Parathyroid Hormone-Induced Changes of the Brush Border Topography and Cytoskeleton in Cultured Renal Proximal Tubular Cells 92:151
Gorvel, J.-P., *see* Massey, D., et al. 96:19
Gradmann, D., *see* Bertl, A. 99:43
Gradmann, D., *see* Fisahn, J., et al. 94:245
Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L.: Cell Membrane and Transepithelial Voltages and Resistances in Isolated Rat Hepatocyte Couplets 95:241
Grasso, A., *see* Robello, M., et al. 95:55
Gray, G.M., *see* Nguyen, T.D., et al. 98:197
Gross, E., Malik, Z., Ehrenberg, B.: Effects of Membrane Physical Parameters on Hematoporphyrin-Derivative Binding to Liposomes: A Spectroscopic Study 97:215
Grunicke, H., *see* Doppler, W., et al. 91:147
Grygorczyk, R., Schwarz, W., Passow, H.: Potential Dependence of the "Electrically Silent" Anion Exchange Across the Plasma Membrane *Xenopus* Oocytes Mediated by the Band-3 Protein of Mouse Red Blood Cells 99:127
Guggino, S.E., *see* Cornejo, M., et al. 99:147
Guggino, W.B., *see* Cornejo, M., et al. 99:147
Guggino, W.B., *see* Lopes, A.G. 97:117
Guth, D., *see* Clauss, W., et al. 96:141
Gutman, M., *see* Kasianowicz, J., et al. 99:226
Guyre, P.M., *see* McCann, F.V., et al. 96:57
Hagiwara, S., *see* Iijima, T. 100:73
Hall, A.C., Ellory, J.C.: Effects of High Hydrostatic Pressure on 'Passive' Monovalent Cation Transport in Human Red Cells 94:1

Handler, J.S., *see* Harris, H.W., Jr., et al. 96:175
Hansen, U.-P., Fisahn, J.: I/V-Curve Studies of the Control of a K^+ Transporter in *Nitella* by Temperature 98:1
Hansen, U.-P., *see* Fisahn, J., et al. 94:245
Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S.: Isolation and Characterization of Specialized Regions of Toad Urinary Bladder Apical Plasma Membrane Involved in the Water Permeability Response to Antidiuretic Hormone 96:175
Hauri, H.-P., *see* Stieger, B., et al. 91:19
Haydon, D.A., *see* Elliott, J.R., et al. 95:143
He, Z., *see* Huang, J.-L., et al. 100:193
Hegel, U., *see* Bentzel, C.J., et al. 95:9
Heinz, E., *see* Geck, P. 91:97
Helbig, H., Korbmacher, C., Wiederholt, M.: K^+-Conductance and Electrogenic Na^+/K^+ Transport of Cultured Bovine Pigmented Ciliary Epithelium 99:173
Henderson, R.M., *see* Graf, J., et al. 95:241
Hennessey, T.M., Kung, C.: A Calcium-Dependent Current Is Increased by a Single-Gene Mutation in *Paramecium* 98:145
Hennessey, T.M, *see* Evans, T.C., et al. 98:275
Hervé, J.C., *see* Délèze, J. 93:11
Hess, G.P., *see* Pasquale, E.B., et al. 93:195
Hess, G.P., *see* Udgaonkar, J.B. 93:93
Hirayama, B., *see* Birnir, B., et al. 100:221
Hoekstra, D., *see* Rupert, L.A.M., et al. 95:255
Hoffmann, E.K., Lambert, I.H., Simonsen, L.O.: Separate, Ca^{2+}-Activated K^+ and Cl^- Transport Pathways in Ehrlich Ascites Tumor Cells 91:227
Hoffmann, E.K., *see* Jessen, F., et al. 92:195
Hoffmann, E.K., *see* Lambert, I.H., et al. 98:247
Hofmann, K.-P., *see* Schleicher, A. 95:271
Hoilien, C., *see* Molitoris, B.A. 99:165
Holden, M.H., *see* Dill, E.T., et al. 99:87
Hori, H., *see* Takenaka, T., et al. 95:113
Horie, H., *see* Takenaka, T., et al. 95:113
Horowicz, P., *see* Spalding, B.C., et al. 93:141, 157
Hosokawa, K., *see* Miyamoto, H., et al. 92:135
Howard, L.D., Wondergem, R.: Effects of Anisosmotic Medium on Cell Volume, Transmembrane Potential and Intracellular K^+ Activity in Mouse Hepatocytes 100:53
Hruska, K.A., *see* Goligorsky, M.S. 93:237
Hruska, K.A., *see* Goligorsky, M.S., et al. 92:151
Huang, J.-L., Topping, T.B., He, Z., Folsom, B., Dunker, A.K.: Trypsin- Induced Calcium Efflux from Sarcoplasmic Reticulum: Evidence from the Involvement of the $(Ca^{2+} + Mg^{2+})$-ATPase 100:193
Hudson, R.L., *see* Lapointe, J.-Y., et al. 93:205
Hui, S.W., *see* Stenger, D.A. 93:43
Iijima, T., Hagiwara, S.: Voltage-Dependent K Channels in Protoplasts of Trap-Lobe Cells of *Dionae muscipula* 100:73
Ikehara, T., *see* Miyamoto, H., et al. 92:135
Illescas, A., *see* Nguyen T.D., et al. 98:197
Illot, M.C., *see* Dunne, M.J., et al. 99:215
Illsley, N.P., Verkman, A.S.: Serial Permeability Barriers to Water Transport in Human Placental Vesicles 94:267
Ince, C., Van Duijn, B., Ypey, D.L., Van Bavel, E., Weidema, F., Leijh, P.C.J.: Ionic Channels and Membrane Hyperpolarization in Human Macrophages 97:251
Ingram, P., *see* LeFurgey, A., et al. 94:191
Jackson, R.C., *see* Crabb, J.H. 91:85
Jacobs, W.R., Mandel, L.J.: Fluorescent Measurements of Intracellular Free Calcium in Isolated Toad Urinary Bladder Epithelial Cells 97:53
Jarvis, S.M., Young, J.D.: Nucleoside Transport in Rat Erythrocytes: Two Components with Differences in Sensitivity to Inhibition by Nitrobenzylthioinosine and *p*-Chloromercuriphenyl Sulfonate 93:1
Jauch, P., Läuger, P.: Electrogenic Properties of the Sodium-Alanine Cotransport in Pancreatic Acinar Cells: II. Comparison with Transport Models 94:117
Jauch, P., Petersen, O.H., Läuger, P.: Electrogenic Properties of the Sodium-Alanine Cotransporter in Pancreatic Acinar Cells: I. Tight-Seal Whole Cell Recordings 94:99
Jauch, P., *see* Läuger, P. 91:275
Jessen, F., Sjoholm, C., Hoffmann, E.K.: Identification of the Anion Exchange Protein of Ehrlich Cells: A Kinetic Analysis of the Inhibitory Effects of 4,4'-Diisothiocyano-2,2'-Stilbene-Disulfonic Acid (DIDS) and Labeling of Membrane Proteins with ^{3}H-DIDS 92:195
Jirounek, P., Pralong, W.F., Vitus, J., Straub, R.W.: Continuous Measurement of Calcium Influx in Mammalian Nonmyelinated Nerve Fibers: Effects of Na_o, Ca_o, and Electrical Activity 91:157
Jones, S.C., *see* Frohlich, O. 98:33
Jorgensen, P.L., *see* Andersen, J.P., et al. 93:85
Jorgensen, P.L., *see* Klaerke, D.A., et al. 95:105
Josephson, I.R., Brown, A.M.: Inwardly Rectifying Single-Channel and Whole Cell K^+ Currents in Rat Ventricular Myocytes 94:19
Jung, G., *see* Menestrina, G., et al. 93:111
Junge, W., *see* Lill, H., et al. 98:69
Kam, E.Y., *see* Biegon, R.P., et al. 96:225
Kami-ike, N., Ohkawa, T., Kishimoto, U., Takeuchi, Y.: Kinetic Analysis of the Electrogenic Pump of *Chara corallina*: IV. Temperature Dependence of the Pump Activity 94:163
Karlish, S.J.D., *see* Burnham, C., et al. 93:177
Karlish, S.J.D., *see* Klaerke, D.A., et al. 95:105
Kasai, M., *see* Tanifuji, M., et al. 99:103
Kasianowicz, J., Benz, R., Gutman, M., McLaughlin, S.: *Reply to:* Diffusion of Protons along Phospholipid Monolayers 99:226
Kasianowicz, J., Benz, R., McLaughlin, S.: How Do Protons Cross the Membrane-Solution Interface? Kinetic Studies on Bilayer Membranes Exposed to the Protonophore S-13 (5-Chloro-3-tert-Butyl-2'-Chloro- 4'Nitrosalycylanilide) 95:73
Kaufmann, E., Eberl, G., Schnell, K.F.: Characterization of the Band 3 Substrate Site in Human Red Cell Ghosts by NDS-TEMPO, a Disulfonatostilbene Spin Probe: The Function of Protons in NDS-TEMPO and Substrate-Anion Binding in Relation to Anion Transport 91:129
Keller, T.M., *see* McCann, F.V., et al. 96:57
Kim, J., Okada, Y.: Difference in Capacities for Virion-to-Virion Fusion of Young and Aged HVJ (Sendai Virus): A Model of Membrane Fusion 97:241
Kimura, Y.: Phospholipase C and the Physical States of Polar Head Groups of Lipids 96:187
Kinne, R., Kinne-Saffran, E., Schütz, H., Schölermann, B.: Ammonium Transport in Medullary Thick Ascending Limb of Rabbit Kidney: Involvement of the Na^+,K^+,Cl^--Cotransporter 94:279
Kinne-Saffran, E., *see* Kinne, R., et al. 94:279
Kinnunen, P.K.J., *see* Thuren, T., et al. 92:1
Kinsella, J.L., Cujdik, T., Sacktor, B.: Kinetic Studies on the Stimulation of Na^+-H^+ Exchange Activity in Renal Brush Border Membranes Isolated from Thyroid Hormone-Treated Rats 91:183
Kishimoto, U., *see* Kami-ike, N., et al. 94:163
Kishimoto, U., *see* Tsutsui, I., et al. 96:65

Klaerke, D.A., Karlish, S.J.D., Jorgensen, P.L.: Reconstitution in Phospholipid Vesicles of Calcium-Activated Potassium Channel from Outer Renal Medulla 95:105
Klemperer, G., *see* Garcia-Diaz, J.F., et al. 92:27
Klemperer, G., *see* Reinach, P.S., et al. 99:205
Kohler, K., *see* Kolb, H.-A., et al. 95:163
Kohlhardt, M., *see* Fichtner, H., et al. 98:125
Kolb, H.-A., Brown, C.D.A., Murer, H.: Characterization of a Ca-Dependent Maxi K Channel in the Apical Membrane of a Cultured Renal Epithelium (JTC- 12.P3) 92:207
Kolb, H.-A., Kohler, K., Martinoia, E.: Single Potassium Channels in Membranes of Isolated Mesophyll Barley Vacuoles 95:163
Korbmacher, C., *see* Helbig, H., et al. 99:173
Kracke, G.R., Dunham, P.B.: Effect of Membrane Potential on Furosemide- Inhibitable Sodium Influxes in Human Red Blood Cells 98:117
Krumpholz, B., *see* Graf, J., et al. 95:241
Krupka, R.M., *see* Devés, R., et al. 93:165, 99:13
Kung, C., *see* Hennessey, T.M. 98:145
Kung, C., *see* Richard, E.A., et al. 91:173
Kuppers, J., Plagemann, A., Thurm, U.: Uphill Transport of Water by Electroosmosis 91:107
Labarca, P., Wolff, D., Soto, U., Neccochea, C., Leighton, F.: Large Cation-Selective Pores from Rat Liver Peroxisomal Membranes Incorporated to Planar Lipid Bilayers 94:285
Lacaz-Vieira, F.: Sodium Flux in the Apical Membrane of the Toad Skin: Aspects of its Regulation and the Importance of the Ionic Strength of the Outer Solution upon the Reversibility of Amiloride Inhibition 92:27
Lafaire, A.V., Schwarz, W.: Voltage Dependence of the Rheogenic Na^+/K^+ ATPase in the Membrane of Oocytes of *Xenopus laevis* 91:43
Lambert, I.H., Hoffmann, E.K., Christensen, P.: Role of Prostaglandins and Leukotrienes in Volume Regulation by Ehrlich Ascites Tumor Cells 98:247
Lambert, I.H.: Effect of Arachidonic Acid, Fatty Acids, Prostaglandins, and Leukotrienes on Volume Regulation in Ehlrich Ascites Tumor Cells 98:207
Lambert, I.H., *see* Hoffmann, E.K., et al. 91:227
Landowne, D.: D_2O and the Sodium Pump in Squid Nerve Membrane 96:277
Lane, B., *see* Dixon, T.E., et al. 94:233
Lane, M.D., Talalay, P.: In Memory of Albert Lester Lehninger (*Obituary*) 91:193
Langridge-Smith, J.E., Dubinsky, W.P.: Relationship of the Donnan Potential to the Transmembrane pH Gradient in Tracheal Apical Membrane Vesicles 94:197
Lapointe, J.-Y., Hudson, R.L., Schultz, S.G.: Current-Voltage Relations of Sodium-Coupled Sugar Transport Across the Apical Membrane of *Necturus* Small Intestine 93:205
Larsen, E.H., Ussing, H.H., Spring, K.R.: Ion Transport by Mitochondria- Rich Cells in Toad Skin 99:25
Larsen, E.H., *see* Willumsen, N.J. 94:173
Lauf, P.K.: Thiol-Dependent Passive K/Cl Transport in Sheep Red Cells: VII. Volume-Independent Freezing by Iodoacetamide and Sulfhydrl Group Heterogeneity 98:237
Läuger, P., Jauch, P.: Microscopic Description of Voltage Effects on Ion-Driven Cotransport Systems 91:275
Läuger, P., *see* Apell, H.-J., et al. 97:179
Läuger, P., *see* Borlinghaus, R., et al. 97:161
Läuger, P., *see* Jauch, P. 94:117
Läuger, P., *see* Jauch, P., et al. 94:99
Läuger, P.: Voltage Dependence of Sodium-Calcium Exchange: Predictions from Kinetic Models (*In Memoriam Peter F. Baker*) 99:1
Laver, D.R., Walker, N.A.: Steady-State Voltage-Dependent Gating and Conduction Kinetics of Single K^+ Channels in the Membrane of Cytoplasmic Drops of *Chara australis* 100:31
Lear, S., *see* Marver, D., et al. 94:205
LeFurgey, A., Ingram, P., Mandel, L.J.: Heterogeneity of Calcium Compartmentation: Electron Probe Analysis of Renal Tubules 94:191
Lehn, J.-M., *see* Castaing, M. 97:79
Leighton, F., *see* Labarca, P., et al. 94:285
Leijh, P.C.J., *see* Ince, C., et al. 97:251
Levinson, C.: Volume Regulatory Activity of the Ehrlich Ascites Tumor Cell and Its Relationship to Ion Transport 100:183
Levinson, S.R., *see* Duch, D.S. 98:43, 57
Levinthal, C., *see* Raymond, L., et al. 92:255
Levitan, I.B., *see* Coyne, M.D., et al. 97:206
Levitt, D.G., *see* Light, D.B., et al. 95:63
Lew, V.L., Bookchin, R.M.: Volume, pH, and Ion-Content Regulation in Human Red Cells: Analysis of Transient Behavior with an Integrated Model 92:57
Lew, V.L., *see* Freeman, C.J., et al. 96:235
Li, J.H.-Y., Cragoe, E.J., Jr., Lindemann, B.: Structure-Activity Relationship of Amiloride Analogs as Blockers of Epithelial Na Channels: II. Side-Chain Modifications 95:171
Lieb, W.R., Stein, W.D.: Non-Stokesian Nature of Transverse Diffusion Within Human Red Cell Membranes (*Topical Review*) 92:111
Light, D.B., van Eenenaam, D.P., Sorenson, R.L., Levitt, D.G.: Potassium-Selective Ion Channels in a Transformed Insulin-Secreting Cell Line 95:63
Lill, H., Althoff, G., Junge, W.: Analysis of Ionic Channels by a Flash Spectrophotometric Technique Applicable to Thylakoid Membranes: CF_0, the Proton Channel of the Chloroplast ATP Synthase, and, for Comparison, Gramicidin 98:69
Lindemann, B., *see* Avenet, P. 95:265, 97:223
Lindemann, B., *see* Garty, H., et al. 95:91
Lindemann, B., *see* Li, J.H.-Y., et al. 95:171
Lindemann, B., *see* Reinhardt, R., et al. 95:47
Liu, Q.-R., *see* Raymond, L., et al. 92:255
Liu, T.-F., *see* Biegon, R.P., et al. 96:225
Loewenstein, W.R., *see* Rose, B., et al. 94:129
Loo, D.D.F., *see* Ueda, S., et al. 97:31
Lopes, A.G., Guggino, W.B.: Volume Regulation in the Early Proximal Tubule of the *Necturus* Kidney 97:117
Madara, J.L., Pappenheimer, J.R.: Structural Basis for Physiological Regulation of Paracellular Pathways in Intestinal Epithelia 100:149
Maenz, D.D., Cheeseman, C.I.: The Na^+-Independent D-Glucose Transporter in the Enterocyte Basolateral Membrane: Orientation and Cytochalasin B Binding Characteristics 97:259
Maenz, D.D., Gabriel, S.E., Forsyth, G.W.: Calcium Transport Affinity, Ion Competition and Cholera Toxin Effects on Cytosolic Ca Concentration 96:243
Maga, L., *see* Robello, M., et al. 95:55
Malik, Z., *see* Gross, E., et al. 97:215
Maly, K., *see* Doppler, W., et al. 91:147
Mandel, L.J., *see* Jacobs, W.R. 97:53
Mandel, L.J., *see* LeFurgey, A., et al. 94:191
Mandel, L.J., *see* Soltoff, S.P. 94:153
Mann, G.E., *see* Norman, P.S.R. 96:153
Mannella, C.A., *see* Tedeschi, H., et al. 97:21
Marcus, D.C., *see* Clausen, C., et al. 91:213
Marikovsky, Y., *see* McLawhon, R.W., et al. 99:75

Maroux, S., *see* Massey, D., et al. 96:19
Martinoia, E., *see* Kolb, H.-A., et al. 95:163
Marunaka, Y.: Effects of External K Concentration on the Electrogenicity of the Insulin-Stimulated Na,K-Pump in Frog Skeletal Muscle 91:165
Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H.: Cyclic AMP- Dependent Stimulation of Na,K-ATPase in Shark Rectal Gland 94:205
Marver, L.T., *see* Marver, D., et al. 94:205
Marxer, A., *see* Stieger, B., et al. 91:19
Massardo, S., *see* Masur, S.K. 96:193
Massey, D., Feracci, H., Gorvel, J.-P., Rigal, A., Soulie, J.M., Maroux, S.: Evidence for the Transit of Aminopeptidase N through the Basolateral Membrane before It Reaches the Brush Border of Enterocytes 96:19
Masur, S.K., Massardo, S.: ADH and Phorbol Ester Increase Immunolabeling of the Toad Bladder Apical Membrane by Antibodies Made to Granules 96:193
Masuya, T., *see* Miyamoto, H., et al. 92:135
Matsuki, N., *see* Nakazawa, K., et al. 100:13
McCann, F.V., Keller, T.M., Guyre, P.M.: Ion Channels in Human Macrophages Compared with the U-937 Cell Line 96:57
McLaughlin, S., *see* Kasianowicz, J., et al. 95:73, 99:226
McLawhon, R.W., Marikovsky, Y., Thomas, N.J., Weinstein, R.S.: Ethanol- Induced Alterations in Human Erythrocyte Shape and Surface Properties: Modulatory Role of Prostaglandin E1 99:75
Meas, Y., *see* Toro, M., et al. 95:1
Medalion, B., *see* Meiri, H., et al. 92:47
Medveczky, C.J., *see* Dulhunty, A.F., et al. 99:79
Meiri, H., Steinberg, R., Medalion, B.: Detection of Sodium Channel Distribution in Rat Sciatic Nerve Following Lysophosphatidylcholine-Induced Demyelination 92:47
Menestrina, G., Voges, K.-P., Jung, G., Boheim, G.: Voltage-Dependent Channel Formation by Rods of Helical Polypeptides 93:111
Menton, D.N., *see* Goligorsky, M.S., et al. 92:151
Merlie, J.P., Smith, M.M.: Synthesis and Assembly of Acetylcholine Receptor, a Multisubunit Membrane Glycoprotein (*Topical Review*) 91:1
Meves, H., Rubly, N.: Effects of Reagents Modifying Carboxyl Groups on the Gating Current of the Myelinated Nerve Fiber 100:63
Meyer, G., *see* Cremaschi, D., et al. 95:209, 219
Meyer, M.M., Verkman, A.S.: Evidence for Water Channels in Renal Proximal Tubule Cell Membranes 96:107
Mir, M.A., *see* Spurlock, G., et al. 92:163
Mircheff, A.K., *see* Nguyen, T.D., et al. 98:197
Mitra, R., *see* Tourneur, Y., et al. 97:127
Miyamoto, H., Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Masuya, T.: Kinetic Mechanism of Na^+, K^+, Cl^--Cotransport as Studied by Rb^+ Influx into HeLa Cells: Effects of Extracellular Monovalent Ions 92:135
Moffett, J., *see* Englesberg, E. 91:199
Molitoris, B.A., Hoilien, C.: Static and Dynamic Components of Renal Cortical Brush Border and Basolateral Membrane Fluidity: Role of Cholesterol 99:165
Molitoris, B.A., Simon, F.R.: Maintenance of Epithelial Surface Membrane Lipid Polarity 94:47
Monette, R., *see* Sauvé, R., et al. 92:269, 96:199
Montal, M.: Reconstitution of Channel Proteins from Excitable Cells in Planar Lipid Bilayer Membranes (*Topical Review*) 98:101
Montrose, M.H., Friedrich, T., Murer, H.: Measurements of Intracellular pH in Single LLC-PK_1 Cells: Recovery from an Acid Load via Basolateral Na^+/H^+ Exchange 97:63
Montrose, M.H., Murer, H.: Regulation of Intracellular pH in LLC-PK_1 Cells by Na^+/H^+ Exchange 93:33
Morad, M., *see* Tourneur, Y., et al. 97:127
Morgan, K., *see* Spurlock, G., et al. 92:163
Murer, H., *see* Binder, H.J. 91:77
Murer, H., *see* Kolb, H.A., et al. 92:207
Murer, H., *see* Montrose, M.H. 93:33
Murer, H., *see* Montrose, M.H., et al. 97:63
Murphy, H.R., *see* Harris, H.W., Jr., et al. 96:175
Murrell, R.D., *see* Elliott, J.R., et al. 95:143
Musch, M.W., *see* O'Grady, S.M., et al. 91:33
Nagai, R., *see* Tsutsui, I., et al. 96:65
Nagel, R.L., *see* Canessa, M., et al. 97:97
Nagy, K.: Evidence for Multiple Open States of Sodium Channels in Neuroblastoma Cells 96:251
Nakazawa, K., Saito, H., Matsuki, N.: Involvement of Calcium in Calcium- Current Inactivation in Smooth Muscle Cells from Rat Vas Deferens 100:13
Neccochea, C., *see* Labarca, P., et al. 94:285
Nelson, D.L., *see* Evans, T.C., et al. 98:275
Ngu, K.T., *see* Nguyen, T.D., et al. 98:197
Nguyen, T.D., Broyart, J.-P., Ngu, K.T., Illescas, A., Mircheff, A.K., Gray, G.M.: Laterobasal Membranes from Intestinal Epithelial Cells: Isolation Free of Intracellular Membrane Contaminants 98:197
Nielsen, R., *see* Bjerregaard, H.F. 97:9
Niggli, V., Burger, M.M.: Interaction of the Cytoskeleton with the Plasma Membrane 100:97
Nishiyama, A., *see* Saito, Y., et al. 98:135
Norman, P.S.R., Mann, G.E.: Ionic Dependence of Amino-Acid Transport in the Exocrine Pancreatic Epithelium: Calcium Dependence of Insulin Action 96:153
O'Brien, T.G., *see* Civan, M.M., et al. 97:193
O'Grady, S.M., Musch, M.W., Field, M.: Stoichiometry and Ion Affinities of the Na-K-Cl Cotransport System in the Intestine of the Winter Flounder (*Pseudopleuronectes americanus*) 91:33
O'Grady, S.M., Palfrey, H.C., Field, M.: Na-K-Cl Cotransport in Winter Flounder Intestine and Bovine Kidney Outer Medulla: [^{3}H] Bumetanide Binding and Effects of Furosemide Analogues 96:11
Oberleithner, H., *see* Dietl, R., et al. 100:43
Ohkawa, T., *see* Kami-ike, N., et al. 94:163
Ohkawa, T., *see* Tsutsui, I., et al. 96:65
Ohno-Shosaku, T., *see* Okada, Y., et al. 96:121
Oiki, S., *see* Okada, Y., et al. 96:121
Oiki, S., *see* Ueda, S., et al. 91:65
Okada, Y., Yada, T., Ohno-Shosaku, T., Oiki, S.: Evidence for the Involvement of Calmodulin in the Operation of Ca-Activated K Channels in Mouse Fibroblasts 96:121
Okada, Y., *see* Kim, J. 97:241
Okada, Y., *see* Ueda, S., et al. 91:65
Ortiz, O.E., *see* Freeman, C.J., et al. 96:235
Ozawa, T., *see* Saito, Y., et al. 98:135
Padan, E., Schuldiner, S.: Intracellular pH and Membrane Potential as Regulators in the Prokaryotic Cell 95:189
Pajor, A.M., Wright, S.H.: L-Alanine Uptake in Brush Border Membrane Vesicles from the Gill of a Marine Bivalve 96: 209
Palant, C.E., *see* Bentzel, C.J., et al. 95:9
Palestini, P., *see* Cremaschi, D., et al. 95:209
Palfrey, H.C., *see* O'Grady, S.M., et al. 96:11
Palmer, L.G.: Apical Membrane K Conductance in the Toad Urinary Bladder 92:217
Palmer, L.G.: Ion Selectivity of Epithelial Na Channels (*Topical Review*) 96:97

Pappenheimer, J.R.: Physiological Regulation of Transepithelial Impedance in the Intestinal Mucosa of Rats and Hamsters 100:137
Pappenheimer, J.R., Reiss, K.Z.: Contribution of Solvent Drag Through Intercellular Junctions to Absorption of Nutrients by the Small Intestine of the Rat 100:123
Pappenheimer, J.R., *see* Madara, J.L. 100:149
Parent, L., *see* Sauve, R., et al. 96:199
Pasquale, E.B., Udgaonkar, J.B., Hess, G.P.: Single-Channel Current Recordings of Acetylcholine Receptors in Electroplax Isolated from the *Electrophorus electricus* Main and Sachs' Electric Organs 93:195
Passow, H., *see* Grygorczyk, R., et al. 99:127
Perkins, W.R., Cafiso, D.S.: Procedure Using Voltage-Sensitive Spin-Labels to Monitor Dipole Potential Changes in Phospholipid Vesicles: The Estimation of Phloretin-Induced Conductance Changes in Vesicles 96:165
Petersen, O.H., *see* Dunne, M.J., et al. 93:271, 99:215
Petersen, O.H., *see* Jauch, P., et al. 94:99
Peterson, A.A., Cramer, W.A.: Voltage-Dependent, Monomeric Channel Activity of Colicin E1 in Artificial Membrane Vesicles 99:197
Peterson-Yantorno, K., *see* Civan, M.M., et al. 97:193
Philipson, K.D., *see* Ward, G.N. 94:217
Pinto da Silva, P., *see* Chevalier, J. 95:199
Plagemann, A., *see* Kuppers, J., et al. 91:107
Plagemann, P.G.W., *see* Woffendin, C. 98:89
Pralong, W.F., *see* Jirounek, P., et al. 91:157
Prats, M., Tocanne, J.F., Teissié, J.: Lateral Diffusion of Protons along Phospholipid Monolayers (*Letter to the Editor*) 99:225
Quartararo, N., Barry, P.H., Gage, P.W.: Ion Permeation through Single Channels Activated by Acetylcholine in Denervated Toad Sartorius Skeletal Muscle Fibers: Effects of Alkali Cations 97:137
Rae, J.L., *see* Cooper, K.E., et al. 93:259
Ramon, F., *see* Arellano, R.O., et al. 94:293
Raymond, L., Slatin, S.L., Finkelstein, A., Liu, Q.-R., Levinthal, C.: Gating of a Voltage-Dependent Channel (Colicin E1) in Planar Lipid Bilayers: Translocation of Regions Outside the Channel-Forming Domain 92:255
Raymond, L., *see* Slatin, S.L., et al. 92:247
Reinach, P.S., Thurman, C., Klemperer, G.: Basolateral Membrane K Permselectivity and Regulation in Bullfrog Cornea Epithelium 99:205
Reinach, P.S., *see* Clausen, C., et al. 91:213
Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B.: Properties of an Anionic-Selective Channel from Rat Colonic Enterocyte Plasma Membranes Reconstituted into Planar Phospholipid Bilayers 95:47
Reiss, K.Z., *see* Pappenheimer, J.R. 100:123
Reyes, G., *see* Devés, R., et al. 93:165
Richard, E.A., Saimi, Y., Kung, C.: A Mutation that Increases a Novel Calcium-Activated Potassium Conductance of *Paramecium tetraurelia* 91:173
Rick, R., Beck, F.X., Dorge, A., Thurau, K.: Intracellular Ion Concentrations in the Frog Cornea Epithelium During Stimulation and Inhibition of Cl Secretion 95:229
Rick, R., DiBona, D.R.: Intracellular Solute Gradients During Osmotic Water Flow: An Electron-Microprobe Analysis 96:85
Rigal, A., *see* Massey, D., et al. 96:19
Ritchie, R.J., Gibson, J.: Permeability of Ammonia, Methylamine and Ethylamine in the Cyanobacterium, *Synechococcus* R-2 (*Anacystis nidulans*) PCC 7942 95:131
Rivera, A., *see* Arellano, R.O., et al. 94:293
Robberecht, P., *see* Chatelain, P., et al. 93:23
Robello, M., Fresia, M., Maga, L., Grasso, A., Ciani, S.: Permeation of Divalent Cations Through α-Latrotoxin Channels in Lipid Bilayers: Steady-State Current-Voltage Relationships 95:55
Rodriguez-Boulan, E., *see* Salas, P.J.I., et al. 98:223
Rodriguez-Navarro, A., *see* Blatt, M.R., et al. 98:169
Rose, B., Yada, T., Loewenstein, W.R.: Downregulation of Cell-to-Cell Communication by the Viral *src* Gene Is Blocked by TMB-8 and Recovery of Communication Is Blocked by Vanadate 94:129
Rossetti, C., *see* Cremaschi, D., et al. 95:209, 219
Roufogalis, B.D., *see* Villalobo, A. 93:249
Rougier, O., *see* Tourneur, Y., et al. 97:127
Roy, G., Sauvé, R.: Effect of Anisotonic Media on Volume, Ion and Amino-Acid Content and Membrane Potential of Kidney Cells (MDCK) in Culture 100:83
Roy, G., *see* Sauvé, R., et al. 92:269, 96:199
Rozengurt, E., *see* Civan, M.M., et al. 94:55
Rubly, N., *see* Meves, H. 100:63
Rummel, W., *see* Reinhardt, R., et al. 95:47
Rupert, L.A.M., van Breemen, J.F.L., van Bruggen, E.F.J., Engberts, J.B.F.N., Hoekstra, D.: Calcium-Induced Fusion of Didodecylphosphate Vesicles: The Lamellar to Hexagonal II (H_{II}) Phase Transition 95:255
Sabelnikov, A.G., *see* Borovjagin, V.L., et al. 100:229
Sablotni, J., *see* Friedrich, T., et al. 94:253
Sachs, G., *see* Ueda, S., et al. 97:31
Sacktor, B., *see* Kinsella, J.L., et al. 91:183
Saimi, Y., *see* Richard, E.A., et al. 91:173
Saimi, Y.: Calcium-Dependent Sodium Currents in *Paramecium*: Mutational Manipulations and Effects of Hyper- and Depolarization 92:227
Saito, H., *see* Nakazawa, K., et al. 100:13
Saito, Y., Ozawa, T., Nishiyama, A.: Acetylcholine-Induced Na^+ Influx in the Mouse Lacrimal Gland Acinar Cells: Demonstration of Multiple Na^+ Transport Mechanisms by Intracellular Na^+ Activity Measurements 98:135
Salas, P.J.I., Vega-Salas, D.E., Rodriguez-Boulan, E.: Collagen Receptors Mediate Early Events in the Attachment of Epithelial (MDCK) Cells 98:223
Sauvé, R., Simoneau, C., Monette, R., Roy, G.: Single-Channel Analysis of the Potassium Permeability in HeLa Cancer Cells: Evidence for a Calcium- Activated Potassium Channel of Small Unitary Conductance 92:269
Sauvé, R., Simoneau, C., Parent, L., Monette, R., Roy, G.: Oscillatory Activation of Calcium-Dependent Potassium Channels in HeLa Cells Induced by Histamine H_1 Receptor Stimulation: A Single-Channel Study 96:199
Sauvé, R., *see* Roy, C. 100:83
Schaeffer, B.E., Zadunaisky, J.A.: Mechanism for Leukotriene C_4 Stimulation of Chloride Transport in Cornea 93:229
Scheuermann, D.W., *see* De Maziere, A.M.G.L., et al. 97:107
Schleicher, A., Hofmann, K.-P.: Kinetic Study on the Equilibrium between Membrane-Bound and Free Photoreceptor G-Protein 95:271
Schmid, A., *see* Benz, R., et al. 94:37, 100:21
Schmidt, H.: Effect of Divalent Cations on the K Contracture of Slow Muscle Fibers of *Rana temporaria* 100:215
Schnell, K.F., *see* Kaufmann, E., et al. 91:129
Schölermann, B., *see* Kinne, R., et al. 94:279
Schuldiner, S.: *see* Padan, E. 95:189
Schultz, S.G., *see* Lapointe, J.-Y., et al. 93:205
Schütz, H., *see* Kinne, R., et al. 94:279
Schwarz, W., *see* Grygorczyk, R., et al. 99:127
Schwarz, W., *see* Lafaire, A.V. 91:43
Sellin, J.H., *see* Thompson, S.M. 92:121

Shenolikar, S., *see* Weinman, E.J. 93:133
Sheridan, J.D., *see* Atkinson, M.M., et al. 91:53
Sheridan, J.D., *see* Biegon, R.P., et al. 96:225
Shiina, T., Tazawa, M.: Ca^{2+}-Activated Cl^- Channel in Plasmalemma of *Nitellopsis obtusa* 99:137
Shiina, T., Tazawa, M.: Demonstration and Characterization of Ca^{2+} Channel in Tonoplast-Free Cells of *Nitellopsis obtusa* 96:263
Silva, P., *see* Marver, D., et al. 94:205
Simon, F.R., *see* Molitoris, B.A. 94:47
Simoneau, C., *see* Sauvé, R., et al. 92:269
Simoneau, C., *see* Sauvé, R., et al. 96:199
Simonsen, L.O., *see* Hoffmann, E.K., et al. 91:227
Sims, P.J., *see* Benz, R., et al. 94:37
Sjoholm, C., *see* Jessen, F., et al. 92:195
Skadhauge, E., *see* Clauss, W., et al. 96:141
Slatin, S.L., Raymond, L., Finkelstein, A.: Gating of a Voltage-Dependent Channel (Colicin E1) in Planar Lipid Bilayers: The Role of Protein Translocation 92:247
Slatin, S.L., *see* Raymond, L., et al. 92:255
Slayman, C.L., *see* Blatt, M.R., et al. 98:169
Smith, J.B., Smith, L.: $Na^+/K^+/Cl^-$ Cotransport in Cultured Vascular Smooth Muscle Cells: Stimulation by Angiotensin II and Calcium Ionophores, Inhibition by Cyclic AMP and Calmodulin Antagonists 99:53
Smith, L., *see* Smith, J.B. 99:53
Smith, M.M., *see* Merlie, J.P. 91:1
Sokabe, M., *see* Tanifuji, M., et al. 99:103
Solomon, A.K.: On the Equivalent Pore Radius 94:227
Solomon, A.K., Toon, M.R., Dix, J.A.: Osmotic Properties of Human Red Cells 91:259
Solomon, A.K., *see* Toon, M.R. 99:157
Soltoff, S.P., Mandel, L.J.: Potassium Transport in the Rabbit Renal Proximal Tubule: Effects of Barium, Ouabain, Valinomycin, and Other Ionophores 94:153
Sorenson, R.L., *see* Light, D.B., et al. 95:63
Soto, U., *see* Labarca, P., et al. 94:285
Soulie, J.M., *see* Massey, D., et al. 96:19
Spalding, B.C., Swift, J.G., Horowicz, P.: Zinc Inhibition of Potassium Efflux in Depolarized Frog Muscle and Its Modification by External Hydrogen Ions and Diethylpyrocarbonate Treatment 93:157
Spalding, B.C., Swift, J.G., Horowicz, P.: Influence of External Barium and Potassium on Potassium Efflux in Depolarized Frog Sartorius Muscles 93:141
Spring, K.R., Ussing, H.H.: The Volume of Mitochondria-Rich Cells of Frog Skin Epithelium 92:21
Spring, K.R., *see* Larsen, E.H., et al. 99:25
Spring, K.R., *see* Strange, K. 96:27
Spurlock, G., Morgan, K., Mir, M.A.: Serum Stimulation of Sodium Transport in Human Fibroblasts Containing Low and High Levels of Intracellular Sodium 92:163
Stampe, P., *see* Vestergaard-Bogind, B., et al. 95:121
Steels, P.S., Boulpaep, E.L.: pH-Dependent Electrical Properties and Buffer Permeability of the *Necturus* Renal Proximal Tubule Cell 100:165
Stein, W.D., *see* Ginsberg, H. 96:1
Stein, W.D., *see* Lieb, W.R. 92:111
Steinberg, R., *see* Meiri, H., et al. 92:47
Stenger, D.A., Hui, S.W.: Kinetics of Ultrastructural Changes during Electrically Induced Fusion of Human Erythrocytes 93:43
Steponkus, P.L., *see* Wolfe, J., et al. 93:63
Stieger, B., Marxer, A., Hauri, H.-P.: Isolation of Brush-Border Membranes from Rat and Rabbit Colonocytes: Is Alkaline Phosphatase a Marker Enzyme? 91:19
Strange, K., Spring, K.R.: Cell Membrane Water Permeability of Rabbit Cortical Collecting Duct 96:27
Straub, R.W., *see* Jirounek, P., et al. 91:157
Swift, J.G., *see* Spalding, B.C., et al. 93:141, 157
Takenaka, T., Horie, H., Hori, H.: Effects of Fatty Acids on Membrane Currents in the Squid Giant Axon 95:113
Takeuchi, Y., *see* Kami-ike, N., et al. 94:163
Talalay, P., *see* Lane, M.D. 91:193
Tang, J.M., *see* Cooper, K.E., et al. 93:259
Tanifuji, M., Sokabe, M., Kasai, M.: An Anion Channel of Sarcoplasmic Reticulum Incorporated into Planar Lipid Bilayers: Single-Channel Behavior and Conductance Properties 99:103
Tarahovsky, Y.S., *see* Borovjagin, V.L., et al. 100:229
Tazawa, M., *see* Shiina, T. 96:263, 99:137
Tedeschi, H., Mannella, C.A., Bowman, C.L.: Patch Clamping the Outer Mitochondrial Membrane 97:21
Teissié, J., *see* Prats, M., et al. 99:225
Thomas, N.J., *see* McLawhon, R.W., et al. 99:75
Thompson, S.M., Sellin, J.H.: Relationships Among Sodium Current, Permeability, and Na Activities in Control and Glucocorticoid-Stimulated Rabbit Descending Colon 92:121
Thurau, K., *see* Rick, R., et al. 95:229
Thuren, T., Virtanen, J.A., Kinnunen, P.K.J.: Polyamine-Phospholipid Interaction Probed by the Accessibility of the Phospholipid *sn*-2 Ester Bond to the Action of Phospholipase 92:1
Thurm, U., *see* Kuppers, J., et al. 91:107
Thurman, C., *see* Reinach, P.S., et al. 99:205
Tocanne, J.F., *see* Prats, M., et al. 99:225
Toon, M.R., Solomon, A.K.: Modulation of Water and Urea Transport in Human Red Cells: Effects of pH and Phloretin 99:157
Toon, M.R., *see* Solomon, A.K., et al. 91:259
Topping, T.B., *see* Huang, J.-L., et al. 100:193
Toro, M., Arzt, E., Cerbon, J., Alegria, G., Alva, R., Meas, Y., Estrada-O.S.: Formation of Ion-Translocating Oligomers by Nigericin 95:1
Tourneur, Y., Mitra, R., Morad, M., Rougier, O.: Activation Properties of the Inward-Rectifying Potassium Channel on Mammalian Heart Cells 97:127
Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U.: Role of Calcium Ion in the Excitability and Electrogenic Pump Activity of the *Chara corallina* Membrane: I. Effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the Action Potential 96:65
Turner, R.J., George, J.N., Baum, B.J.: Evidence for a $Na^+/K^+/Cl^-$ Cotransport System in Basolateral Membrane Vesicles from the Rabbit Parotid 94:143
Udgaonkar, J.B., Hess, G.P.: Acetylcholine Receptor Kinetics: Chemical Kinetics (*Topical Review*) 93:93
Udgaonkar, J.B., *see* Pasquale, E.B., et al. 93:195
Ueda, S., Loo, D.D.F., Sachs, G.: Regulation of K^+ Channels in the Basolateral Membrane of *Necturus* Oxyntic Cells 97:31
Ueda, S., Oiki, S., Okada, Y.: Oscillations of Cytoplasmic Concentrations of Ca^{2+} and K^+ in Fused L Cells 91:65
Ussing, H.H., *see* Eskesen, K. 91:245
Ussing, H.H., *see* Foskett, J.K. 91:245
Ussing, H.H., *see* Larsen, E.H., et al. 99:25
Ussing, H.H., *see* Spring, K.R. 92:21
Van Bavel, E., *see* Ince, C., et al. 97:251
van Breemen, J.F.L., *see* Rupert, L.A.M., et al. 95:255
van Bruggen, E.F.J., *see* Rupert, L.A.M., et al. 95:255
Van Duijn, B., *see* Ince, C., et al. 97:251
van Eenenaam, D.P., *see* Light, D.B., et al. 95:63

van Heeswijk, M.P.E., van Os, C.H.: Osmotic Water Permeabilities of Brush Border and Basolateral Membrane Vesicles from Rat Renal Cortex and Small Intestine 92:183
van Os, C.H., *see* van Hesswijk, M.P.E. 92:183
van Os, C.H., *see* Walters, J.A.L.I., et al. 91:73
Vasilenko, I.A., *see* Borovjagin, V.L., et al. 100:229
Vega-Salas, D.E., *see* Salas, P.J.I., et al. 98:223
Verkman, A.S., *see* Cabrini, G. 92:171
Verkman, A.S., *see* Chen, P.-Y. 100:1
Verkman, A.S., *see* Illsley, N.P. 94:267
Verkman, A.S., *see* Meyer, M.M. 96:107
Vestergaard-Bogind, B., Stampe, P., Christophersen, P.: Voltage Dependence of the Ca^{2+}-Activated K^+ Conductance of Human Red Cell Membranes is Strongly Dependent on the Extracellular K^+ Concentration 95:121
Villalobo, A., Roufogalis, B.D.: Proton Countertransport by the Reconstituted Erythrocyte Ca^{2+}-Translocating ATP-ase: Evidence Using Ionophoretic Compounds 93:249
Vilsen, B., *see* Andersen, J.P., et al. 93:85
Virtanen, J.A., *see* Thuren, T., et al. 92:1
Vitus, J., *see* Jirounek, P., et al. 91:157
Voges, K.-P., *see* Menestrina, G., et al. 93:111
Vos-Scheperkeuter, G.H., *see* Benz, R., et al. 100:21
Waelbroeck, M., *see* Chatelain, P., et al. 93:23
Walker, N.A., *see* Fairley, K.A. 98:191
Walker, N.A., *see* Laver, D.R. 100:31
Walters, J.A.L.I., Bours, H., van Os, C.H.: Membrane Vesicles of Cellular Dimensions Fit in Two Geometric Series 91:73
Wang, W., *see* Dietl, R., et al. 100:43
Ward, G.N., Philipson, K.D.: Role for Sulfur-Containing Groups in the Na^+- Ca^{2+} Exchange of Cardiac Sarcolemmal Vesicles 94:217
Warncke, J., *see* Garty, H., et al. 95:91
Weidema, F., *see* Ince, C., et al. 97:251
Weinman, E.J., Shenolikar, S.: Protein Kinase C Activates the Renal Apical Membrane Na^+/H^+ Exchanger 93:133
Weinstein, R.S., *see* McLawhon, R.W., et al. 99:75
Welsh, M.J.: Adrenergic Regulation of Ion Transport by Primary Cultures of Canine Tracheal Epithelium: Cellular Electrophysiology 91:121
White, J.F.: Modes of Cl^- Transport across the Mucosal and Serosal Membranes of Urodele Intestinal Cells 92:75
Wiederholt, M., *see* Helbig, H., et al. 99:173
Wiedmer, T., *see* Benz, R., et al. 94:37
Williams, S.R., *see* Civan, M.M., et al. 94:55
Willingham, M.C., *see* Harris, H.W., Jr., et al. 96:175
Wills, N.K., Clausen, C.: Transport-Dependent Alterations of Membrane Properties of Mammalian Colon Measured Using Impedance Analysis 95:21
Willumsen, N.J., Larsen, E.H.: Membrane Potentials and Intracellular Cl^- Activity of Toad Skin Epithelium in Relation to Activation and Deactivation of the Transepithelial Cl^- Conductance 94:173
Woffendin, C., Plagemann, P.G.W.: Interaction of [^{3}H]Dipyridamole with the Nucleoside Transporters of Human Erythrocytes and Cultured Animal Cells 98:89
Wolfe, J., Dowgert, M.F., Steponkus, P.L.: Mechanical Study of the Deformation and Rupture of the Plasma Membranes of Protoplasts during Osmotic Expansions 93:63
Wolfe, J., *see* Bryant, G. 96:129
Wolff, D., *see* Cecchi, X., et al. 91:11
Wolff, D., *see* Labarca, P., et al. 94:285
Wollheim, C.B., *see* Dunne, M.J., et al. 93:271
Wolowyk, M.W., *see* Fincham, D.A., et al. 96:45
Wondergem, R., *see* Howard, L.D. 100:53
Wright, E.M., *see* Birnir, B., et al. 100:221
Wright, S.H.: Alanine and Taurine Transport by the Gill Epithelium of a Marine Bivalve: Effect of Sodium on Influx 95:37
Wright, S.H., *see* Pajor, A.M. 96:209
Yada, T., *see* Okada, Y., et al. 96:121
Yada, T., *see* Rose, B., et al. 94:129
Yamaguchi, H., *see* Miyamoto, H., et al. 92:135
Yeger, O., *see* Garty, H., et al. 95:151
Yonezu, T., *see* Miyamoto, H., et al. 92:135
Young, J.D., *see* Fincham, D.A., et al. 96:45
Young, J.D., *see* Jarvis, S.M. 93:1
Ypey, D.L., *see* Ince, C., et al. 97:251
Zadunaisky, J.A., *see* Schaeffer, B.E. 93:229
Zampighi, G.A., *see* Arellano, R.O., et al. 94:293

Subject Index — Volumes 91–100

A system
—, a genetic approach to the study of neutral amino acid transport in mammalian cells in culture, Englesberg, E., Moffett, J. 91:199
Acetazolamide
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-Cl^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
—, proton transport and membrane shuttling in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D., Lane, B. 94:233
Acetylcholine
—, acetylcholine-induced Na^+ influx in the mouse lacrimal gland acinar cells: demonstration of multiple Na^+ transport mechanisms by intracellular Na^+ activity measurement, Saito, Y., Ozawa, T., Nishiyama, A. 98:135
—, ion permeation through single channels activated by acetylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
Acetylcholine receptor
—, acetylcholine receptor kinetics: chemical kinetics, Udgaonkar, J.B., Hess, G.P. 93:93
—, single-channel current recordings of acetylcholine receptors in electroplax isolated from the *Electrophorus electricus* Main and Sachs' electric organs, Pasquale, E.B., Udgaonkar, J.B., Hess, G.P. 93:195
Acid secretion
—, kinetic studies on the stimulation of Na^+-H^+ exchange activity in renal brush border membranes isolated from thyroid hormone-treated rats, Kinsella, J.L., Cujdik, T., Sacktor, B. 91:183
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
Acid/base regulation
—, protein kinase C activates the renal apical membrane Na^+/H^+ exchanger, Weinman, E.J., Shenolikar, S. 93:133
Acridine orange
—, identification of the renal Na^+/H^+ exchanger with N,N'-dicyclohexylcarbodiimide (DCCD) and amiloride analogues, Friedrich, T., Sablotni, J., Burckhardt, G. 94:253
—, potassium/proton exchange in brush-border membrane of rat ileum, Binder, H.J., Murer, H. 91:77
Action potential
—, detection of sodium channel distribution in rat sciatic nerve following lysophosphatidylcholine-induced demyelination, Meiri, H., Steinberg, R., Medalion, B. 92:47
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: I. effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
Action potential, epithelial
—, action potentials in epithelial taste receptor cells induced by mucosal calcium, Avenet, P., Lindemann, B. 95:265
Activation volume
—, effects of high hydrostatic pressure on 'passive' monovalent cation transport in human red cells, Hall, A.C., Ellory, J.C. 94:1
Acylation
—, interaction of the cytoskeleton with the plasma membrane, Niggli, V., Burger, M.M. 100:97
Adenosine-3',5'cyclic monophosphate
—, volume-sensitive taurine transport in fish erythrocytes, Fincham, D.A., Wolowyk, M.W., Young, J.D. 96:45
Adenylate cyclase
—, modulation by *n*-alkanols of rat cardiac adenylate cyclase activity, Chatelain, P., Robberecht, P., Wailbroeck, M., Camus, J.C., Christophe, J. 93:23
Adrenergic agents
—, adrenergic regulation of ion transport by primary cultures of canine tracheal epithelium: cellular electrophysiology, Welsh, M.J. 91:121
Affinity labeling
—, identification of the renal Na^+/H^+ exchanger with N,N'-dicyclohexylcarbodiimide (DCCD) and amiloride analogues, Friedrich, T., Sablotni, J., Burckhardt, G. 94:253
Alamethicin
—, voltage-dependent channel formation by rods of helical polypeptides, Menestrina, G., Voges, K.-P., Jung, F., Boheim, G. 93:111
Alanine
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37
Alanine transport
—, L-alanine uptake in brush border membrane vesicles from the gill of a marine bivalve, Pajor, A.M., Wright, S.H. 96:209
Albers-Post cycle
—, fast charge translocations associated with partial reactions of the Na,K-pump: II. Microscopic analysis of transient currents, Apell, H.- J., Borlinghaus, R., Läuger, P. 97:179
Aldosterone
—, effects of adrenal steroids on Na transport in the lower intestine (coprodeum) of the hen, Clauss, W. Durr, J.E., Guth, D., Skadhauge, E. 96:141
Algal cells
—, chloride currents in *Chara*—a patch clamp study, Coleman, H.A. 93:55
Alkali cations
—, ion permeation through single channels activated by acetylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
Alkaline phosphatase
—, isolation of brush-border membranes from rat and rabbit colonocytes: is alkaline phosphatase a marker enzyme? Stieger, B., Marxer, A., Hauri, H.- P. 91:31
Alkyl substitution
—, amine ion porter in *Chara australis*: effects of alkyl substitution and external pH, Fairley, K.A., Walker, N.A. 98: 191
Aluminum
—, voltage gating in VDAC is markedly inhibited by micromolar quantities of aluminum, Dill, E.T., Holden, M.H., Colombini, M. 99:187

α-Helix dipole
—, voltage-dependent channel formation by rods of helical polypeptides, Menestrina, G., Voges, K.-P., Jung, F., Boheim, G. 93:111
α-Latrotoxin channels
—, permeation of divalent cations through α-Latrotoxin channels in lipid bilayers: steady-state current-voltage relationships, Robello, M., Fresia, M., Maga, L., Grasso, A., Ciani, S. 95:55
α-Methylglucoside
—, common characteristics for Na^+-dependent sugar transport in Caco-2 cells and human fetal colon, Blais, A., Bissonnette, P., Berteloot, A. 99:113
Amiloride
—, an amiloride-sensitive Na^+ conductance in the basolateral membrane of toad urinary bladder, Garty, H., Warncke, J., Lindemann, B. 95:91
—, direct inhibition of epithelial Na^+ channels by a pH-dependent interaction with calcium, and by other divalent ions, Garty, H., Asher, C., Yeger, O. 95:151
—, identification of the renal Na^+/H^+ exchanger with N,N'-dicyclohexylcarbodiimide (DCCD) and amiloride analogues, Friedrich, T., Sablotni, J., Burckhardt, G. 94:253
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, potassium/proton exchange in brush-border membrane of rat ileum, Binder, H.J., Murer, H. 91:77
—, sodium flux in the apical membrane of the toad skin: aspects of its regulation and the importance of the ionic strength of the outer solution upon the reversibility of amiloride inhibition, Lacaz-Vieira, F. 92:27
—, transport-dependent alterations of membrane properties of mammalian colon measured using impedance analysis, Wills, N.K., Clausen, C. 95:21
Amine ion transport
—, amine ion porter in *Chara australis*: effects of alkyl substitution and external pH, Fairley, K.A., Walker, N.A. 98:191
Amino acid modification
—, role for sulfur-containing groups in the Na^+-Ca^{2+} exchange of cardiac sarcolemmal vesicles, Pierce, G.N., Ward, R., Philipson, K.D. 94:217
Amino acid sequence
—, localization of E_1-E_2 conformational transitions of sarcoplasmic reticulum Ca-ATPase by tryptic cleavage and hydrophobic labeling, Andersen, J.P., Vilsen, B., Collins, J.H., Jorgensen, P.L. 93:85
Amino acid transport
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: I. tight-seal whole-cell recordings, Jauch, P., Petersen, O.H., Läuger, P. 94:99
—, a genetic approach to the study of neutral amino acid transport in mammalian cells in culture, Englesberg, E., Moffett, J. 91:199
—, ionic dependence of amino-acid transport in the exocrine pancreatic epithelium: calcium dependence of insulin action, Norman, P.S.R., Mann, G.E. 96:153
—, L-alanine uptake in brush border membrane vesicles from the gill of a marine bivalve, Pajor, A.M., Wright, S.H. 96:209
—, volume-sensitive taurine transport in fish erythrocytes, Fincham, D.A., Wolowyk, M.W., Young, J.D. 96:45
Amino acids
—, lanthanide/proline cotransport across rabbit renal brush borders, Birnir, B., Hirayama, B., Wright, E.M. 100:221
Aminopeptidase
—, evidence for the transit of aminopeptidase N through the basolateral membrane before it reaches the brush border of enterocytes, Massey, D., Feracci, H., Gorvel, J.-P., Rigal, A., Soulie, J.M., Maroux, S. 96:19
Ammonia
—, permeability of ammonia, methylamine and ethylamine in the cyanobacterium, *Synechococcus* R-2 (*Anacystis nidulans*) PCC 7942, Ritchie, R.J., Gibson, J. 95:131
Ammonium transport
—, ammonium transport in medullary thick ascending limb of rabbit kidney: involvement of the Na^+,K^+,Cl^--cotransporter, Kinne, R., Kinne-Saffran, E., Schutz, H., Scholermann, B. 94:279
—, permeability of ammonia, methylamine and ethylamine in the cyanobacterium, *Synechococcus* R-2 (*Anacystis nidulans*) PCC 7942, Ritchie, R.J., Gibson, J. 95:131
AMP-PNP
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
Amphiuma
—, modes of Cl^- transport across the mucosal and serosal membranes of urodele intestinal cells, White, J.F. 92:75
Anesthetic esters
—, local anesthetic action of carboxylic esters: evidence for the significance of molecular volume and for the number of sites involved, Elliott, J.R., Murrell, R.D., Haydon, D.A. 95:143
Anesthetic mechanisms
—, local anesthetic action of carboxylic esters: evidence for the significance of molecular volume and for the number of sites involved, Elliott, J.R., Murrell, R.D., Haydon, D.A. 95:143
Angiotensin II
—, parathyroid hormone-induced changes of the brush border topography and cytoskeleton in cultured renal proximal tubular cells, Goligorsky, M.S., Menton, D.N., Hruska, K.A. 92:151
Anion channels
—, an anion channel of sarcoplasmic reticulum incorporated into planar lipid bilayers: single-channel behavior and conductance properties, Tanifuji, M., Sokabe, M., Kasai, M. 99:103
Anion exchange
—, denaturation of a membrane transport protein by urea: the erythrocyte anion exchanger, Frohlich, O., Jones, S.C. 98:33
—, identification of the anion exchange protein of Ehrlich cells: a kinetic analysis of the inhibitory effects of 4,4'-diisothiocyano-2,2'- stilbene-disulfonic acid (DIDS) and labeling of membrane proteins with ^{3}H-DIDS, Jessen, F., Sjoholm, C., Hoffmann, E.K. 92:195
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes mediated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
Anion transport
—, characterization of the band 3 substrate site in human red cell ghosts by NDS-TEMPO, a disulfonatostilbene spin probe: the function of protons in NDS-TEMPO and sub-

strate-anion binding in relation to anion transport, Kaufmann, E., Eberl, G., Schnell, K.F. 91:129
—, pH-dependent electrical properties and buffer permeability of the *Necturus* renal proximal tubule cell, Steels, P.S., Boulpaep, E.L. 100:165
—, renal basolateral membrane anion transporter characterized by a fluorescent disulfonic stilbene, Chen, P.-Y., Verkman, A.S. 100:1
Anomalous rectifier
—, influence of external barium and potassium on potassium efflux in depolarized frog sartorius muscles, Spalding, B.C., Swift, J.G., Horowicz, P. 93:141
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157
Antidiuretic hormone
—, ADH and phorbol ester increase immunolabeling of the toad bladder apical membrane by antibodies made to granules, Masur, S.K., Massardo, S. 96:193
—, apical membrane K conductance in the toad urinary bladder, Palmer, L.G. 92:217
—, cell membrane water permeability of rabbit cortical collecting duct, Strange, K., Spring, K.R. 96:27
—, intracellular solute gradients during osmotic water flow: an electron- microprobe analysis, Rick, R., DiBona, D.R. 96: 85
—, isolation and characterization of specialized regions of toad urinary bladder apical plasma membrane involved in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S. 96:175
Apical membrane
—, ADH and phorbol ester increase immunolabeling of the toad bladder apical membrane by antibodies made to granules, Masur, S.K., Massardo, S. 96:193
—, apical membrane K conductance in the toad urinary bladder, Palmer, L.G. 92:217
—, characterization of a Ca-dependent maxi-K channel in the apical membrane of a cultured renal epithelium (JTC-12.P3), Kolb, H.A., Brown, C.D.A., Murer, H. 92:207
—, current - voltage relations of sodium-coupled sugar transport across the apical membrane of *Necturus* small intestine, Lapointe, J.-Y., Hudson, R.L., Schultz, S.G. 93:205
—, direct inhibition of epithelial Na^+ channels by a pH-dependent interaction with calcium, and by other divalent ions, Garty, H., Asher, C., Yeger, O. 95:151
—, ion selectivity of epithelial Na channels, Palmer, L.G. 96:97
—, isolation and characterization of specialized regions of toad urinary bladder apical plasma membrane involved in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S. 96:175
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-Cl^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
—, protamine alters structure and conductance of *Necturus* gallbladder tight junctions without major electrical effects on the apical cell membrane, Bentzel, C.J., Fromm, M., Palant, C.E., Hegel, U. 95:9
—, protein kinase C activates the renal apical membrane Na^+/H^+ exchanger, Weinman, E.J., Shenolikar, S. 93:133
—, relationship of the Donnan potential to the transmembrane pH gradient in tracheal apical membrane vesicles, Langridge-Smith, J.E., Dubinsky, W.P. 94:197
—, sodium flux in the apical membrane of the toad skin: aspects of its regulation and the importance of the ionic strength of the outer solution upon the reversibility of amiloride inhibition, Lacaz-Vieira, F. 92:27
Aplysia nervous system
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
Aplysia neurones
—, nonselective ionic channels in *Aplysia* neurones, Chesnoy-Marchais, D., Evans, M.G. 93:75
Aqueous channel
—, on the equivalent pore radius, Solomon, A.K. 94:227
Arachidonic acid
—, effect of arachidonic acid, fatty acids, prostaglandins, and leukotrienes on volume regulation in Ehrlich ascites tumor cells, Lambert, I.H. 98:207
—, mechanism for leukotriene C^4 stimulation of chloride transport in cornea, Schaeffer, B.E., Zadunaisky, J.A. 93:229
—, modulating effect of cystamine and unsaturated fatty acids on gamma-glutamyl transpeptidase: relation to cellular oxidative status, Flagg-Newton, J.L., De Bault, L.E. 100:207
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
ASC system
—, a genetic approach to the study of neutral amino acid transport in mammalian cells in culture, Englesberg, E., Moffett, J. 91:199
Assembly
—, synthesis and assembly of acetylcholine receptor, a multisubunit membrane glycoprotein, Merlie, J.P., Smith, M.M. 91:1
ATP
—, ATP-sensitive K^+ channels in an insulin-secreting cell line are inhibited by D-glyceraldehyde and activated by membrane permeabilization, Dunne, M.J., Findlay, I., Petersen, O.H., Wollheim, C.B. 93:271
—, interaction of diazoxide, tolbutamide and ATP^{4-} on nucleoside-dependent K^+ channels in an insulin-secreting cell line, Dunne, M.J., Illot, M.C., Petersen, O.H. 99:215
—, potassium transport in the rabbit renal proximal tubule: effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
ATP synthase
—, analysis of ionic channels by a flash spectrophotometric technique applicable to thylakoid membranes: CF_0, the proton channel of the chloroplast ATP synthase, and, for comparison, gramicidin, Lill, H., Althoff, G., Junge, W. 98:69
ATP-γ-S
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
Band 3
—, characterization of the band 3 substrate site in human red cell ghosts by NDS-TEMPO, a disulfonatostilbene spin probe: the function of protons in NDS-TEMPO and substrate-anion binding in relation to anion transport, Kaufmann, E., Eberl, G., Schnell, K.F. 91:129

—, denaturation of a membrane transport protein by urea: the erythrocyte anion exchanger, Frohlich, O., Jones, S.C. 98:33
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes mediated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
Barium
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
—, influence of external barium and potassium on potassium efflux in depolarized frog sartorius muscles, Spalding, B.C., Swift, J.G., Horowicz, P. 93:141
—, potassium transport in the rabbit renal proximal tubule: effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
Barium channel
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
Basolateral membrane
—, an amiloride-sensitive Na^+ conductance in the basolateral membrane of toad urinary bladder, Garty, H., Warncke, J., Lindemann, B. 95:91
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
—, evidence for the transit of aminopeptidase N through the basolateral membrane before it reaches the brush border of enterocytes, Massey, D., Feracci, H., Gorvel, J.-P., Rigal, A., Soulie, J.M., Maroux, S. 96:19
—, maintenance of epithelial surface membrane lipid polarity: a role for differing phospholipid translocation rates, Molitoris, B.A., Simon, F.R. 94:47
—, the Na^+-independent D-glucose transporter in the enterocyte basolateral membrane: orientation and cytochalasin B binding characteristics, Maenz, D.D., Cheeseman, C.I. 97:259
—, osmotic water permeabilities of brush border and basolateral membrane vesicles from rat renal cortex and small intestine, van Heeswijk, M.P.E., van Os, C.H. 92:183
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
—, renal basolateral membrane anion transporter characterized by a fluorescent disulfonic stilbene, Chen, P.-Y., Verkman, A.S. 100:1
—, static and dynamic components of renal cortical brush border and basolateral membrane fluidity: role of cholesterol, Molitoris, B.A., Hoilien, C. 99:165
—, volume regulation in the early proximal tubule of the *Necturus* kidney, Lopes, A.G., Guggino, W.B. 97:117
Bicarbonate
—, volume regulation in the early proximal tubule of the *Necturus* kidney, Lopes, A.G., Guggino, W.B. 97:117
Bilayer reconstitution
—, properties of an anionic-selective channel from rat colonic enterocyte plasma membranes reconstituted into planar phospholipid bilayers, Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B. 95:47
Bilayers
—, characterization of a calcium-activated potassium channel from rabbit intestinal smooth muscle incorporated into planar bilayers, Cecchi, X., Alvarez, O., Wolff, D. 91:11
—, how do protons cross the membrane-solution interface? kinetic studies on bilayer membranes exposed to the protonophore S-13 (5-chloro-3-tert- butyl-2'-chloro-4'nitrosalicylanilide), Kasianowicz, J., Benz, R., McLaughlin, S. 95:73
—, permeation of divalent cations through α-Latrotoxin channels in lipid bilayers: steady-state current-voltage relationships, Robello, M., Fresia, M., Maga, L., Grasso, A., Ciani, S. 95:55
Bovine kidney
—, Na-K-2Cl cotransport in winter flounder intestine and bovine kidney outer medulla: [^{3}H] bumetanide binding and effects of furosemide analogues, O'Grady, S.M., Palfrey, H.C., Field, M. 96:11
Brush border membrane
—, calcium transport affinity, ion competition and cholera toxin effects on cytosolic Ca concentration, Maenz, D.D., Gabriel S.E., Forsyth, G.W. 96:243
—, evidence for the transit of aminopeptidase N through the basolateral membrane before it reaches the brush border of enterocytes, Massey, D., Feracci, H., Gorvel, J.-P., Rigal, A., Soulie, J.M., Maroux, S. 96:19
—, identification of the renal Na^+/H^+ exchanger with N,N'-dicyclohexylcarbodiimide (DCCD) and amiloride analogues, Friedrich, T., Sablotni, J., Burckhardt, G. 94:253
—, isolation of brush-border membranes from rat and rabbit colonocytes: is alkaline phosphatase a marker enzyme? Stieger, B., Marxer, A., Hauri, H.- P. 91:31
—, kinetic studies on the stimulation of Na^+-H^+ exchange activity in renal brush border membranes isolated from thyroid hormone-treated rats, Kinsella, J.L., Cujdik, T., Sacktor, B. 91:183
—, L-alanine uptake in brush border membrane vesicles from the gill of a marine bivalve, Pajor, A.M., Wright, S.H. 96:209
—, lanthanide/proline cotransport across rabbit renal brush borders, Birnir, B., Hirayama, B., Wright, E.M. 100:221
—, maintenance of epithelial surface membrane lipid polarity: a role for differing phospholipid translocation rates, Molitoris, B.A., Simon, F.R. 94:47
—, osmotic water permeabilities of brush border and basolateral membrane vesicles from rat renal cortex and small intestine, van Heeswijk, M.P.E., van Os, C.H. 92:183
—, potential-sensitive response mechanism of DiS-C_3-(5) in biological membranes, Cabrini, G., Verkman, A.S. 92:171
—, protein kinase C activates the renal apical membrane Na^+/H^+ exchanger, Weinman, E.J., Shenolikar, S. 93:133
—, static and dynamic components of renal cortical brush border and basolateral membrane fluidity: role of cholesterol, Molitoris, B.A., Hoilien, C. 99:165
Brush border membrane contraction
—, physiological regulation of transepithelial impedance in the intestinal mucosa of rats and hamsters, Pappenheimer, J.R. 100:137
Brush border topography
—, parathyroid hormone-induced changes of the brush border topography and cytoskeleton in cultured renal proximal tubular cells, Goligorsky, M.S., Menton, D.N., Hruska, K.A. 92:151
Buffer permeability
—, pH-dependent electrical properties and buffer permeability of the *Necturus* renal proximal tubule cell, Steels, P.S., Boulpaep, E.L. 100:165
Bufo marinus
—, fluorescent measurements of intracellular free calcium in

isolated toad urinary bladder epithelial cells, Jacobs, W.R., Mandel, L.J. 97:53
—, ion permeation through single channels activated by acetylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
Bullfrog
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
Bumetanide
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
—, Na-K-2Cl cotransport in winter flounder intestine and bovine kidney outer medulla: [^{3}H] bumetanide binding and effects of furosemide analogues, O'Grady, S.M., Palfrey, H.C., Field, M. 96:11
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-Cl^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
Burst kinetics
—, characterization of a Ca-dependent maxi-K channel in the apical membrane of a cultured renal epithelium (JTC-12.P3), Kolb, H.A., Brown, C.D.A., Murer, H. 92:207
Ca^{2+}-activated Cl^- channel
—, Ca^{2+}-activated Cl^- channel in plasmalemma of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 99:137
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
Ca^{2+}-activated K channel
—, oscillatory activation of calcium-dependent potassium channels in HeLa cells induced by histamine H_1 receptor stimulation: a single-channels study, Sauvé, R., Simoneau, C., Parent, L., Monette, R., Roy, G. 96:199
—, single channel analysis of the potassium permeability in HeLa cancer cells: evidence for a calcium-activated potassium channel of small unitary conductance, Sauvé, R., Simoneau, C., Monette, R., Roy, G. 92:269
—, voltage and Ca^{2+}-activated K^+ channel in cultured epithelial cells (MDCK), Bolivar J.J., Cereijido, M. 97:43
Ca^{2+}-activated K^+ channel
—, modification of Ca^{2+}-activated K^+ channels in cultured medullary thick ascending limb cells by N-bromoacetamide, Cornejo, M., Guggino, S.E., Guggino, W.B. 99:147
—, oscillations of cytoplasmic concentrations of Ca^{2+} and K^+ in fused L cells, Ueda, S., Oiki, S., Okada, Y. 91:65
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
—, voltage dependence of the Ca^{2+}-activated K^+ conductance of human red cell membranes is strongly dependent on the extracellular K^+ concentration, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 95:121
Ca^{2+}-activated K^+ channel
—, single nonselective cation channels and Ca^{2+}-activated K^+ channels in aortic endothelial cells, Fichtner, H., Frobe, U., Busse, R., Kohlhardt, M. 98:125
Ca^{2+} activation
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
Ca^{2+} ATPase
—, proton countertransport by the reconstituted erythrocyte Ca^{2+}-translocating ATPase: evidence using ionophoretic compounds, Villalobo, A., Roufogalis, B.D. 93:249
Ca^{2+} buffering
—, electrophysiological evidence suggests a defective Ca^{2+} control mechanism in a new *Paramecium* mutant, Evans, T.C., Hennessey, T., Nelson, D.L. 98:275
Ca^{2+} channel
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
Ca^{2+} inhibition
—, direct inhibition of epithelial Na^+ channels by a pH-dependent interaction with calcium, and by other divalent ions, Garty, H., Asher, C., Yeger, O. 95:151
Ca^{2+} ionophore A23187
—, continuous measurement of calcium influx in mammalian nonmyelinated nerve fibers: effect of Na_o, Ca_o, and electrical activity, Jirounek, P., Pralong, W.F., Vitus, J., Straub, R.W. 91:157
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
(Ca^{2+} - Mg^{2+})-ATPase
—, trypsin-induced calcium efflux from sarcoplasmic reticulum: evidence for the involvement of the (Ca^{2+} - Mg^{2+})-ATPase, Huang, J.-L., Topping, T.B., He, Z., Folsom, B., Dunker, A.K. 100:193
Ca^{2+} permeability
—, permeation of divalent cations through α-Latrotoxin channels in lipid bilayers: steady-state current-voltage relationships, Robello, M., Fresia, M., Maga, L., Grasso, A., Ciani, S. 95:55
Ca^{2+} pump
—, electrophysiological evidence suggests a defective Ca^{2+} control mechanism in a new *Paramecium* mutant, Evans, T.C., Hennessey, T., Nelson, D.L. 98:275
Ca^{2+}-selective microelectrode
—, oscillations of cytoplasmic concentrations of Ca^{2+} and K^+ in fused L cells, Ueda, S., Oiki, S., Okada, Y. 91:65
Ca^{2+}-sensitive K channel
—, volume, pH, and ion-content regulation in human red cells: analysis of transient behavior with an integrated model, Lew, V.L., Bookchin, R.M. 92:57
Caco 2
—, common characteristics for Na^+-dependent sugar transport in Caco-2 cells and human fetal colon, Blais, A., Bissonnette, P., Berteloot, A. 99:113
"Caged" ATP
—, fast charge translocations associated with partial reactions of the Na,K-pump: I. current and voltage transients after photochemical release of ATP, Borlinghaus, R., Apell, H.-J., Läuger, P. 97:161
Calcium
—, action potentials in epithelial taste receptor cells induced by mucosal calcium, Avenet, P., Lindemann, B. 95:265
—, calcium-induced fusion of didodecylphosphate vesicles: the lamellar to hexagonal II (H_{II}) phase transition, Rupert,

L.A.M., van Breemen, J.F.L., van Bruggen, E.F.J., Engberts, J.B.F.N., Hoekstra, D. 95:255
—, a cation channel in frog lens epithelia responsive to pressure and calcium, Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S. 93:259
—, electrophysiological evidence suggests a defective Ca^{2+} control mechanism in a new *Paramecium* mutant, Evans, T.C., Hennessey, T., Nelson, D.L. 98:275
—, heterogeneity of calcium compartmentation: electron probe analysis of renal tubules, LeFurgey, A., Ingram, P., Mandel, L.J. 94:191
—, parathyroid hormone-induced changes of the brush border topography and cytoskeleton in cultured renal proximal tubular cells, Goligorsky, M.S., Menton, D.N., Hruska, K.A. 92:151
—, polycation inhibition of exocytosis from sea urchin egg cortex, Crabb, J.H., Jackson, R.C. 91:85
Calcium-activated K channel
—, characterization of a calcium-activated potassium channel from rabbit intestinal smooth muscle incorporated into planar bilayers, Cecchi, X., Alvarez, O., Wolff, D. 91:11
—, evidence for the involvement of calmodulin in the operation of Ca- activated K channels in mouse fibroblasts, Okada, Y., Yada, T., Ohno- Shosaku, T., Oiki, S. 96:121
Calcium-activated K^+ channel
—, reconstitution in phospholipid vesicles of calcium-activated potassium channel from outer renal medulla, Klaerke, D.A., Karlish, J.D., Jorgensen, P.L. 95:105
Calcium-activated K conductance
—, a mutation that increases a novel calcium-activated potassium conductance of *Paramecium tetraurelia*, Richard, E.A., Saimi, Y., Kung, C. 91:173
Calcium activation
—, the carrier reorientation step in erythrocyte choline transport: pH effects and the involvement of a carrier ionizing group, Deves, R., Reyes, G., Krupka, R.M. 93:165
Calcium ATPase
—, distribution of calcium ATPase in the sarcoplasmic reticulum of fast- and slow-twitch muscles determined with monoclonal antibodies, Dulhunty, A.F., Banyard, M.R.C., Medveczky, C.J. 99:79
Calcium buffering
—, continuous measurement of calcium influx in mammalian nonmyelinated nerve fibers: effect of Na_o, and Ca_o, and electrical activity, Jirounek, P., Pralong, W.F., Vitus, J., Straub, R.W. 91:157
Calcium channel
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
—, involvement of calcium in calcium-current inactivation in smooth muscle cells from rat vas deferens, Nakazawa, K., Saito, H., Matsuki, N. 100:13
Calcium dependence
—, ionic dependence of amino-acid transport in the exocrine pancreatic epithelium: calcium dependence of insulin action, Norman, P.S.R., Mann, G.E. 96:153
Calcium-dependent current
—, calcium-dependent sodium currents in *Paramecium*: mutational manipulations and effects of hyper- and depolarization, Saimi, Y. 92:227
Calcium-dependent K channel
—, the carrier reorientation step in erythrocyte choline transport: pH effects and the involvement of a carrier ionizing group, Deves, R., Reyes, G., Krupka, R.M. 93:165
Calcium-dependent K conductance
—, ionic channels and membrane hyperpolarization in human macrophages, Ince, C., van Dujin, B., Ypey, D.L., van Bavel, E., Weidema, F., Leijh, P.C.J. 97:251
Calcium-dependent K^+ current
—, a calcium-dependent potassium current is increased by a single-gene mutation in *Parmecium*, Hennessey, T.M., Kung, C. 98:145
Calcium depletion
—, intracellular calcium content of human erythrocytes: relation to sodium transport systems, Engelmann, B., Duhm, J. 98:79
Calcium flux
—, trypsin-induced calcium efflux from sarcoplasmic reticulum: evidence for the involvement of the $(Ca^{2+} - Mg^{2+})$-ATPase, Huang, J.-L., Topping, T.B., He, Z., Folsom, B., Dunker, A.K. 100:193
Calcium ion
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
Calcium ion channel
—, Ca^{2+}-activated Cl^- channel in plasmalemma of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 99:137
—, demonstration and characterization of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 96:263
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: I. effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
Calcium permeability
—, trypsin-induced calcium efflux from sarcoplasmic reticulum: evidence for the involvement of the $(Ca^{2+} - Mg^{2+})$-ATPase, Huang, J.-L., Topping, T.B., He, Z., Folsom, B., Dunker, A.K. 100:193
Calcium transport
—, calcium transport affinity, ion competition and cholera toxin effects on cytosolic Ca concentration, Maenz, D.D., Gabriel S.E., Forsyth, G.W. 96:243
Calmodulin
—, evidence for the involvement of calmodulin in the operation of Ca-activated K channels in mouse fibroblasts, Okada, Y., Yada, T., Ohno-Shosaku, T., Oiki, S. 96: 121
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
Calmodulin inhibitors
—, reconstitution in phospholipid vesicles of calcium-activated potassium channel from outer renal medulla, Klaerke, D.A., Karlish, J.D., Jorgensen, P.L. 95:105
cAMP
—, cyclic AMP-dependent stimulation of Na,K-ATPase in shark rectal gland, Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H. 94:205
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
cAMP-dependent kinase
—, protein kinase C activates the renal apical membrane Na^+/H^+ exchanger, Weinman, E.J., Shenolikar, S. 93:133

cAMP-regulated K^+ channels
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
Canalicular membrane
—, cell membrane and transepithelial voltages and resistances in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
Carbachol
—, apical membrane K conductance in the toad urinary bladder, Palmer, L.G. 92:217
Carbamoylcholine
—, acetylcholine receptor kinetics: chemical kinetics, Udgaonkar, J.B., Hess, G.P. 93:93
Carbonylcyanide *m*-chlorophenylhydrazone (CCCP)
—, flux ratio of valinomycin-mediated K^+ fluxes across the human red cell membrane in the presence of the protonophore CCCP, Bennekou, P., Christophersen, P. 93: 221
Carboxyl groups
—, effects of reagents modifying carboxyl groups on the gating current of the myelinated nerve fiber, Meves, H., Rubly, N. 100:63
Carboxylic ionophores
—, formation of ion-translocating oligomers by nigericin, Toro, M., Arzt, E., Cerbon, J., Alegria, G., Alva, R., Meas, Y., Estrada-O., S. 95:1
Cardiac myocytes
—, inwardly rectifying single-channel and whole cell K^+ currents in rat ventricular myocytes, Josephson, I.R., Brown, A.M. 94:19
Carrier mechanism
—, the carrier reorientation step in erythrocyte choline transport: pH effects and the involvement of a carrier ionizing group, Devés, R., Reyes, G., Krupka, R.M. 93:165
Carrier reorientation
—, the carrier reorientation step in erythrocyte choline transport: pH effects and the involvement of a carrier ionizing group, Devés, R., Reyes, G., Krupka, R.M. 93:165
Cataracts
—, a cation channel in frog lens epithelia responsive to pressure and calcium, Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S. 93:259
Cation permeability
—, permeation of divalent cations through α-Latrotoxin channels in lipid bilayers: steady-state current-voltage relationships, Robello, M., Fresia, M., Maga, L., Grasso, A., Ciani, S. 95:55
Cation-selective pores
—, large cation-selective pores from rat liver peroxisomal membranes incorporated to planar lipid bilayers, Labarca, P., Wolff, D., Soto, U., Neccochea, C., Leighton, F. 94:285
Cation transport kinetics
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by (221)C10-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
Cation transport, passive
—, effects of high hydrostatic pressure on 'passive' monovalent cation transport in human red cells, Hall, A.C., Ellory, J.C. 94:1
Cations
—, polymorphic behavior of gram-negative bacteria membranes, Borovjagin, V.L., Sabelnikov, A.G., Tarahovsky, Y.S., Vasilenko, I.A. 100:229
CCCP
—, procedure using voltage-sensitive spin-labels to monitor dipole potential changes in phospholipid vesicles: the estimation of phloretin- induced conductance changes in vesicles, Perkins, W.R., Cafiso, D.S. 96:165
Cell coupling
—, membrane transport parameters in frog corneal epithelium measured using impedance analysis techniques, Clausen, C., Reinach, P.S., Marcus, D.C. 91:213
Cell culture
—, common characteristics for Na^+-dependent sugar transport in Caco-2 cells and human fetal colon, Blais, A., Bissonnette, P., Berteloot, A. 99:113
—, K^+-conductance and electrogenic Na^+/K^+ transport of cultured bovine pigmented ciliary epithelium, Helbig, H., Korbmacher, C., Wiederholt, M. 99:173
Cell dehydration
—, K-permeabilized human red cells lose an alkaline, hypertonic fluid containing excess K over diffusible anions, Freeman, C.J., Bookchin, R.M., Ortiz, O.E., Lew, V.L. 96: 235
Cell polarity
—, evidence for the transit of aminopeptidase N through the basolateral membrane before it reaches the brush border of enterocytes, Massey, D., Feracci, H., Gorvel, J.-P., Rigal, A., Soulie, J.M., Maroux, S. 96:19
Cell sodium activity
—, cell sodium activity and sodium pump function in frog skin, Garcia-Diaz, J.F., Klemperer, G., Baxendale, L.M., Essig, A. 92:37
—, relationships among sodium current, permeability, and Na activities in control and glucocorticoid-stimulated rabbit descending colon, Thompson, S.M., Sellin, J.H. 92: 121
Cell - substrate interaction
—, collagen receptors mediate early events in the attachment of epithelial (MDCK) cells, Salas, P.J.I., Vega-Salas, D.E., Rodriguez-Boulan, E. 98:223
Cell-to-cell conduction
—, quantitative gap junction alterations in mammalian heart cells quickly frozen or chemically fixed after electrical uncoupling, Délèze, J., Hervé, J.C. 93:11
Cell-to-cell conduction block
—, quantitative gap junction alterations in mammalian heart cells quickly frozen or chemically fixed after electrical uncoupling, Délèze, J., Hervé, J.C. 93:11
Cell transformation
—, modification of gap junctions in cells transformed by a temperature- sensitive mutant of rous sarcoma virus, Atkinson, M.M., Anderson, S.K., Sheridan, J.D. 91:53
Cell volume
—, effects of anisosmotic medium on cell volume, transmembrane potential and intracellular K^+ activity in mouse hepatocytes, Howard, L.D., Wondergem, R. 100:53
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and N-ethylmaleimide, Duhm, J. 98:15
—, the volume of mitochondria-rich cells of frog skin epithelium, Spring, K.R., Ussing, H.H. 92:21
—, volume regulation in the early proximal tubule of the *Necturus* kidney, Lopes, A.G., Guggino, W.B. 97:117
Cell volume, epithelial
—, cell membrane water permeability of rabbit cortical collecting duct, Strange, K., Spring, K.R. 96:27

Cell volume regulation
—, cell membrane water permeability of rabbit cortical collecting duct, Strange, K., Spring, K.R. 96:27
—, effect of anisotonic media on volume, ion and amino-acid content and membrane potential of kidney cells (MDCK) in culture, Roy, G., Sauvé, R. 100:83
—, effect of arachidonic acid, fatty acids, prostaglandins, and leukotrienes on volume regulation in Ehrlich ascites tumor cells, Lambert, I.H. 98:207
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
—, K-permeabilized human red cells lose an alkaline, hypertonic fluid containing excess K over diffusible anions, Freeman, C.J., Bookchin, R.M., Ortiz, O.E., Lew, V.L. 96:235
—, membrane electrical parameters in turtle bladder measured using impedance-analysis techniques, Clausen, C., Dixon, T.E. 92:9
—, the Na-K-2Cl cotransport system, Geck, P., Heinz, E. 91:97
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
—, the volume of mitochondria-rich cells of frog skin epithelium, Spring, K.R., Ussing, H.H. 92:21
—, volume, pH, and ion-content regulation in human red cells: analysis of transient behavior with an integrated model, Lew, V.L., Bookchin, R.M. 92:57
—, volume regulation in the early proximal tubule of the *Necturus* kidney, Lopes, A.G., Guggino, W.B. 97:117
—, volume regulatory activity of the Ehrlich ascites tumor cell and its relationship to ion transport, Levinson, C. 100:183
Cell volume stimulation
—, volume-stimulated, Cl^--dependent K^+ efflux is highly expressed in young human red cells containing normal hemoglobin or HbS, Canessa, M., Fabry, M.E., Blumenfeld, N., Nagel, R.L. 97:97
CF_0
—, analysis of ionic channels by a flash spectrophotometric technique applicable to thylakoid membranes: CF_0, the proton channel of the chloroplast ATP synthase, and, for comparison, gramicidin, Lill, H., Althoff, G., Junge, W. 98:69
Channel blockade
—, an anion channel of sarcoplasmic reticulum incorporated into planar lipid bilayers: single-channel behavior and conductance properties, Tanifuji, M., Sokabe, M., Kasai, M. 99:103
Channel conductance
—, ion channel subconductance states, Fox, J.A. 97:1
Channel proteins
—, reconstitution of channel proteins from excitable cells in planar lipid bilayer membranes, Montal, M. 98:101
Channel reconstitution
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
Chara australis
—, amine ion porter in *Chara australis*: effects of alkyl substitution and external pH, Fairley, K.A., Walker, N.A. 98:191
—, chloride currents in *Chara*—a patch clamp study, Coleman, H.A. 93:55
—, the steady-state voltage-dependent gating and conduction kinetics of single K^+ channels in the membrane of cytoplasmic drops of *Chara australis*, Laver, D.R., Walker, N.A. 100:31
Chara corallina
—, factors controlling the K^+ conductance in *Chara*, Beilby, M.J. 93:187
—, kinetic analysis of the electrogenic pump of *Chara corallina*: IV. temperature dependence of the pump activity, Kami-ike, N., Ohkawa, T., Kishimoto, U., Takeuchi, Y. 94:163
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: I. effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
Characeae
—, Ca^{2+}-activated Cl^- channel in plasmalemma of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 99:137
Charge
—, determination of charge, stoichiometry and reaction constants from *I - V* curve studies on a K^+ transporter in *Nitella*, Fisahn, J., Hansen, U.-P., Gradmann, D. 94:245
Chemical kinetics
—, acetylcholine receptor kinetics: chemical kinetics, Udgaonkar, J.B., Hess, G.P. 93:93
Chemical modification
—, chemical modification of the two histidine and single cysteine residues in the channel-forming domain of colicin E1, Bishop, L.J., Cohen, F.S., Davidson, V.L., Cramer, W.A. 92:237
—, effects of reagents modifying carboxyl groups on the gating current of the myelinated nerve fiber, Meves, H., Rubly, N. 100:63
Chemoreceptors
—, action potentials in epithelial taste receptor cells induced by mucosal calcium, Avenet, P., Lindemann, B. 95:265
Chloride
—, nonselective ionic channels in *Aplysia* neurones, Chesnoy-Marchais, D., Evans, M.G. 93:75
Chloride channel
—, properties of an anionic-selective channel from rat colonic enterocyte plasma membranes reconstituted into planar phospholipid bilayers, Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B. 95:47
Chloride conductance
—, adrenergic regulation of ion transport by primary cultures of canine tracheal epithelium: cellular electrophysiology, Welsh, M. J. 91:121
Chloride currents
—, chloride currents in *Chara*—a patch clamp study, Coleman, H.A. 93:55
Chloride flux
—, identification of the anion exchange protein of Ehrlich cells: a kinetic analysis of the inhibitory effects of 4,4'-diisothiocyano-2,2'- stilbene-disulfonic acid (DIDS) and labeling of membrane proteins with ^{3}H-DIDS, Jessen, F., Sjoholm, C., Hoffmann, E.K. 92:195
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes medi-

ated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
Chloride ion conductance
—, fused cells of frog proximal tubule: I. basic membrane properties, Dietl, P., Wang, W., Oberleithner, H. 100:43
—, membrane potentials and intracellular Cl^- activity of toad skin epithelium in relation to activation and deactivation of the transepithelial Cl^- conductance, Willumsen, N.J., Larsen, E.H. 94:173
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
Chloride ion dependence
—, volume-stimulated, Cl^--dependent K^+ efflux is highly expressed in young human red cells containing normal hemoglobin or HbS, Canessa, M., Fabry, M.E., Blumenfeld, N., Nagel, R.L. 97:97
Chloride ion-dependent K^+ transport
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
Chloride ion flux
—, Ca^{2+}-activated Cl^- channel in plasmalemma of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 99:137
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
Chloride ion-sensitive microelectrode
—, modes of Cl^- transport across the mucosal and serosal membranes of urodele intestinal cells, White, J.F. 92:75
Chloride ion transport
—, membrane transport parameters in frog corneal epithelium measured using impedance analysis techniques, Clausen, C., Reinach, P.S., Marcus, D.C. 91:213
—, modes of Cl^- transport across the mucosal and serosal membranes of urodele intestinal cells, White, J.F. 92:75
Chloride ions
—, kinetic mechanism of Na^+, K^+, Cl^--cotransport as studied by Rb^+ influx into HeLa cells: effects of extracellular monovalent ions, Miyamoto, H., Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Masuya, T. 92:135
Chloride permeability
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
Chloride secretion
—, adrenergic regulation of ion transport by primary cultures of canine tracheal epithelium: cellular electrophysiology, Welsh, M.J. 91:121
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
—, prostaglandin E_2-stimulated glandular ion and water secretion in isolated frog skin (*Rana esculenta*) 97:9
Chloride transport
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
—, evidence for a $Na^+/K^+/Cl^-$ cotransport system in basolateral membrane vesicles from the rabbit parotid, Turner, R.J., George, J.N., Baum, B.J. 94:143
—, mechanism for leukotriene C_4 stimulation of chloride transport in cornea, Schaeffer, B.E., Zadunaisky, J.A. 93:229
—, the volume of mitochondria-rich cells of frog skin epithelium, Spring, K.R., Ussing, H.H. 92:21
Cholera toxin
—, calcium transport affinity, ion competition and cholera toxin effects on cytosolic Ca concentration, Maenz, D.D., Gabriel S.E., Forsyth, G.W. 96:243
Cholesterol
—, static and dynamic components of renal cortical brush border and basolateral membrane fluidity: role of cholesterol, Molitoris, B.A., Hoilien, C. 99:165
Choline carrier
—, the carrier reorientation step in erythrocyte choline transport: pH effects and the involvement of a carrier ionizing group, Devés, R., Reyes, G., Krupka, R.M. 93:165
Chord conductance
—, kinetic analysis of the electrogenic pump of *Chara corallina*: IV. temperature dependence of the pump activity, Kami-ike, N., Ohkawa, T., Kishimoto, U., Takeuchi, Y. 94:163
Cilia
—, electrophysiological evidence suggests a defective Ca^{2+} control mechanism in a new *Paramecium* mutant, Evans, T.C., Hennessey, T., Nelson, D.L. 98:275
Ciliary body
—, K^+-conductance and electrogenic Na^+/K^+ transport of cultured bovine pigmented ciliary epithelium, Helbig, H., Korbmacher, C., Wiederholt, M. 99:173
Cl^-/HCO^-_3 exchange
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
Cold acclimation
—, mechanical study of the deformation and rupture of the plasma membranes of protoplasts during osmotic expansions, Wolfe, J., Dowgert, M.F., Steponkus, P.L. 93:63
Colicin E1
—, chemical modification of the two histidine and single cysteine residues in the channel-forming domain of colicin E1, Bishop, L.J., Cohen, F.S., Davidson, V.L., Cramer, W.A. 92:237
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: the role of protein translocation, Slatin, S.L., Raymond, L., Finkelstein, A. 92:247
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: translocation of regions outside the channel-forming domain, Raymond, L., Slatin, S.L., Liu, Q.-R., Levinthal, C. 92:255
—, voltage-dependent, monomeric channel activity of Colicin E1 in artificial membrane vesicles, Peterson, A.A., Cramer, W.A. 99:197
Collagen receptor
—, collagen receptors mediate early events in the attachment of epithelial (MDCK) cells, Salas, P.J.I., Vega-Salas, D.E., Rodriguez-Boulan, E. 98:223
Colon
—, potassium/proton exchange in brush-border membrane of rat ileum, Binder, H.J., Murer, H. 91:77
—, transport-dependent alterations of membrane properties of mammalian colon measured using impedance analysis, Wills, N.K., Clausen, C. 95:21
Competitive activation
—, potassium-proton symport in *Neurospora*: kinetic control

by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Complement proteins
—, single-channel analysis of the conductance fluctuations induced in lipid bilayer membranes by complement proteins C5b-9, Benz, R., Schmid, A., Wiedmer, T., Sims, P.J. 94:37
Complementary replicas
—, complementarity of particles and pits in freeze-fractured hepatic and cardiac gap junctions, De Maziere, A.M.G.L., Scheuermann, D.W., Aertgeerts, P.A.P.M. 97:107
Concentration jump
—, fast charge translocations associated with partial reactions of the Na,K-pump: I. current and voltage transients after photochemical release of ATP, Borlinghaus, R., Apell, H.-J., Läuger, P. 97:161
Conductance
—, an anion channel of sarcoplasmic reticulum incorporated into planar lipid bilayers: single-channel behavior and conductance properties, Tanifuji, M., Sokabe, M., Kasai, M. 99:103
Conductance state
—, nonselective ionic channels in *Aplysia* neurones, Chesnoy-Marchais, D., Evans, M.G. 93:75
Conductance substates
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
Conductance - voltage relation
—, electrical characteristics of stomatal guard cells: the contribution of ATP-dependent, "electrogenic" transport revealed by current-voltage and difference-current-voltage analysis, Blatt, M.R. 98:257
—, interpretation of steady-state current - voltage curves: consequences and implications of current subtraction in transport studies, Blatt, M.R. 92:91
Conduction
—, characterization of a calcium-activated potassium channel from rabbit intestinal smooth muscle incorporated into planar bilayers, Cecchi, X., Alvarez, O., Wolff, D. 91:11
—, procedure using voltage-sensitive spin-labels to monitor dipole potential changes in phospholipid vesicles: the estimation of phloretin- induced conductance changes in vesicles, Perkins, W.R., Cafiso, D.S. 96:165
Conformational change
—, localization of E_1-E_2 conformational transitions of sarcoplasmic reticulum Ca-ATPase by tryptic cleavage and hydrophobic labeling, Andersen, J.P., Vilsen, B., Collins, J.H., Jorgensen, P.L. 93:85
Cooperativity
—, inwardly rectifying single-channel and whole cell K^+ currents in rat ventricular myocytes, Josephson, I.R., Brown, A.M. 94:19
Cornea
—, mechanism for leukotriene C_4 stimulation of chloride transport in cornea, Schaeffer, B.E., Zadunaisky, J.A. 93:229
Corneal endothelium
—, membrane transport parameters in frog corneal epithelium measured using impedance analysis techniques, Clausen, C., Reinach, P.S., Marcus, D.C. 91:213
Corneal epithelium
—, membrane transport parameters in frog corneal epithelium measured using impedance analysis techniques, Clausen, C., Reinach, P.S., Marcus, D.C. 91:213
Cortical lawn
—, polycation inhibition of exocytosis from sea urchin egg cortex, Crabb, J.H., Jackson, R.C. 91:85
Cotransport
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: I. tight-seal whole-cell recordings, Jauch, P., Petersen, O.H., Läuger, P. 94:99
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: II. comparison with transport models, Jauch, P., Läuger, P. 94:117
—, kinetic mechanism of Na^+, K^+, Cl^--cotransport as studied by Rb^+ influx into HeLa cells: effects of extracellular monovalent ions, Miyamoto, H., Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Masuya, T. 92:135
—, stoichiometry and ion affinities of the Na-K-Cl cotransport system in the intestine of the winter flounder (*Pseudopleuronectes americanus*), O'Grady, S.M., Musch, M.W., Field, M. 91:33
Coupled transport
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37
CrATP
—, localization of E_1-E_2 conformational transitions of sarcoplasmic reticulum Ca-ATPase by tryptic cleavage and hydrophobic labeling, Andersen, J.P., Vilsen, B., Collins, J.H., Jorgensen, P.L. 93:85
Cryptand
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by (221)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
Cultured epithelium
—, voltage and Ca^{2+}-activated K^+ channel in cultured epithelial cells (MDCK), Bolivar J.J., Cereijido, M. 97:43
Current - voltage relation
—, current - voltage relations of sodium-coupled sugar transport across the apical membrane of *Necturus* small intestine, Lapointe, J.-Y., Hudson, R.L., Schultz, S.G. 93:205
—, demonstration and characterization of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 96:263
—, determination of charge, stoichiometry and reaction constants from *I - V* curve studies on a K^+ transporter in *Nitrella*, Fisahn, J., Hansen, U.-P., Gradmann, D. 94:245
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
—, effects of adrenal steroids on Na transport in the lower intestine (coprodeum) of the hen, Clauss, W., Durr, J.E., Guth, D., Skadhauge, E. 96:141
—, electrical characteristics of stomatal guard cells: the contribution of ATP-dependent, "electrogenic" transport revealed by current-voltage and difference-current-voltage analysis, Blatt, M.R. 98:257
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: II. comparison with transport models, Jauch, P., Läuger, P. 94:117
—, factors controlling the K^+ conductance in *Chara*, Beilby, M.J. 93:187
—, *I/V*-curve studies of the control of a K^+ transporter in *Nitella* by temperature, Hansen, U.-P., Fisahn, J. 98:1
—, kinetic analysis of the electrogenic pump of *Chara corallina*: IV. temperature dependence of the pump activity, Kami-ike, N., Ohkawa, T., Kishimoto, U., Takeuchi, Y. 94:163
—, permeation of divalent cations through α-Latrotoxin channels in lipid bilayers: steady-state current-voltage relation-

ships, Robello, M., Fresia, M., Maga, L., Grasso, A., Ciani, S. 95:55
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
—, relationships among sodium current, permeability, and Na activities in control and glucocorticoid-stimulated rabbit descending colon, Thompson, S.M., Sellin, J.H. 92:121
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
—, voltage dependence of the rheogenic Na^+/K^+ ATPase in the membrane of the oocytes of *Xenopus laevis*, Lafaire, A.V., Schwarz, W. 91:43
Curve fitting
—, determination of charge, stoichiometry and reaction constants from *I - V* curve studies on a K^+ transporter in *Nitrella*, Fisahn, J., Hansen, U.-P., Gradmann, D. 94:245
Cyanines
—, potential-sensitive response mechanism of DiS-C_3-(5) in biological membranes, Cabrini, G., Verkman, A.S. 92:171
Cystamine
—, modulating effect of cystamine and unsaturated fatty acids on gamma-glutamyl transpeptidase: relation to cellular oxidative status, Flagg-Newton, J.L., De Bault, L.E. 100:207
Cytochalasin B binding
—, the Na^+-independent D-glucose transporter in the enterocyte basolateral membrane: orientation and cytochalasin B binding characteristics, Maenz, D.D., Cheeseman, C.I. 97:259
Cytoplasmic calcium
—, heterogeneity of calcium compartmentation: electron probe analysis of renal tubules, LeFurgey, A., Ingram, P., Mandel, L.J. 94:191
Cytoplasmic drops
—, the steady-state voltage-dependent gating and conduction kinetics of single K^+ channels in the membrane of cytoplasmic drops of *Chara australis*, Laver, D.R., Walker, N.A. 100:31
Cytoskeleton
—, interaction of the cytoskeleton with the plasma membrane, Niggli, V., Burger, M.M. 100:97
—, parathyroid hormone-induced changes of the brush border topography and cytoskeleton in cultured renal proximal tubular cells, Goligorsky, M.S., Menton, D.N., Hruska, K.A. 92:151
—, structural basis for physiological regulation of paracellular pathways in intestinal epithelia, Madara, J.L., Pappenheimer, J.R. 100:149
Cytotoxin
—, biophysical analysis of novel transport pathways induced in red blood cell membranes, Ginsburg, H., Stein, W.D. 96:1
2-Decenoic acid
—, effects of fatty acids on membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H. 95:113
Degree of coupling (*q*)
—, the Na-K-2Cl cotransport system, Geck, P., Heinz, E. 91:97
Demyelination
—, detection of sodium channel distribution in rat sciatic nerve following lysophosphatidylcholine-induced demyelination, Meiri, H., Steinberg, R., Medalion, B. 92:47
Denaturation
—, denaturation of a membrane transport protein by urea: the erythrocyte anion exchanger, Frohlich, O., Jones, S.C. 98:33
Density-shift method
—, isolation and characterization of specialized regions of toad urinary bladder apical plasma membrane involved in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S. 96:175
2-Deoxyglucose phosphate
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55
Deuterium oxide
—, D_2O and the sodium pump in squid nerve membrane, Landowne, D. 96:277
Dexamethasone
—, effects of adrenal steroids on Na transport in the lower intestine (coprodeum) of the hen, Clauss, W. Durr, J.E., Guth, D., Skadhauge, E. 96:141
Diabetes
—, ionic dependence of amino-acid transport in the exocrine pancreatic epithelium: calcium dependence of insulin action, Norman, P.S.R., Mann, G.E. 96:153
Diazoxide
—, interaction of diazoxide, tolbutamide and ATP^{4-} on nucleoside-dependent K^+ channels in an insulin-secreting cell line, Dunne, M.J., Illot, M.C., Petersen, O.H. 99:215
Didodecylphosphate
—, calcium-induced fusion of didodecylphosphate vesicles: the lamellar to hexagonal II (H_{II}) phase transition, Rupert, L.A.M., van Breemen, J.F.L., van Bruggen, E.F.J., Engberts, J.B.F.N., Hoekstra, D. 95:255
DIDS
—, effect of membrane potential on furosemide-inhibitable sodium influxes in human red blood cells, Kracke, G.R., Dunham, P.B. 98:117
—, identification of the anion exchange protein of Ehrlich cells: a kinetic analysis of the inhibitory effects of 4,4'-diisothiocyano-2,2'- stilbene-disulfonic acid (DIDS) and labeling of membrane proteins with ^3H-DIDS, Jessen, F., Sjoholm, C., Hoffmann, E.K. 92:195
Dielectric breakdown
—, biophysical analysis of novel transport pathways induced in red blood cell membranes, Ginsburg, H., Stein, W.D. 96:1
Dielectrophoresis
—, electromechanical stresses produced in the plasma membranes of suspended cells by applied electric fields, Bryant, G., Wolfe, J. 96:129
Dietary regulation
—, a method for measuring apical glucose transporter site density in intact intestinal mucosa by means of phlorizin binding, Ferraris, R.P., Diamond, J.M. 94:65
—, use of phlorizin binding to demonstrate induction of intestinal glucose transporters, Ferraris, R.P., Diamond, J.M. 94:77
Diethylpyrocarbonate
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157
Differentiation
—, common characteristics for Na^+-dependent sugar transport in Caco-2 cells and human fetal colon, Blais, A., Bissonnette, P., Berteloot, A. 99:113

Diffusion
—, on the equivalent pore radius, Solomon, A.K. 94:227
Dihydropyridines
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
Dionae muscipula
—, voltage-dependent K channels in protoplasts of trap-lobe cells of *Dionae muscipula*, Iijima, T., Hagiwara, S. 100:73
Dipole moment
—, voltage-dependent channel formation by rods of helical polypeptides, Menestrina, G., Voges, K.-P., Jung, F., Boheim, G. 93:111
Dipole potential
—, procedure using voltage-sensitive spin-labels to monitor dipole potential changes in phospholipid vesicles: the estimation of phloretin- induced conductance changes in vesicles, Perkins, W.R., Cafiso, D.S. 96:165
Dipyridamole
—, interaction of [^{3}H]dipyridamole with the nucleoside transporters of human erythrocytes and cultured animal cells, Woffendin, C., Plagemann, G.W. 98:89
Disulfonic stilbene
—, renal basolateral membrane anion transporter characterized by a fluorescent disulfonic stilbene, Chen, P.-Y., Verkman, A.S. 100:1
Divalent cations
—, effect of divalent cations on the K contracture of slow muscle fibers of *Rana temporaria*, Schmidt, H. 100:215
DNA uptake
—, polymorphic behavior of gram-negative bacteria membranes, Borovjagin, V.L., Sabelnikov, A.G., Vasilenko, I.A., Tarahovsky, Y.S. 100:229
Donnan potential
—, relationship of the Donnan potential to the transmembrane pH gradient in tracheal apical membrane vesicles, Langridge-Smith, J.E., Dubinsky, W.P. 94:197
Dye-liposome interaction
—, effects of membrane physical parameters on hematoporphyrin-derivative binding to liposomes: a spectroscopic study, Gross, E., Malik, Z., Ehrenberg, B. 97:215
Dye permeability
—, permeance of Novikoff hepatoma gap junctions: quantitative video analysis of dye transfer, Biegon, R.P., Atkinson, M.M., Liu, T.-F., Kam, E.Y., Sheridan, J.D. 96:225
EGTA
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: I. effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
Ehrlich ascites tumor cells
—, effect of arachidonic acid, fatty acids, prostaglandins, and leukotrienes on volume regulation in Ehrlich ascites tumor cells, Lambert, I.H. 98:207
—, identification of the anion exchange protein of Ehrlich cells: a kinetic analysis of the inhibitory effects of 4,4'-diisothiocyano-2,2'- stilbene-disulfonic acid (DIDS) and labeling of membrane proteins with ^{3}H-DIDS, Jessen, F., Sjoholm, C., Hoffmann, E.K. 92:195
—, role of the Na^+/H^+ antiport in the regulation of the internal pH of Ehrlich ascites tumor cells in culture, Doppler, W., Maly, K., Grunicke, H. 91:147
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
—, volume regulatory activity of the Ehrlich ascites tumor cell and its relationship to ion transport, Levinson, C. 100:183
Eicosanoids
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
Electric current
—, fast charge translocations associated with partial reactions of the Na,K-pump: I. current and voltage transients after photochemical release of ATP, Borlinghaus, R., Apell, H.-J., Läuger, P. 97:161
—, fast charge translocations associated with partial reactions of the Na,K-pump: II. Microscopic analysis of transient currents, Apell, H.-J., Borlinghaus, R., Läuger, P. 97:179
Electrical activity
—, continuous measurement of calcium influx in mammalian nonmyelinated nerve fibers: effect of Na_o, and Ca_o, and electrical activity, Jirounek, P., Pralong, W.F., Vitus, J., Straub, R.W. 91:157
Electrical breakdown
—, electromechanical stresses produced in the plasma membranes of suspended cells by applied electric fields, Bryant, G., Wolfe, J. 96:129
Electrical properties
—, pH-dependent electrical properties and buffer permeability of the *Necturus* renal proximal tubule cell, Steels, P.S., Boulpaep, E.L. 100:165
Electrical uncoupling
—, quantitative gap junction alterations in mammalian heart cells quickly frozen or chemically fixed after electrical uncoupling, Délèze, J., Hervé, J.C. 93:11
Electrodiffusion
—, ion permeation through single channels activated by acetylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
Electrofusion
—, kinetics of ultrastructural changes during electrically induced fusion of human erythrocytes, Stenger, D.A., Hui, S.W. 93:43
Electrogenic pump
—, kinetic analysis of the electrogenic pump of *Chara corallina*: IV. temperature dependence of the pump activity, Kami-ike, N., Ohkawa, T., Kishimoto, U., Takeuchi, Y. 94:163
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: I. effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75

Electrogenic transport
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: I. tight-seal whole-cell recordings, Jauch, P., Petersen, O.H., Läuger, P. 94:99
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: II. comparison with transport models, Jauch, P., Läuger, P. 94:117
—, fast charge translocations associated with partial reactions of the Na,K-pump: I. current and voltage transients after photochemical release of ATP, Borlinghaus, R., Apell, H.-J., Läuger, P. 97:161
—, fast charge translocations associated with partial reactions of the Na,K-pump: II. microscopic analysis of transient currents, Apell, H.- J., Borlinghaus, R., Läuger, P. 97:179
—, interpretation of steady-state current - voltage curves: consequences and implications of current subtraction in transport studies, Blatt, M.R. 92:91
Electrogenicity
—, effects of external K concentration on the electrogenicity of the insulin-stimulated Na,K-pump in frog skeletal muscle, Marunaka, Y. 91:165
—, voltage dependence of the rheogenic Na^+/K^+ ATPase in the membrane of the oocytes of *Xenopus laevis*, Lafaire, A.V., Schwarz, W. 91:43
Electromechanical deformation
—, electromechanical stresses produced in the plasma membranes of suspended cells by applied electric fields, Bryant, G., Wolfe, J. 96:129
Electromotive force
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
Electron probe X-ray microanalysis
—, heterogeneity of calcium compartmentation: electron probe analysis of renal tubules, LeFurgey, A., Ingram, P., Mandel, L.J. 94:191
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
—, intracellular solute gradients during osmotic water flow: an electron-microprobe analysis, Rick, R., DiBona, D.R. 96:85
Electroosmosis
—, uphill transport of water by electroosmosis, Kuppers, J., Plagemann, A., Thurm, U. 91:107
Electropermeation
—, kinetics of ultrastructural changes during electrically induced fusion of human erythrocytes, Stenger, D.A., Hui, S.W. 93:43
Electrophorus electricus Main and Sachs' electric organs
—, single-channel current recordings of acetylcholine receptors in electroplax isolated from the *Electrophorus electricus* Main and Sachs' electric organs, Pasquale, E.B., Udgaonkar, J.B., Hess, G.P. 93:195
Electrophysiology
—, adrenergic regulation of ion transport by primary cultures of canine tracheal epithelium: cellular electrophysiology, Welsh, M.J. 91:121
—, relationships among sodium current, permeability, and Na activities in control and glucocorticoid-stimulated rabbit descending colon, Thompson, S.M., Sellin, J.H. 92:121
Electroplax
—, neurotoxin-modulated uptake of sodium by highly purified preparations of the electroplax tetrodotoxin-binding glycopeptide reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:43
—, spontaneous opening at zero membrane potential of sodium channels from eel electroplax reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:57
Endocytosis
—, isolation and characterization of specialized regions of toad urinary bladder apical plasma membrane involved in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S. 96:175
—, membrane electrical parameters in turtle bladder measured using impedance-analysis techniques, Clausen, C., Dixon, T.E. 92:9
—, proton transport and membrane shuttling in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D., Lane, B. 94:233
Endoplasmic reticulum
—, laterobasal membranes from intestinal epithelial cells: isolation free of intracellular membrane contaminants, Nguyen, T.D., Broyart, J.-P., Ngu, K.T., Illescas, A., Mircheff, A.K., Gray, G.M. 98:197
Enterocytes
—, evidence for the transit of aminopeptidase N through the basolateral membrane before it reaches the brush border of enterocytes, Massey, D., Feracci, H., Gorvel, J.-P., Rigal, A., Soulie, J.M., Maroux, S. 96:19
—, laterobasal membranes from intestinal epithelial cells: isolation free of intracellular membrane contaminants, Nguyen, T.D., Broyart, J.-P., Ngu, K.T., Illescas, A., Mircheff, A.K., Gray, G.M. 98:197
Epidermal growth factor
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55
Epithelial cells
—, fluorescent measurements of intracellular free calcium in isolated toad urinary bladder epithelial cells, Jacobs, W.R., Mandel, L.J. 97:53
Epithelial impedance
—, an amiloride-sensitive Na^+ conductance in the basolateral membrane of toad urinary bladder, Garty, H., Warncke, J., Lindemann, B. 95:91
—, physiological regulation of transepithelial impedance in the intestinal mucosa of rats and hamsters, Pappenheimer, J.R. 100:137
—, structural basis for physiological regulation of paracellular pathways in intestinal epithelia, Madara, J.L., Pappenheimer, J.R. 100:149
Epithelial membrane vesicles
—, osmotic water permeabilities of brush border and basolateral membrane vesicles from rat renal cortex and small intestine, van Heeswijk, M.P.E., van Os, C.H. 92:183
Epithelial permeability
—, contribution of solvent drag through intercellular junctions to absorption of nutrients by the small intestine of the rat, Pappenheimer, J.R., Reiss, K.Z. 100:123
Epithelial polarity
—, collagen receptors mediate early events in the attachment of epithelial (MDCK) cells, Salas, P.J.I., Vega-Salas, D.E., Rodriguez-Boulan, E. 98:223
—, maintenance of epithelial surface membrane lipid polarity:

a role for differing phospholipid translocation rates, Molitoris, B.A., Simon, F.R. 94:47
Epithelial transport
—, a cation channel in frog lens epithelia responsive to pressure and calcium, Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S. 93:259
—, direct inhibition of epithelial Na^+ channels by a pH-dependent interaction with calcium, and by other divalent ions, Garty, H., Asher, C., Yeger, O. 95:151
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
—, Na-K-2Cl cotransport in winter flounder intestine and bovine kidney outer medulla: [^{3}H] bumetanide binding and effects of furosemide analogues, O'Grady, S.M., Palfrey, H.C., Field, M. 96:11
—, osmotic reversal induces assembly of tight junction strands at the basal pole of toad bladder epithelial cells but does not reverse cell polarity, Chevalier, J., Pinto da Silva, P. 95:199
—, properties of an anionic-selective channel from rat colonic enterocyte plasma membranes reconstituted into planar phospholipid bilayers, Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B. 95:47
Epithelium
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37
—, collagen receptors mediate early events in the attachment of epithelial (MDCK) cells, Salas, P.J.I., Vega-Salas, D.E., Rodriguez-Boulan, E. 98:223
—, transport-dependent alterations of membrane properties of mammalian colon measured using impedance analysis, Wills, N.K., Clausen, C. 95:21
Equilibrium binding
—, interpretation of steady-state current - voltage curves: consequences and implications of current subtraction in transport studies, Blatt, M.R. 92:91
Equilibrium potential
—, interpretation of steady-states from the rabbit parotid, Turner, R.J., George, J.N., Baum, B.J. 94:143
Erythrocytes
—, characterization of the band 3 substrate site in human red cell ghosts by NDS-TEMPO, a disulfonatostilbene spin probe: the function of protons in NDS-TEMPO and substrate-anion binding in relation to anion transport, Kaufmann, E., Eberl, G., Schnell, K.F. 91:129
—, effect of membrane potential on furosemide-inhibitable sodium influxes in human red blood cells, Kracke, G.R., Dunham, P.B. 98:117
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
—, interaction of [^{3}H]dipyridamole with the nucleoside transporters of human erythrocytes and cultured animal cells, Woffendin, C., Plagemann, G.W. 98:89
—, intracellular calcium content of human erythrocytes: relation to sodium transport systems, Engelmann, B., Duhm, J. 98:79
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes mediated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
Escherichia coli
—, mechanism of sugar transport through the sugar-specific LamB channel of *Escherichia coli* outer membrane, Benz, R., Schmid, A., Vos-Scheperkeuter, G. 100:21
—, polymorphic behavior of gram-negative bacteria membranes, Borovjagin, V.L., Sabelnikov, A.G., Tarahovsky, Y.S., Vasilenko, I.A. 100:229
Exocrine pancreas
—, ionic dependence of amino-acid transport in the exocrine pancreatic epithelium: calcium dependence of insulin action, Norman, P.S.R., Mann, G.E. 96:153
Exocytosis
—, ADH and phorbol ester increase immunolabeling of the toad bladder apical membrane by antibodies made to granules, Masur, S.K., Massardo, S. 96:193
—, membrane electrical parameters in turtle bladder measured using impedance-analysis techniques, Clausen, C., Dixon, T.E. 92:9
—, polycation inhibition of exocytosis from sea urchin egg cortex, Crabb, J.H., Jackson, R.C. 91:85
—, proton transport and membrane shuttling in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D., Lane, B. 94:233
External potassium
—, effects of external K concentration on the electrogenicity of the insulin-stimulated Na,K-pump in frog skeletal muscle, Marunaka, Y. 91:165
Extracellular potassium ion concentration
—, voltage dependence of the Ca^{2+}-activated K^+ conductance of human red cell membranes is strongly dependent on the extracellular K^+ concentration, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 95:121
^{19}F NMR
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55
Fatty acids
—, effect of arachidonic acid, fatty acids, prostaglandins, and leukotrienes on volume regulation in Ehrlich ascites tumor cells, Lambert, I.H. 98:207
—, effects of fatty acids on membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H. 95:113
Fetal colon, human
—, common characteristics for Na^+-dependent sugar transport in Caco-2 cells and human fetal colon, Blais, A., Bissonnette, P., Berteloot, A. 99:113
Fibroblasts
—, evidence for the involvement of calmodulin in the operation of Ca-activated K channels in mouse fibroblasts, Okada, Y., Yada, T., Ohno- Shosaku, T., Oiki, S. 96:121
—, oscillations of cytoplasmic concentrations of Ca^{2+} and K^+ in fused L cells, Ueda, S., Oiki, S., Okada, Y. 91:65
—, serum stimulation of sodium transport in human fibroblasts containing low and high levels of intracellular sodium, Spurlock, G., Morgan, K., Mir, M.A. 92:163
Fish
—, volume-sensitive taurine transport in fish erythrocytes, Fincham, D.A., Wolowyk, M.W., Young, J.D. 96:45
Flash spectrophotometry
—, analysis of ionic channels by a flash spectrophotometric technique applicable to thylakoid membranes: CF_0, the proton channel of the chloroplast ATP synthase, and, for comparison, gramicidin, Lill, H., Althoff, G., Junge, W. 98: 69
Flip-flop mechanism
—, voltage-dependent channel formation by rods of helical

polypeptides, Menestrina, G., Voges, K.-P., Jung, F., Boheim, G. 93:111
Fluid secretion
—, evidence for a $Na^+/K^+/Cl^-$ cotransport system in basolateral membrane vesicles from the rabbit parotid, Turner, R.J., George, J.N., Baum, B.J. 94:143
Fluorescence
—, renal basolateral membrane anion transporter characterized by a fluorescent disulfonic stilbene, Chen, P.-Y., Verkman, A.S. 100:1
—, structural basis for physiological regulation of paracellular pathways in intestinal epithelia, Madara, J.L., Pappenheimer, J.R. 100:149
Fluorescence lifetimes
—, potential-sensitive response mechanism of DiS-C_3-(5) in biological membranes, Cabrini, G., Verkman, A.S. 92:171
Fluorescence polarization
—, effects of membrane physical parameters on hematoporphyrin-derivative binding to liposomes: a spectroscopic study, Gross, E., Malik, Z., Ehrenberg, B. 97:215
—, static and dynamic components of renal cortical brush border and basolateral membrane fluidity: role of cholesterol, Molitoris, B.A., Hoilien, C. 99:165
Fluorescence study
—, phospholipase C and the physical states of polar head groups of lipids, Kimura, Y. 96:187
Flux ratio
—, flux ratio of valinomycin-mediated K^+ fluxes across the human red cell membrane in the presence of the protonophore CCCP, Bennekou, P., Christophersen, P. 93:221
Forskolin
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
Freeze fracture
—, complementarity of particles and pits in freeze-fractured hepatic and cardiac gap junctions, De Maziere, A.M.G.L., Scheuermann, D.W., Aertgeerts, P.A.P.M. 97:107
—, osmotic reversal induces assembly of tight junction strands at the basal pole of toad bladder epithelial cells but does not reverse cell polarity, Chevalier, J., Pinto da Silva, P. 95:199
—, polymorphic behavior of gram-negative bacteria membranes, Borovjagin, V.L., Sabelnikov, A.G., Tarahovsky, Y.S., Vasilenko, I.A. 100:229
Freeze fracture electron microscopy
—, kinetics of ultrastructural changes during electrically induced fusion of human erythrocytes, Stenger, D.A., Hui, S.W. 93:43
Frog
—, a cation channel in frog lens epithelia responsive to pressure and calcium, Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S. 93:259
—, influence of external barium and potassium on potassium efflux in depolarized frog sartorius muscles, Spalding, B.C., Swift, J.G., Horowicz, P. 93:141
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157
Frog cornea
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
Frog kidney
—, fused cells of frog proximal tubule: I. basic membrane properties, Dietl, P., Wang, W., Oberleithner, H. 100:43
Frog node of Ranvier
—, effects of reagents modifying carboxyl groups on the gating current of the myelinated nerve fiber, Meves, H., Rubly, N. 100:63
Frog skin
—, cell sodium activity and sodium pump function in frog skin, Garcia-Diaz, J.F., Klemperer, G., Baxendale, L.M., Essig, A. 92:37
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
—, prostaglandin E_2-stimulated glandular ion and water secretion in isolated frog skin (*Rana esculenta*) 97:9
Functional development
—, common characteristics for Na^+-dependent sugar transport in Caco-2 cells and human fetal colon, Blais, A., Bissonnette, P., Berteloot, A. 99:113
Fungal cells
—, H^+-ATPases from mitochondria, plasma membranes, and vacuoles of fungal cells, Bowman, B.J., Bowman, E.J. 94:83
Fungi
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Fura 2
—, fluorescent measurements of intracellular free calcium in isolated toad urinary bladder epithelial cells, Jacobs, W.R., Mandel, L.J. 97:53
Furosemide
—, cyclic AMP-dependent stimulation of Na,K-ATPase in shark rectal gland, Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H. 94:205
—, effect of membrane potential on furosemide-inhibitable sodium influxes in human red blood cells, Kracke, G.R., Dunham, P.B. 98:117
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
—, Na-K-2Cl cotransport in winter flounder intestine and bovine kidney outer medulla: [^{3}H] bumetanide binding and effects of furosemide analogues, O'Grady, S.M., Palfrey, H.C., Field, M. 96:11
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
Fusion
—, fused cells of frog proximal tubule: I. basic membrane properties, Dietl, P., Wang, W., Oberleithner, H. 100:43
—, large cation-selective pores from rat liver peroxisomal membranes incorporated to planar lipid bilayers, Labarca, P., Wolff, D., Soto, U., Neccochea, C., Leighton, F. 94:285
G-protein
—, kinetic study on the equilibrium between membrane-bound and free photoreceptor G-protein, Schleicher, A., Hofmann, K.-P. 95:271

Gallbladder
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-Cl^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
Gamma-glutamyl transpeptidase
—, modulating effect of cystamine and unsaturated fatty acids on gamma- glutamyl transpeptidase: relation to cellular oxidative status, Flagg- Newton, J.L., De Bault, L.E. 100:207
Gap junction
—, complementarity of particles and pits in freeze-fractured hepatic and cardiac gap junctions, De Maziere, A.M.G.L., Scheuermann, D.W., Aertgeerts, P.A.P.M. 97:107
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
—, modification of gap junctions in cells transformed by a temperature- sensitive mutant of rous sarcoma virus, Atkinson, M.M., Anderson, S.K., Sheridan, J.D. 91:53
—, permeance of Novikoff hepatoma gap junctions: quantitative video analysis of dye transfer, Biegon, R.P., Atkinson, M.M., Liu, T.-F., Kam, E.Y., Sheridan, J.D. 96:225
—, quantitative gap junction alterations in mammalian heart cells quickly frozen or chemically fixed after electrical uncoupling, Délèze, J., Hervé, J.C. 93:11
Gap junctional channels
—, lowering of pH does not directly affect the junctional resistance of crayfish lateral axons, Arellano, R.O., Ramon, F., Rivera, A., Zampighi, G.A. 94:293
Gap junctional particle packing
—, modification of gap junctions in cells transformed by a temperature- sensitive mutant of rous sarcoma virus, Atkinson, M.M., Anderson, S.K., Sheridan, J.D. 91:53
Gating current
—, effects of reagents modifying carboxyl groups on the gating current of the myelinated nerve fiber, Meves, H., Rubly, N. 100:63
Gating mechanism
—, elimination and restoration of voltage dependence in the mitochondrial channels, VDAC, by graded modification with succinic anhydride, Adelsberger-Mangan, D.M., Colombini, M. 98:157
Gigaohm seal technique
—, ion permeation through single channels activated by acetylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
Glucocorticoids
—, relationships among sodium current, permeability, and Na activities in control and glucocorticoid-stimulated rabbit descending colon, Thompson, S.M., Sellin, J.H. 92:121
Glucose-controlled permeability
—, physiological regulation of transepithelial impedance in the intestinal mucosa of rats and hamsters, Pappenheimer, J.R. 100:137
Glucose-inhibited transport
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Glucose transport
—, a method for measuring apical glucose transporter site density in intact intestinal mucosa by means of phlorizin binding, Ferraris, R.P., Diamond, J.M. 94:65
—, the Na^+-independent D-glucose transporter in the enterocyte basolateral membrane: orientation and cytochalasin B binding characteristics, Maenz, D.D., Cheeseman, C.I. 97:259
—, use of phlorizin binding to demonstrate induction of intestinal glucose transporters, Ferraris, R.P., Diamond, J.M. 94:77
Glutathione status
—, modulating effect of cystamine and unsaturated fatty acids on gamma- glutamyl transpeptidase: relation to cellular oxidative status, Flagg- Newton, J.L., De Bault, L.E. 100:207
Glyceraldehyde
—, ATP-sensitive K^+ channels in an insulin-secreting cell line are inhibited by D-glyceraldehyde and activated by membrane permeabilization, Dunne, M.J., Findlay, I., Petersen, O.H., Wollheim, C.B. 93:271
Glycolysis
—, role of the Na^+/H^+ antiport in the regulation of the internal pH of Ehrlich ascites tumor cells in culture, Doppler, W., Maly, K., Grunicke, H. 91:147
Golgi
—, laterobasal membranes from intestinal epithelial cells: isolation free of intracellular membrane contaminants, Nguyen, T.D., Broyart, J.-P., Ngu, K.T., Illescas, A., Mircheff, A.K., Gray, G.M. 98:197
Gramicidin
—, analysis of ionic channels by a flash spectrophotometric technique applicable to thylakoid membranes: CF_0, the proton channel of the chloroplast ATP synthase, and, for comparison, gramicidin, Lill, H., Althoff, G., Junge, W. 98:69
Growth control
—, role of the Na^+/H^+ antiport in the regulation of the internal pH of Ehrlich ascites tumor cells in culture, Doppler, W., Maly, K., Grunicke, H. 91:147
H^+-ATPase
—, H^+-ATPases from mitochondria, plasma membranes, and vacuoles of fungal cells, Bowman, B.J., Bowman, E.J. 94: 83
H^+/K^+ symport
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
H1 receptor
—, oscillatory activation of calcium-dependent potassium channels in HeLa cells induced by histamine H_1 receptor stimulation: a single-channels study, Sauvé, R., Simoneau, C., Parent, L., Monette, R., Roy, G. 96:199
Hamster insulin tumor cells
—, potassium-selective ion channels in a transformed insulin-secreting cell line, Light, D.B., van Eenenaam, D.P., Sorenson, R.L., Levitt, D.G. 95:63
HCO^-_3 transport
—, fused cells of frog proximal tubule: I. basic membrane properties, Dietl, P., Wang, W., Oberleithner, H. 100:43
Heart
—, activation properties of the inward-rectifying potassium channel on mammalian heart cells, Tourneur, Y., Mitra, R., Morad, M., Rougier, O. 97:127
—, role for sulfur-containing groups in the Na^+-Ca^{2+} exchange of cardiac sarcolemmal vesicles, Pierce, G.N., Ward, R., Philipson, K.D. 94:217

Heavy water
—, D_2O and the sodium pump in squid nerve membrane, Landowne, D. 96:277
HeLa cells
—, kinetic mechanism of Na^+, K^+, Cl^--cotransport as studied by Rb^+ influx into HeLa cells: effects of extracellular monovalent ions, Miyamoto, H., Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Masuya, T. 92:135
—, oscillatory activation of calcium-dependent potassium channels in HeLa cells induced by histamine H_1 receptor stimulation: a single-channels study, Sauvé, R., Simoneau, C., Parent, L., Monette, R., Roy, G. 96:199
—, single channel analysis of the potassium permeability in HeLa cancer cells: evidence for a calcium-activated potassium channel of small unitary conductance, Sauvé, R., Simoneau, C., Monette, R., Roy, G. 92:269
Hematoporphyrin derivative
—, effects of membrane physical parameters on hematoporphyrin-derivative binding to liposomes: a spectroscopic study, Gross, E., Malik, Z., Ehrenberg, B. 97:215
Hen coprodeum
—, effects of adrenal steroids on Na transport in the lower intestine (coprodeum) of the hen, Clauss, W. Durr, J.E., Guth, D., Skadhauge, E. 96:141
Henle's loop
—, ammonium transport in medullary thick ascending limb of rabbit kidney: involvement of the Na^+,K^+,Cl^--cotransporter, Kinne, R., Kinne-Saffran, E., Schutz, H., Scholermann, B. 94:279
—, modification of Ca^{2+}-activated K^+ channels in cultured medullary thick ascending limb cells by N-bromoacetamide, Cornejo, M., Guggino, S.E., Guggino, W.B. 99:147
—, reconstitution in phospholipid vesicles of calcium-activated potassium channel from outer renal medulla, Klaerke, D.A., Karlish, J.D., Jorgensen, P.L. 95:105
Hepatocytes
—, cell membrane and transepithelial voltages and resistances in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
—, effects of anisosmotic medium on cell volume, transmembrane potential and intracellular K^+ activity in mouse hepatocytes, Howard, L.D., Wondergem, R. 100:53
Hexagonal phase
—, calcium-induced fusion of didodecylphosphate vesicles: the lamellar to hexagonal II (H_{II}) phase transition, Rupert, L.A.M., van Breemen, J.F.L., van Bruggen, E.F.J., Engberts, J.B.F.N., Hoekstra, D. 95:255
Histamine
—, oscillatory activation of calcium-dependent potassium channels in HeLa cells induced by histamine H1 receptor stimulation: a single-channels study, Sauvé, R., Simoneau, C., Parent, L., Monette, R., Roy, G. 96:199
Human macrophages
—, ion channels in human macrophages compared with the U-937 cell line, McCann, F.V., Keller, T.M., Guyre, P.M. 96:57
—, ionic channels and membrane hyperpolarization in human macrophages, Ince, C., van Dujin, B., Ypey, D.L., van Bavel, E., Weidema, F., Leijh, P.C.J. 97:251
Human placenta
—, serial permeability barriers to water transport in human placental vesicles, Illsley, N.P., Verkman, A.S. 94:267
Human red cells
—, effect of membrane potential on furosemide-inhibitable sodium influxes in human red blood cells, Kracke, G.R., Dunham, P.B. 98:117
—, effects of high hydrostatic pressure on 'passive' monovalent cation transport in human red cells, Hall, A.C., Ellory, J.C. 94:1
—, flux ratio of valinomycin-mediated K^+ fluxes across the human red cell membrane in the presence of the protonophore CCCP, Bennekou, P., Christophersen, P. 93:221
—, K-permeabilized human red cells lose an alkaline, hypertonic fluid containing excess K over diffusible anions, Freeman, C.J., Bookchin, R.M., Ortiz, O.E., Lew, V.L. 96:235
—, non-Stokesian nature of transverse diffusion within human red cell membranes, Lieb, W.R., Stein, W.D. 92:111
—, voltage dependence of the Ca^{2+}-activated K^+ conductance of human red cell membranes is strongly dependent on the extracellular K^+ concentration, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 95:121
—, volume, pH, and ion-content regulation in human red cells: analysis of transient behavior with an integrated model, Lew, V.L., Bookchin, R.M. 92:57
—, volume-stimulated, Cl^--dependent K^+ efflux is highly expressed in young human red cells containing normal hemoglobin or HbS, Canessa, M., Fabry, M.E., Blumenfeld, N., Nagel, R.L. 97:97
Hydrogen ion pump
—, electrical characteristics of stomatal guard cells: the contribution of ATP-dependent, "electrogenic" transport revealed by current-voltage and difference-current-voltage analysis, Blatt, M.R. 98:257
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
Hydrogen ions
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157
Hydroosmosis
—, ADH and phorbol ester increase immunolabeling of the toad bladder apical membrane by antibodies made to granules, Masur, S.K., Massardo, S. 96:193
Hydrostatic pressure
—, effects of high hydrostatic pressure on 'passive' monovalent cation transport in human red cells, Hall, A.C., Ellory, J.C. 94:1
Hyperpolarization
—, ionic channels and membrane hyperpolarization in human macrophages, Ince, C., van Dujin, B., Ypey, D.L., van Bavel, E., Weidema, F., Leijh, P.C.J. 97:251
Hyperpolarizing response
—, evidence for the involvement of calmodulin in the operation of Ca-activated K channels in mouse fibroblasts, Okada, Y., Yada, T., Ohno- Shosaku, T., Oiki, S. 96:121
Hypertonicity
—, volume regulation in the early proximal tubule of the *Necturus* kidney, Lopes, A.G., Guggino, W.B. 97:117
Ileum
—, potassium/proton exchange in brush-border membrane of rat ileum, Binder, H.J., Murer, H. 91:77
Impedance analysis
—, membrane transport parameters in frog corneal epithelium measured using impedance analysis techniques, Clausen, C., Reinach, P.S., Marcus, D.C. 91:213

—, physiological regulation of transepithelial impedance in the intestinal mucosa of rats and hamsters, Pappenheimer, J.R. 100:137
—, proton transport and membrane shuttling in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D., Lane, B. 94:233
—, transport-dependent alterations of membrane properties of mammalian colon measured using impedance analysis, Wills, N.K., Clausen, C. 95:21
Inactivation
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: the role of protein translocation, Slatin, S.L., Raymond, L., Finkelstein, A. 92:247
—, involvement of calcium in calcium-current inactivation in smooth muscle cells from rat vas deferens, Nakazawa, K., Saito, H., Matsuki, N. 100:13
—, local anesthetic action of carboxylic esters: evidence for the significance of molecular volume and for the number of sites involved, Elliott, J.R., Murrell, R.D., Haydon, D.A. 95:143
—, properties of an anionic-selective channel from rat colonic enterocyte plasma membranes reconstituted into planar phospholipid bilayers, Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B. 95:47
Induction
—, a method for measuring apical glucose transporter site density in intact intestinal mucosa by means of phlorizin binding, Ferraris, R.P., Diamond, J.M. 94:65
—, use of phlorizin binding to demonstrate induction of intestinal glucose transporters, Ferraris, R.P., Diamond, J.M. 94:77
Inorganic phosphate
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55
Insect rectum
—, uphill transport of water by electroosmosis, Kuppers, J., Plagemann, A., Thurm, U. 91:107
Insulin
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
—, effects of external K concentration on the electrogenicity of the insulin-stimulated Na,K-pump in frog skeletal muscle, Marunaka, Y. 91:165
—, interaction of diazoxide, tolbutamide and ATP^{4-} on nucleoside-dependent K^+ channels in an insulin-secreting cell line, Dunne, M.J., Illot, M.C., Petersen, O.H. 99:215
—, ionic dependence of amino-acid transport in the exocrine pancreatic epithelium: calcium dependence of insulin action, Norman, P.S.R., Mann, G.E. 96:153
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55
Insulin connection
—, a genetic approach to the study of neutral amino acid transport in mammalian cells in culture, Englesberg, E., Moffett, J. 91:199
Insulin secretion
—, potassium-selective ion channels in a transformed insulin-secreting cell line, Light, D.B., van Eenenaam, D.P., Sorenson, R.L., Levitt, D.G. 95:63
Integument
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37
—, L-alanine uptake in brush border membrane vesicles from the gill of a marine bivalve, Pajor, A.M., Wright, S.H. 96:209
Intercalated cell
—, cell membrane water permeability of rabbit cortical collecting duct, Strange, K., Spring, K.R. 96:27
Intercellular junctions
—, contribution of solvent drag through intercellular junctions to absorption of nutrients by the small intestine of the rat, Pappenheimer, J.R., Reiss, K.Z. 100:123
Intermediate filaments
—, interaction of the cytoskeleton with the plasma membrane, Niggli, V., Burger, M.M. 100:97
Intestinal absorption
—, contribution of solvent drag through intercellular junctions to absorption of nutrients by the small intestine of the rat, Pappenheimer, J.R., Reiss, K.Z. 100:123
Intestinal epithelium
—, physiological regulation of transepithelial impedance in the intestinal mucosa of rats and hamsters, Pappenheimer, J.R. 100:137
—, structural basis for physiological regulation of paracellular pathways in intestinal epithelia, Madara, J.L., Pappenheimer, J.R. 100:149
Intestinal transport
—, stoichiometry and ion affinities of the Na-K-Cl cotransport system in the intestine of the winter flounder (*Pseudopleuronectes americanus*), O'Grady, S.M., Musch, M.W., Field, M. 91:33
Intestine
—, properties of an anionic-selective channel from rat colonic enterocyte plasma membranes reconstituted into planar phospholipid bilayers, Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B. 95:47
Intracellular calcium
—, continuous measurement of calcium influx in mammalian nonmyelinated nerve fibers: effect of Na_o, and Ca_o, and electrical activity, Jirounek, P., Pralong, W.F., Vitus, J., Straub, R.W. 91:157
Intracellular calcium ion concentration
—, oscillations of cytoplasmic concentrations of Ca^{2+} and K^+ in fused L cells, Ueda, S., Oiki, S., Okada, Y. 91:65
Intracellular calcium ions
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
Intracellular chloride ion activity
—, membrane potentials and intracellular Cl^- activity of toad skin epithelium in relation to activation and deactivation of the transepithelial Cl^- conductance, Willumsen, N.J., Larsen, E.H. 94:173
Intracellular electrolytes
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
Intracellular free calcium
—, fluorescent measurements of intracellular free calcium in isolated toad urinary bladder epithelial cells, Jacobs, W.R., Mandel, L.J. 97:53
Intracellular ion activity
—, cell membrane and transepithelial voltages and resistances

in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
Intracellular ion concentration
—, intracellular solute gradients during osmotic water flow: an electron- microprobe analysis, Rick, R., DiBona, D.R. 96:85
Intracellular pH
—, intracellular pH and membrane potential as regulators in the prokaryotic cell, Padan, E., Schuldiner, S. 95:189
—, measurements of intracellular pH in single LLC-PK_1 cells: recovery from an acid load via basolateral Na^+/H^+ exchange, Montrose, M.H., Friedrich, T., Murer, H. 97:63
—, regulation of intracellular pH in LLC-PK_1 cells by Na^+/H^+ exchange, Montrose, M.H., Murer, H. 93:33
Intracellular potassium activity
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
Intracellular potassium ion activity
—, effects of anisosmotic medium on cell volume, transmembrane potential and intracellular K^+ activity in mouse hepatocytes, Howard, L.D., Wondergem, R. 100:53
Intracellular potassium ion concentration
—, oscillations of cytoplasmic concentrations of Ca^{2+} and K^+ in fused L cells, Ueda, S., Oiki, S., Okada, Y. 91:65
Intracellular potential
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
—, K^+-conductance and electrogenic Na^+/K^+ transport of cultured bovine pigmented ciliary epithelium, Helbig, H., Korbmacher, C., Wiederholt, M. 99:173
Intracellular sodium ion activity
—, acetylcholine-induced Na^+ influx in the mouse lacrimal gland acinar cells: demonstration of multiple Na^+ transport mechanisms by intracellular Na^+ activity measurement, Saito, Y., Ozawa, T., Nishiyama, A. 98:135
Intracellular sodium ion concentration
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
Intracellular sodium ions
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
Intracellular transport
—, evidence for the transit of aminopeptidase N through the basolateral membrane before it reaches the brush border of enterocytes, Massey, D., Feracci, H., Gorvel, J.-P., Rigal, A., Soulie, J.M., Maroux, S. 96:19
Intramembranous particles
—, complementarity of particles and pits in freeze-fractured hepatic and cardiac gap junctions, De Maziere, A.M.G.L., Scheuermann, D.W., Aertgeerts, P.A.P.M. 97:107
—, kinetics of ultrastructural changes during electrically induced fusion of human erythrocytes, Stenger, D.A., Hui, S.W. 93:43
Inward currents
—, chloride currents in Chara—a patch clamp study, Coleman, H.A. 93:55
Inward rectification
—, single channel analysis of the potassium permeability in HeLa cancer cells: evidence for a calcium-activated potassium channel of small unitary conductance, Sauvé, R., Simoneau, C., Monette, R., Roy, G. 92:269
Inward rectifier
—, activation properties of the inward-rectifying potassium channel on mammalian heart cells, Tourneur, Y., Mitra, R., Morad, M., Rougier, O. 97:127
—, influence of external barium and potassium on potassium efflux in depolarized frog sartorius muscles, Spalding, B.C., Swift, J.G., Horowicz, P. 93:141
—, inwardly rectifying single-channel and whole cell K^+ currents in rat ventricular myocytes, Josephson, I.R., Brown, A.M. 94:19
—, voltage dependence of the Ca^{2+}-activated K^+ conductance of human red cell membranes is strongly dependent on the extracellular K^+ concentration, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 95:121
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157
Iodoacetamide
—, thiol-dependent passive K/Cl transport in sheep red cells: VII. volume-independent freezing by iodoacetamide and sulfhydryl group heterogeneity, Lauf, P.K. 98:237
Ion channels
—, analysis of ionic channels by a flash spectrophotometric technique applicable to thylakoid membranes: CF_0, the proton channel of the chloroplast ATP synthase, and, for comparison, gramicidin, Lill, H., Althoff, G., Junge, W. 98:69
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
—, a cation channel in frog lens epithelia responsive to pressure and calcium, Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S. 93:259
—, electrophysiological evidence suggests a defective Ca^{2+} control mechanism in a new *Paramecium* mutant, Evans, T.C., Hennessey, T., Nelson, D.L. 98:275
—, ion channel subconductance states, Fox, J.A. 97:1
—, ion channels in human macrophages compared with the U-937 cell line, McCann, F.V., Keller, T.M., Guyre, P.M. 96:57
—, ion selectivity of epithelial Na channels, Palmer, L.G. 96:97
—, ionic channels and membrane hyperpolarization in human macrophages, Ince, C., van Dujin, B., Ypey, D.L., van Bavel, E., Weidema, F., Leijh, P.C.J. 97:251
—, modification of Ca^{2+}-activated K^+ channels in cultured medullary thick ascending limb cells by N-bromoacetamide, Cornejo, M., Guggino, S.E., Guggino, W.B. 99:147
—, reconstitution of channel proteins from excitable cells in planar lipid bilayer membranes, Montal, M. 98:101
—, single nonselective cation channels and Ca^{2+}-activated K^+ channels in aortic endothelial cells, Fichtner, H., Frobe, U., Busse, R., Kohlhardt, M. 98:125
—, synthesis and assembly of acetylcholine receptor, a multisubunit membrane glycoprotein, Merlie, J.P., Smith, M.M. 91:1
—, voltage-dependent, monomeric channel activity of Colicin E1 in artificial membrane vesicles, Peterson, A.A., Cramer, W.A. 99:197
Ion conductance
—, cell membrane and transepithelial voltages and resistances in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
Ion permeation
—, ion permeation through single channels activated by ace-

tylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
Ion pumps
—, fast charge translocations associated with partial reactions of the Na,K-pump: I. current and voltage transients after photochemical release of ATP, Borlinghaus, R., Apell, H.-J., Läuger, P. 97:161
—, fast charge translocations associated with partial reactions of the Na,K-pump: II. Microscopic analysis of transient currents, Apell, H.- J., Borlinghaus, R., Läuger, P. 97:179
Ion transport
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by (221)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
—, formation of ion-translocating oligomers by nigericin, Toro, M., Arzt, E., Cerbon, J., Alegria, G., Alva, R., Meas, Y., Estrada-O., S. 95:1
—, reconstitution of channel proteins from excitable cells in planar lipid bilayer membranes, Montal, M. 98:101
—, stoichiometry and ion affinities of the Na-K-Cl cotransport system in the intestine of the winter flounder (*Pseudopleuronectes americanus*), O'Grady, S.M., Musch, M.W., Field, M. 91:33
—, volume, pH, and ion-content regulation in human red cells: analysis of transient behavior with an integrated model, Lew, V.L., Bookchin, R.M. 92:57
Ionic translocators
—, formation of ion-translocating oligomers by nigericin, Toro, M., Arzt, E., Cerbon, J., Alegria, G., Alva, R., Meas, Y., Estrada-O., S. 95:1
Ionizable mobile carrier
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by (221)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
Ionizing group
—, the carrier reorientation step in erythrocyte choline transport: pH effects and the involvement of a carrier ionizing group, Devés, R., Reyes, G., Krupka, R.M. 93:165
Ionophores
—, calcium transport affinity, ion competition and cholera toxin effects on cytosolic Ca concentration, Maenz, D.D., Gabriel S.E., Forsyth, G.W. 96:243
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
—, potassium transport in the rabbit renal proximal tubule: effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
—, proton countertransport by the reconstituted erythrocyte Ca^{2+}-translocating ATPase: evidence using ionophoretic compounds, Villalobo, A., Roufogalis, B.D. 93:249
Irreversible inhibition
—, identification of the renal Na^+/H^+ exchanger with N,N'-dicyclohexylcarbodiimide (DCCD) and amiloride analogues, Friedrich, T., Sablotni, J., Burckhardt, G. 94:253
Isolation
—, isolation of brush-border membranes from rat and rabbit colonocytes: is alkaline phosphatase a marker enzyme? Stieger, B., Marxer, A., Hauri, H.- P. 91:31
Isoproterenol
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
Isotopic flux
—, neurotoxin-modulated uptake of sodium by highly purified preparations of the electroplax tetrodotoxin-binding glycopeptide reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:43
Junctional permeability
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
K contractures
—, effect of divalent cations on the K contracture of slow muscle fibers of *Rana temporaria*, Schmidt, H. 100:215
K/Cl transport
—, thiol-dependent passive K/Cl transport in sheep red cells: VII. volume-independent freezing by iodoacetamide and sulfhydryl group heterogeneity, Lauf, P.K. 98:237
K/H exchange
—, potassium/proton exchange in brush-border membrane of rat ileum, Binder, H.J., Murer, H. 91:77
K^+/K^+ exchange
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
Kidney
—, effect of anisotonic media on volume, ion and amino-acid content and membrane potential of kidney cells (MDCK) in culture, Roy, G., Sauvé, R. 100:83
—, heterogeneity of calcium compartmentation: electron probe analysis of renal tubules, LeFurgey, A., Ingram, P., Mandel, L.J. 94:191
—, identification of the renal Na^+/H^+ exchanger with N,N'-dicyclohexylcarbodiimide (DCCD) and amiloride analogues, Friedrich, T., Sablotni, J., Burckhardt, G. 94:253
—, kinetic studies on the stimulation of Na^+-H^+ exchange activity in renal brush border membranes isolated from thyroid hormone-treated rats, Kinsella, J.L., Cujdik, T., Sacktor, B. 91:183
—, parathyroid hormone-induced changes of the brush border topography and cytoskeleton in cultured renal proximal tubular cells, Goligorsky, M.S., Menton, D.N., Hruska, K.A. 92:151
Kinetic carrier model
—, electrical characteristics of stomatal guard cells: the contribution of ATP-dependent, "electrogenic" transport revealed by current-voltage and difference-current-voltage analysis, Blatt, M.R. 98:257
Kinetic model
—, current - voltage relations of sodium-coupled sugar transport across the apical membrane of *Necturus* small intestine, Lapointe, J.-Y., Hudson, R.L., Schultz, S.G. 93:205
—, determination of charge, stoichiometry and reaction constants from *I - V* curve studies on a K^+ transporter in *Nitella*, Fisahn, J., Hansen, U.-P., Gradmann, D. 94:245
—, kinetic analysis of the electrogenic pump of *Chara coralina*: IV. temperature dependence of the pump activity, Kami-ike, N., Ohkawa, T., Kishimoto, U., Takeuchi, Y. 94:163
L system, transport mutants
—, a genetic approach to the study of neutral amino acid transport in mammalian cells in culture, Englesberg, E., Moffett, J. 91:199
L-thyroxine
—, kinetic studies on the stimulation of Na^+-H^+ exchange activity in renal brush border membranes isolated from thy-

roid hormone-treated rats, Kinsella, J.L., Cujdik, T., Sacktor, B. 91:183
Lacrimal gland
—, acetylcholine-induced Na^+ influx in the mouse lacrimal gland acinar cells: demonstration of multiple Na^+ transport mechanisms by intracellular Na^+ activity measurement, Saito, Y., Ozawa, T., Nishiyama, A. 98:135
LamB
—, mechanism of sugar transport through the sugar-specific LamB channel of *Escherichia coli* outer membrane, Benz, R., Schmid, A., Vos-Scheperkeuter, G. 100:21
Lamellar phase
—, calcium-induced fusion of didodecylphosphate vesicles: the lamellar to hexagonal II (HII) phase transition, Rupert, L.A.M., van Breemen, J.F.L., van Bruggen, E.F.J., Engberts, J.B.F.N., Hoekstra, D. 95:255
Laminin
—, collagen receptors mediate early events in the attachment of epithelial (MDCK) cells, Salas, P.J.I., Vega-Salas, D.E., Rodriguez-Boulan, E. 98:223
Lanthanides
—, lanthanide/proline cotransport across rabbit renal brush borders, Birnir, B., Hirayama, B., Wright, E. M. 100:221
Lanthanum ions
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: I. effects of La^{3+}, verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: II. effects of La^{3+}, EGTA, and calmodulin antagonists on the current-voltage relation, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:75
Large intestine
—, isolation of brush-border membranes from rat and rabbit colonocytes: is alkaline phosphatase a marker enzyme? Stieger, B., Marxer, A., Hauri, H.- P. 91:31
Lateral diffusion
—, lateral diffusion of protons along phospholipid monolayers, Prats, M., Tocanne, J.F., Teissié, J. 99:225
—, *reply to:* lateral diffusion of protons along phospholipid monolayers, Kasianowicz, J., Benz, R., Gutman, M., McLaughlin, S. 99:226
Lateral motion
—, effects of fatty acids on membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H. 95:113
Laterobasal membrane
—, laterobasal membranes from intestinal epithelial cells: isolation free of intracellular membrane contaminants, Nguyen, T.D., Broyart, J.-P., Ngu, K.T., Illescas, A., Mircheff, A.K., Gray, G.M. 98:197
Lazy state
—, *I/V*-curve studies of the control of a K^+ transporter in *Nitella* by temperature, Hansen, U.-P., Fisahn, J. 98:1
Leakage current
—, factors controlling the K^+ conductance in *Chara*, Beilby, M.J. 93:187
Lens physiology
—, a cation channel in frog lens epithelia responsive to pressure and calcium, Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S. 93:259
Leukotrienes
—, effect of arachidonic acid, fatty acids, prostaglandins, and leukotrienes on volume regulation in Ehrlich ascites tumor cells, Lambert, I.H. 98:207
—, mechanism for leukotriene C_4 stimulation of chloride transport in cornea, Schaeffer, B.E., Zadunaisky, J.A. 93:229
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
Lidocaine
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
Light microscopy
—, cell membrane water permeability of rabbit cortical collecting duct, Strange, K., Spring, K.R. 96:27
Light scattering
—, serial permeability barriers to water transport in human placental vesicles, Illsley, N.P., Verkman, A.S. 94:267
Linear mixed activation
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Linolenic acid
—, modulating effect of cystamine and unsaturated fatty acids on gamma-glutamyl transpeptidase: relation to cellular oxidative status, Flagg-Newton, J.L., De Bault, L.E. 100:207
Lipid bilayers
—, an anion channel of sarcoplasmic reticulum incorporated into planar lipid bilayers: single-channel behavior and conductance properties, Tanifuji, M., Sokabe, M., Kasai, M. 99:103
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: the role of protein translocation, Slatin, S.L., Raymond, L., Finkelstein, A. 92:247
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: translocation of regions outside the channel-forming domain, Raymond, L., Slatin, S.L., Liu, Q.-R., Levinthal, C. 92:255
—, mechanism of sugar transport through the sugar-specific LamB channel of *Escherichia coli* outer membrane, Benz, R., Schmid, A., Vos-Scheperkeuter, G. 100:21
—, reconstitution of channel proteins from excitable cells in planar lipid bilayer membranes, Montal, M. 98:101
—, single-channel analysis of the conductance fluctuations induced in lipid bilayer membranes by complement proteins C5b-9, Benz, R., Schmid, A., Wiedmer, T., Sims, P.J. 94:37
Lipid membrane
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by $(221)C_{10}$-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
Lipids
—, membrane vesicles of cellular dimensions fit in two geometric series, Walters, J.A.L.I., Bours, H., van Os, C.H. 91:73
—, neurotoxin-modulated uptake of sodium by highly purified preparations of the electroplax tetrodotoxin-binding glycopeptide reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:43
—, spontaneous opening at zero membrane potential of sodium channels from eel electroplax reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:57
Liposomes
—, phospholipase C and the physical states of polar head groups of lipids, Kimura, Y. 96:187

Lithium
—, apical membrane K conductance in the toad urinary bladder, Palmer, L.G. 92:217
Liver
—, complementarity of particles and pits in freeze-fractured hepatic and cardiac gap junctions, De Maziere, A.M.G.L., Scheuermann, D.W., Aertgeerts, P.A.P.M. 97:107
LLC-PK_1
—, measurements of intracellular pH in single LLC-PK_1 cells: recovery from an acid load via basolateral Na^+/H^+ exchange, Montrose, M.H., Friedrich, T., Murer, H. 97:63
—, regulation of intracellular pH in LLC-PK_1 cells by Na^+/H^+ exchange, Montrose, M.H., Murer, H. 93:33
Local anesthesia
—, local anesthetic action of carboxylic esters: evidence for the significance of molecular volume and for the number of sites involved, Elliott, J.R., Murrell, R.D., Haydon, D.A. 95:143
Local chemiosmosis
—, how do protons cross the membrane-solution interface? kinetic studies on bilayer membranes exposed to the protonophore S-13 (5-chloro-3-tert- butyl-2'-chloro-4'nitrosalicylanilide), Kasianowicz, J., Benz, R., McLaughlin, S. 95:73
Local dielectric property
—, phospholipase C and the physical states of polar head groups of lipids, Kimura, Y. 96:187
Loop diuretics
—, Na-K-2Cl cotransport in winter flounder intestine and bovine kidney outer medulla: [^{3}H] bumetanide binding and effects of furosemide analogues, O'Grady, S.M., Palfrey, H.C., Field, M. 96:11
—, the Na-K-2Cl cotransport system, Geck, P., Heinz, E. 91:97
Lucifer Yellow
—, permeance of Novikoff hepatoma gap junctions: quantitative video analysis of dye transfer, Biegon, R.P., Atkinson, M.M., Liu, T.-F., Kam, E.Y., Sheridan, J.D. 96:225
—, transcytosis in cultured proximal tubular cells, Goligorsky, M.S., Hruska, K.A. 93:237
Lysis
—, electromechanical stresses produced in the plasma membranes of suspended cells by applied electric fields, Bryant, G., Wolfe, J. 96:129
Lysophosphatidylcholine
—, detection of sodium channel distribution in rat sciatic nerve following lysophosphatidylcholine-induced demyelination, Meiri, H., Steinberg, R., Medalion, B. 92:47
Malaria infection
—, biophysical analysis of novel transport pathways induced in red blood cell membranes, Ginsburg, H., Stein, W.D. 96:1
Maltoporin
—, mechanism of sugar transport through the sugar-specific LamB channel of *Escherichia coli* outer membrane, Benz, R., Schmid, A., Vos-Scheperkeuter, G. 100:21
Mammalian heart
—, quantitative gap junction alterations in mammalian heart cells quickly frozen or chemically fixed after electrical uncoupling, Délèze, J., Hervé, J.C. 93:11
Mammalian nerve
—, continuous measurement of calcium influx in mammalian nonmyelinated nerve fibers: effect of Na_o, and Ca_o, and electrical activity, Jirounek, P., Pralong, W.F., Vitus, J., Straub, R.W. 91:157
Marine bivalve
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37
Marine bivalve gills
—, L-alanine uptake in brush border membrane vesicles from the gill of a marine bivalve, Pajor, A.M., Wright, S.H. 96:209
Maturation
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes mediated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
Maxi-K (Ca) channel
—, characterization of a Ca-dependent maxi-K channel in the apical membrane of a cultured renal epithelium (JTC-12.P3), Kolb, H.A., Brown, C.D.A., Murer, H. 92:207
MDCK cells
—, collagen receptors mediate early events in the attachment of epithelial (MDCK) cells, Salas, P.J.I., Vega-Salas, D.E., Rodriguez-Boulan, E. 98:223
—, voltage and Ca^{2+}-activated K^+ channel in cultured epithelial cells (MDCK), Bolivar J.J., Cereijido, M. 97:43
Medullary thick ascending limb cells
—, modification of Ca^{2+}-activated K^+ channels in cultured medullary thick ascending limb cells by N-bromoacetamide, Cornejo, M., Guggino, S.E., Guggino, W.B. 99:147
Membrane-associating protein
—, difference in capacities for virion-to-virion fusion of young and aged HVJ (Sendai virus): a model of membrane fusion, Kim, J., Okada, Y. 97:241
Membrane biogenesis
—, evidence for the transit of aminopeptidase N through the basolateral membrane before it reaches the brush border of enterocytes, Massey, D., Feracci, H., Gorvel, J.-P., Rigal, A., Soulie, J.M., Maroux, S. 96:19
Membrane-bound calcium
—, continuous measurement of calcium influx in mammalian nonmyelinated nerve fibers: effect of Na_o, and Ca_o, and electrical activity, Jirounek, P., Pralong, W.F., Vitus, J., Straub, R.W. 91:157
Membrane channel
—, chemical modification of the two histidine and single cysteine residues in the channel-forming domain of colicin E1, Bishop, L.J., Cohen, F.S., Davidson, V.L., Cramer, W.A. 92:237
—, elimination and restoration of voltage dependence in the mitochondrial channels, VDAC, by graded modification with succinic anhydride, Adelsberger-Mangan, D.M., Colombini, M. 98:157
—, mechanism of sugar transport through the sugar-specific LamB channel of *Escherichia coli* outer membrane, Benz, R., Schmid, A., Vos-Scheperkeuter, G. 100:21
—, uphill transport of water by electroosmosis, Kuppers, J., Plagemann, A., Thurm, U. 91:107
Membrane conductance
—, single-channel analysis of the conductance fluctuations induced in lipid bilayer membranes by complement proteins C5b-9, Benz, R., Schmid, A., Wiedmer, T., Sims, P.J. 94:37
Membrane currents
—, effects of fatty acids on membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H. 95:113
Membrane depolarization
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
Membrane excitation
—, Ca^{2+}-activated Cl^- channel in plasmalemma of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 99:137

—, demonstration and characterization of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 96:263
—, effects of fatty acids on membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H. 95:113
Membrane fractionation
—, laterobasal membranes from intestinal epithelial cells: isolation free of intracellular membrane contaminants, Nguyen, T.D., Broyart, J.-P., Ngu, K.T., Illescas, A., Mircheff, A.K., Gray, G.M. 98:197
Membrane fusion
—, calcium-induced fusion of didodecylphosphate vesicles: the lamellar to hexagonal II (H_{II}) phase transition, Rupert, L.A.M., van Breemen, J.F.L., van Bruggen, E.F.J., Engberts, J.B.F.N., Hoekstra, D. 95:255
—, difference in capacities for virion-to-virion fusion of young and aged HVJ (Sendai virus): a model of membrane fusion, Kim, J., Okada, Y. 97:241
Membrane mechanics
—, mechanical study of the deformation and rupture of the plasma membranes of protoplasts during osmotic expansions, Wolfe, J., Dowgert, M.F., Steponkus, P.L. 93:63
Membrane microviscosity
—, effects of membrane physical parameters on hematoporphyrin-derivative binding to liposomes: a spectroscopic study, Gross, E., Malik, Z., Ehrenberg, B. 97:215
Membrane oxidation
—, biophysical analysis of novel transport pathways induced in red blood cell membranes, Ginsburg, H., Stein, W.D. 96:1
Membrane polarity
—, measurements of intracellular pH in single LLC-PK_1 cells: recovery from an acid load via basolateral Na^+/H^+ exchange, Montrose, M.H., Friedrich, T., Murer, H. 97:63
Membrane pore
—, single-channel analysis of the conductance fluctuations induced in lipid bilayer membranes by complement proteins C5b-9, Benz, R., Schmid, A., Wiedmer, T., Sims, P.J. 94:37
Membrane potential
—, cell membrane and transepithelial voltages and resistances in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
—, cell sodium activity and sodium pump function in frog skin, Garcia-Diaz, J.F., Klemperer, G., Baxendale, L.M., Essig, A. 92:37
—, effect of anisotonic media on volume, ion and amino-acid content and membrane potential of kidney cells (MDCK) in culture, Roy, G., Sauvé, R. 100:83
—, effect of membrane potential on furosemide-inhibitable sodium influxes in human red blood cells, Kracke, G.R., Dunham, P.B. 98:117
—, effects of external K concentration on the electrogenicity of the insulin-stimulated Na,K-pump in frog skeletal muscle, Marunaka, Y. 91:165
—, effects of membrane physical parameters on hematoporphyrin-derivative binding to liposomes: a spectroscopic study, Gross, E., Malik, Z., Ehrenberg, B. 97:215
—, flux ratio of valinomycin-mediated K^+ fluxes across the human red cell membrane in the presence of the protonophore CCCP, Bennekou, P., Christophersen, P. 93:221
—, fused cells of frog proximal tubule: I. basic membrane properties, Dietl, P., Wang, W., Oberleithner, H. 100:43
—, intracellular pH and membrane potential as regulators in the prokaryotic cell, Padan, E., Schuldiner, S. 95:189
—, ionic channels and membrane hyperpolarization in human macrophages, Ince, C., van Dujin, B., Ypey, D.L., van Bavel, E., Weidema, F., Leijh, P.C.J. 97:251
—, membrane potentials and intracellular Cl^- activity of toad skin epithelium in relation to activation and deactivation of the transepithelial Cl^- conductance, Willumsen, N.J., Larsen, E.H. 94:173
—, oscillations of cytoplasmic concentrations of Ca^{2+} and K^+ in fused L cells, Ueda, S., Oiki, S., Okada, Y. 91:65
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
—, potential-sensitive response mechanism of DiS-C_3-(5) in biological membranes, Cabrini, G., Verkman, A.S. 92:171
—, procedure using voltage-sensitive spin-labels to monitor dipole potential changes in phospholipid vesicles: the estimation of phloretin- induced conductance changes in vesicles, Perkins, W.R., Cafiso, D.S. 96:165
—, relationship of the Donnan potential to the transmembrane pH gradient in tracheal apical membrane vesicles, Langridge-Smith, J.E., Dubinsky,W.P. 94:197
Membrane resistance
—, effects of external K concentration on the electrogenicity of the insulin-stimulated Na,K-pump in frog skeletal muscle, Marunaka, Y. 91:165
Membrane shuttling
—, proton transport and membrane shuttling in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D., Lane, B. 94:233
Membrane structure
—, osmotic reversal induces assembly of tight junction strands at the basal pole of toad bladder epithelial cells but does not reverse cell polarity, Chevalier, J., Pinto da Silva, P. 95:199
Membrane transport
—, effect of anisotonic media on volume, ion and amino-acid content and membrane potential of kidney cells (MDCK) in culture, Roy, G., Sauvé, R. 100:83
Membrane vesicles
—, direct inhibition of epithelial Na^+ channels by a pH-dependent interaction with calcium, and by other divalent ions, Garty, H., Asher, C., Yeger, O. 95:151
—, relationship of the Donnan potential to the transmembrane pH gradient in tracheal apical membrane vesicles, Langridge-Smith, J.E., Dubinsky, W.P. 94:197
—, voltage-dependent, monomeric channel activity of Colicin E1 in artificial membrane vesicles, Peterson, A.A., Cramer, W.A. 99:197
Membrane voltage
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
Membranes
—, membrane vesicles of cellular dimensions fit in two geometric series, Walters, J.A.L.I., Bours, H., van Os, C.H. 91:73
Mercurials
—, evidence for water channels in renal proximal tubule cell membranes, Meyer, M.M., Verkman, A.S. 96:107
Methylamine
—, permeability of ammonia, methylamine and ethylamine in the cyanobacterium, *Synechococcus* R-2 (*Anacystis nidulans*) PCC 7942, Ritchie, R.J., Gibson, J. 95:131
2-Methylaminoisobutyric acid
—, ionic dependence of amino-acid transport in the exocrine pancreatic epithelium: calcium dependence of insulin action, Norman, P.S.R., Mann, G.E. 96:153
Methylprednisolone
—, relationships among sodium current, permeability, and Na

activities in control and glucocorticoid-stimulated rabbit descending colon, Thompson, S.M., Sellin, J.H. 92:121
Microcarrier beads
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55
Microfilaments
—, interaction of the cytoskeleton with the plasma membrane, Niggli, V., Burger, M.M. 100:97
Microtubules
—, interaction of the cytoskeleton with the plasma membrane, Niggli, V., Burger, M.M. 100:97
Microvillous membrane vesicles
—, serial permeability barriers to water transport in human placental vesicles, Illsley, N.P., Verkman, A.S. 94:267
Mitochondria
—, H^+-ATPases from mitochondria, plasma membranes, and vacuoles of fungal cells, Bowman, B.J., Bowman, E.J. 94:83
—, heterogeneity of calcium compartmentation: electron probe analysis of renal tubules, LeFurgey, A., Ingram, P., Mandel, L.J. 94:191
Mitochondria-rich cells
—, membrane potentials and intracellular Cl^- activity of toad skin epithelium in relation to activation and deactivation of the transepithelial Cl^- conductance, Willumsen, N.J., Larsen, E.H. 94:173
Mitochondrial outer membrane
—, patch clamping the outer mitochondrial membrane, Tedeschi, H., Mannella, C.A., Bowman, C.L. 97:21
Mitochondrion
—, voltage gating in VDAC is markedly inhibited by micromolar quantities of aluminum, Dill, E.T., Holden, M.H., Colombini, M. 99:187
Mitogen action
—, role of the Na^+/H^+ antiport in the regulation of the internal pH of Ehrlich ascites tumor cells in culture, Doppler, W., Maly, K., Grunicke, H. 91:147
Molecular sieving
—, contribution of solvent drag through intercellular junctions to absorption of nutrients by the small intestine of the rat, Pappenheimer, J.R., Reiss, K.Z. 100:123
Monoclonal antibodies
—, detection of sodium channel distribution in rat sciatic nerve following lysophosphatidylcholine-induced demyelination, Meiri, H., Steinberg, R., Medalion, B. 92:47
—, distribution of calcium ATPase in the sarcoplasmic reticulum of fast- and slow-twitch muscles determined with monoclonal antibodies, Dulhunty, A.F., Banyard, M.R.C., Medveczky, C.J. 99:79
Multiple open states
—, evidence for multiple open states of sodium channels in neuroblastoma cells, Nagy, K. 96:251
Multisubunit
—, synthesis and assembly of acetylcholine receptor, a multisubunit membrane glycoprotein, Merlie, J.P., Smith, M.M. 91:1
Muscle membrane
—, influence of external barium and potassium on potassium efflux in depolarized frog sartorius muscles, Spalding, B.C., Swift, J.G., Horowicz, P. 93:141
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157
Mutants
—, a calcium-dependent potassium current is increased by a single-gene mutation in *Parmecium*, Hennessey, T.M., Kung, C. 98:145
—, calcium-dependent sodium currents in *Paramecium*: mutational manipulations and effects of hyper- and depolarization, Saimi, Y. 92:227
Mutation
—, a mutation that increases a novel calcium-activated potassium conductance of *Paramecium tetraurelia*, Richard, E.A., Saimi, Y., Kung, C. 91:173
Myocardium
—, complementarity of particles and pits in freeze-fractured hepatic and cardiac gap junctions, De Maziere, A.M.G.L., Scheuermann, D.W., Aertgeerts, P.A.P.M. 97:107
Mytilus californianus
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37
Mytilus edulis
—, L-alanine uptake in brush border membrane vesicles from the gill of a marine bivalve, Pajor, A.M., Wright, S.H. 96:209
n-Alkanols
—, modulation by *n*-alkanols of rat cardiac adenylate cyclase activity, Chatelain, P., Robbereecht, P., Wailbroeck, M., Camus, J.C., Christophe, J. 93:23
N-Bromoacetamide
—, modification of Ca^{2+}-activated K^+ channels in cultured medullary thick ascending limb cells by N-bromoacetamide, Cornejo, M., Guggino, S.E., Guggino, W.B. 99:147
N-Ethylmaleimide
—, thiol-dependent passive K/Cl transport in sheep red cells: VII. volume-independent freezing by iodoacetamide and sulfhydryl group heterogeneity, Lauf, P.K. 98:237
Na^+/Ca^{2+} exchange
—, continuous measurement of calcium influx in mammalian nonmyelinated nerve fibers: effect of Na_o, and Ca_o, and electrical activity, Jirounek, P., Pralong, W.F., Vitus, J., Straub, R.W. 91:157
—, fluorescent measurements of intracellular free calcium in isolated toad urinary bladder epithelial cells, Jacobs, W.R., Mandel, L.J. 97:53
—, role for sulfur-containing groups in the Na^+-Ca^{2+} exchange of cardiac sarcolemmal vesicles, Pierce, G.N., Ward, R., Philipson, K.D. 94:217
Na^+/Cl^- symport
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO_3^- double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-Cl^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
Na/H antiport
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55

Na^+/H^+ antiport
—, acetylcholine-induced Na^+ influx in the mouse lacrimal gland acinar cells: demonstration of multiple Na^+ transport mechanisms by intracellular Na^+ activity measurement, Saito, Y., Ozawa, T., Nishiyama, A. 98:135
—, role of the Na^+/H^+ antiport in the regulation of the internal pH of Ehrlich ascites tumor cells in culture, Doppler, W., Maly, K., Grunicke, H. 91:147
Na^+/H^+ exchange
—, identification of the renal Na^+/H^+ exchanger with N,N′-dicyclohexylcarbodiimide (DCCD) and amiloride analogues, Friedrich, T., Sablotni, J., Burckhardt, G. 94:253
—, measurements of intracellular pH in single LLC-PK_1 cells: recovery from an acid load via basolateral Na^+/H^+ exchange, Montrose, M.H., Friedrich, T., Murer, H. 97:63
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, potassium/proton exchange in brush-border membrane of rat ileum, Binder, H.J., Murer, H. 91:77
—, regulation of intracellular pH in LLC-PK_1 cells by Na^+/H^+ exchange, Montrose, M.H., Murer, H. 93:33
Na^+/K^+-ATPase
—, cell membrane and transepithelial voltages and resistances in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
—, cyclic AMP-dependent stimulation of Na,K-ATPase in shark rectal gland, Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H. 94:205
—, fast charge translocations associated with partial reactions of the Na,K-pump: I. current and voltage transients after photochemical release of ATP, Borlinghaus, R., Apell, H.-J., Läuger, P. 97:161
—, fast charge translocations associated with partial reactions of the Na,K-pump: II. microscopic analysis of transient currents, Apell, H.- J., Borlinghaus, R., Läuger, P. 97:179
—, K^+-conductance and electrogenic Na^+/K^+ transport of cultured bovine pigmented ciliary epithelium, Helbig, H., Korbmacher, C., Wiederholt, M. 99:173
—, voltage dependence of the rheogenic Na^+/K^+ ATPase in the membrane of the oocytes of *Xenopus Laevis*, Lafaire, A.V., Schwarz, W. 91:43
Na^+/K^+ cotransport
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
—, intracellular calcium content of human erythrocytes: relation to sodium transport systems, Engelmann, B., Duhm, J. 98:79
Na^+/K^+ gradient
—, a genetic approach to the study of neutral amino acid transport in mammalian cells in culture, Englesberg, E., Moffett, J. 91:199
Na^+/K^+ pump
—, effects of external K concentration on the electrogenicity of the insulin-stimulated Na,K-pump in frog skeletal muscle, Marunaka, Y. 91:165
—, intracellular calcium content of human erythrocytes: relation to sodium transport systems, Engelmann, B., Duhm, J. 98:79
Na^+/K^+ transport
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
—, K^+-conductance and electrogenic Na^+/K^+ transport of cultured bovine pigmented ciliary epithelium, Helbig, H., Korbmacher, C., Wiederholt, M. 99:173
Na/K/2Cl cotransport
—, Na-K-2Cl cotransport in winter flounder intestine and bovine kidney outer medulla: [^{3}H] bumetanide binding and effects of furosemide analogues, O'Grady, S.M., Palfrey, H.C., Field, M. 96:11
—, the Na-K-2Cl cotransport system, Geck, P., Heinz, E. 91:97
—, stoichiometry and ion affinities of the Na-K-Cl cotransport system in the intestine of the winter flounder (*Pseudopleuronectes americanus*), O'Grady, S.M., Musch, M.W., Field, M. 91:33
$Na^+/K^+/Cl^-$ cotransport
—, acetylcholine-induced Na^+ influx in the mouse lacrimal gland acinar cells: demonstration of multiple Na^+ transport mechanisms by intracellular Na^+ activity measurement, Saito, Y., Ozawa, T., Nishiyama, A. 98:135
—, ammonium transport in medullary thick ascending limb of rabbit kidney: involvement of the Na^+,K^+,Cl^--cotransporter, Kinne, R., Kinne-Saffran, E., Schütz, H., Schölermann, B. 94:279
—, effect of membrane potential on furosemide-inhibitable sodium influxes in human red blood cells, Kracke, G.R., Dunham, P.B. 98:117
—, evidence for a $Na^+/K^+/Cl^-$ cotransport system in basolateral membrane vesicles from the rabbit parotid, Turner, R.J., George, J.N., Baum, B.J. 94:143
—, volume regulatory activity of the Ehrlich ascites tumor cell and its relationship to ion transport, Levinson, C. 100:183
Na^+/Li^+ exchange
—, intracellular calcium content of human erythrocytes: relation to sodium transport systems, Engelmann, B., Duhm, J. 98:79
Necturus
—, current - voltage relations of sodium-coupled sugar transport across the apical membrane of *Necturus* small intestine, Lapointe, J.-Y., Hudson, R.L., Schultz, S.G. 93:205
—, pH-dependent electrical properties and buffer permeability of the *Necturus* renal proximal tubule cell, Steels, P.S., Boulpaep, E.L. 100:165
Necturus gallbladder
—, protamine alters structure and conductance of *Necturus* gallbladder tight junctions without major electrical effects on the apical cell membrane, Bentzel, C.J., Fromm, M., Palant, C.E., Hegel, U. 95:9
Necturus maculosa
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
Neoplastic astrocytes
—, modulating effect of cystamine and unsaturated fatty acids on gamma-glutamyl transpeptidase: relation to cellular oxidative status, Flagg-Newton, J.L., De Bault, L.E. 100:207
Neuroblastoma cells
—, evidence for multiple open states of sodium channels in neuroblastoma cells, Nagy, K. 96:251
Neurogenetics
—, a mutation that increases a novel calcium-activated potas-

sium conductance of *Paramecium tetraurelia*, Richard, E.A., Saimi, Y., Kung, C. 91:173
Neurospora
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Nigericin
—, formation of ion-translocating oligomers by nigericin, Toro, M., Arzt, E., Cerbon, J., Alegria, G., Alva, R., Meas, Y., Estrada-O., S. 95:1
Nitellopsis obtusa
—, Ca^{2+}-activated Cl^- channel in plasmalemma of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 99:137
—, demonstration and characterization of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 96:263
Nitella
—, determination of charge, stoichiometry and reaction constants from *I - V* curve studies on a K^+ transporter in *Nitella*, Fisahn, J., Hansen, U.- P., Gradmann, D. 94:245
—, *I/V*-curve studies of the control of a K^+ transporter in Nitrella by temperature, Hansen, U.-P., Fisahn, J. 98:1
Nitrobenzylthioinosine
—, nucleoside transport in rat erythrocytes: two components with differences in sensitivity to inhibition by nitrobenzylthioinosine and *p*-chloromercuriphenyl sulfonate, Jarvis, S.M., Young, J.D. 93:1
NMR probe configuration
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55
Nonactin
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by (221)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
Nonelectrolyte transport
—, evidence for water channels in renal proximal tubule cell membranes, Meyer, M.M., Verkman, A.S. 96:107
Nordihydroguaiaretic acid
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
Normal hemoglobin
—, volume-stimulated, Cl^--dependent K^+ efflux is highly expressed in young human red cells containing normal hemoglobin or HbS, Canessa, M., Fabry, M.E., Blumenfeld, N., Nagel, R.L. 97:97
Novikoff hepatoma cells
—, permeance of Novikoff hepatoma gap junctions: quantitative video analysis of dye transfer, Biegon, R.P., Atkinson, M.M., Liu, T.-F., Kam, E.Y., Sheridan, J.D. 96:225
Nucleoside transport
—, interaction of [^{3}H]dipyridamole with the nucleoside transporters of human erythrocytes and cultured animal cells, Woffendin, C., Plagemann, G.W. 98:89
—, nucleoside transport in rat erythrocytes: two components with differences in sensitivity to inhibition by nitrobenzylthioinosine and *p*- chloromercuriphenyl sulfonate, Jarvis, S.M., Young, J.D. 93:1
Nystatin
—, an amiloride-sensitive Na^+ conductance in the basolateral membrane of toad urinary bladder, Garty, H., Warncke, J., Lindemann, B. 95:91
1-Oleoyl-2-acetyl-glycerol
—, transcytosis in cultured proximal tubular cells, Goligorsky, M.S., Hruska, K.A. 93:237
Oligomeric complexes
—, formation of ion-translocating oligomers by nigericin, Toro, M., Arzt, E., Cerbon, J., Alegria, G., Alva, R., Meas, Y., Estrada-O., S. 95:1
Oocyte
—, voltage dependence of the rheogenic Na^+/K^+ ATPase in the membrane of the oocytes of *Xenopus laevis*, Lafaire, A.V., Schwarz, W. 91:43
Open probability
—, characterization of a Ca-dependent maxi-K channel in the apical membrane of a cultured renal epithelium (JTC-12.P3), Kolb, H.A., Brown, C.D.A., Murer, H. 92:207
—, single potassium channels in membranes of isolated mesophyll barley vacuoles, Kolb, H.-A., Kohler, K., Martinoia, E. 95:163
Open-time histogram
—, evidence for multiple open states of sodium channels in neuroblastoma cells, Nagy, K. 96:251
Ordered binding model
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Oscillation
—, oscillations of cytoplasmic concentrations of Ca^{2+} and K^+ in fused L cells, Ueda, S., Oiki, S., Okada, Y. 91:65
—, oscillatory activation of calcium-dependent potassium channels in HeLa cells induced by histamine H1 receptor stimulation: a single-channels study, Sauvé, R., Simoneau, C., Parent, L., Monette, R., Roy, G. 96:199
Osmosis
—, on the equivalent pore radius, Solomon, A.K. 94:227
Osmotic expansion
—, mechanical study of the deformation and rupture of the plasma membranes of protoplasts during osmotic expansions, Wolfe, J., Dowgert, M.F., Steponkus, P.L. 93:63
Osmotic water flow
—, intracellular solute gradients during osmotic water flow: an electron- microprobe analysis, Rick, R., DiBona, D.R. 96:85
Osmotic water permeability
—, osmotic water permeabilities of brush border and basolateral membrane vesicles from rat renal cortex and small intestine, van Heeswijk, M.P.E., van Os, C.H. 92:183
Ouabain
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
—, cyclic AMP-dependent stimulation of Na,K-ATPase in shark rectal gland, Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H. 94:205
—, fluorescent measurements of intracellular free calcium in isolated toad urinary bladder epithelial cells, Jacobs, W.R., Mandel, L.J. 97:53
—, intracellular ion concentrations in the frog cornea epithelium during stimulation and inhibition of Cl secretion, Rick, R., Beck, F.X., Dorge, A., Thurau, K. 95:229
—, ionic dependence of amino-acid transport in the exocrine pancreatic epithelium: calcium dependence of insulin action, Norman, P.S.R., Mann, G.E. 96:153
—, K^+-conductance and electrogenic Na^+/K^+ transport of cultured bovine pigmented ciliary epithelium, Helbig, H., Korbmacher, C., Wiederholt, M. 99:173
—, potassium transport in the rabbit renal proximal tubule:

effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
Outer membrane
—, mechanism of sugar transport through the sugar-specific LamB channel of *Escherichia coli* outer membrane, Benz, R., Schmid, A., Vos-Scheperkeuter, G. 100:21
—, polymorphic behavior of gram-negative bacteria membranes, Borovjagin, V.L., Sabelnikov, A.G., Tarahovsky, Y.S., Vasilenko, I.A. 100:229
Outer mitochondrial membrane
—, voltage gating in VDAC is markedly inhibited by micromolar quantities of aluminum, Dill, E.T., Holden, M.H., Colombini, M. 99:187
Oxygen consumption (QO_2)
—, potassium transport in the rabbit renal proximal tubule: effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
Oxyntic cell
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
p-Chloromercuriphenyl sulfonate
—, nucleoside transport in rat erythrocytes: two components with differences in sensitivity to inhibition by nitrobenzylthioinosine and *p*- chloromercuriphenyl sulfonate, Jarvis, S.M., Young, J.D. 93:1
P system
—, a genetic approach to the study of neutral amino acid transport in mammalian cells in culture, Englesberg, E., Moffett, J. 91:199
Pancreatic acinar cells
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: I. tight-seal whole-cell recordings, Jauch, P., Petersen, O.H., Läuger, P. 94:99
Paracellular pathways
—, contribution of solvent drag through intercellular junctions to absorption of nutrients by the small intestine of the rat, Pappenheimer, J.R., Reiss, K.Z. 100:123
—, physiological regulation of transepithelial impedance in the intestinal mucosa of rats and hamsters, Pappenheimer, J.R. 100:137
Paracellular transport
—, cell membrane and transepithelial voltages and resistances in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
Paramecium
—, a calcium-dependent potassium current is increased by a single-gene mutation in *Parmecium*, Hennessey, T.M., Kung, C. 98:145
—, calcium-dependent sodium currents in *Paramecium*: mutational manipulations and effects of hyper- and depolarization, Saimi, Y. 92:227
—, electrophysiological evidence suggests a defective Ca^{2+} control mechanism in a new *Paramecium* mutant, Evans, T.C., Hennessey, T., Nelson, D.L. 98:275
—, a mutation that increases a novel calcium-activated potassium conductance of *Paramecium tetraurelia*, Richard, E.A., Saimi, Y., Kung, C. 91:173
Parathyroid hormone
—, parathyroid hormone-induced changes of the brush border topography and cytoskeleton in cultured renal proximal tubular cells, Goligorsky, M.S., Menton, D.N., Hruska, K.A. 92:151
Partial reactions
—, fast charge translocations associated with partial reactions of the Na,K-pump: II. Microscopic analysis of transient currents, Apell, H.- J., Borlinghaus, R., Läuger, P. 97:179
Partition coefficent
—, modulation by *n*-alkanols of rat cardiac adenylate cyclase activity, Chatelain, P., Robberecht, P., Wailbroeck, M., Camus, J.C., Christophe, J. 93:23
—, non-Stokesian nature of transverse diffusion within human red cell membranes, Lieb, W.R., Stein, W.D. 92:111
Patch clamp
—, activation properties of the inward-rectifying potassium channel on mammalian heart cells, Tourneur, Y., Mitra, R., Morad, M., Rougier, O. 97:127
—, a cation channel in frog lens epithelia responsive to pressure and calcium, Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S. 93:259
—, characterization of a Ca-dependent maxi-K channel in the apical membrane of a cultured renal epithelium (JTC-12.P3), Kolb, H.A., Brown, C.D.A., Murer, H. 92:207
—, chloride currents in *Chara*—a patch clamp study, Coleman, H.A. 93:55
—, inwardly rectifying single-channel and whole cell K^+ currents in rat ventricular myocytes, Josephson, I.R., Brown, A.M. 94:19
—, ionic channels and membrane hyperpolarization in human macrophages, Ince, C., van Dujin, B., Ypey, D.L., van Bavel, E., Weidema, F., Leijh, P.C.J. 97:251
—, oscillatory activation of calcium-dependent potassium channels in HeLa cells induced by histamine H1 receptor stimulation: a single-channels study, Sauvé, R., Simoneau, C., Parent, L., Monette, R., Roy, G. 96:199
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
—, patch clamping the outer mitochondrial membrane, Tedeschi, H., Mannella, C.A., Bowman, C.L. 97:21
—, potassium-selective ion channels in a transformed insulin-secreting cell line, Light, D.B., van Eenenaam, D.P., Sorenson, R.L., Levitt, D.G. 95:63
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
—, single channel analysis of the potassium permeability in HeLa cancer cells: evidence for a calcium-activated potassium channel of small unitary conductance, Sauvé, R., Simoneau, C., Monette, R., Roy, G. 92:269
—, single nonselective cation channels and Ca^{2+}-activated K^+ channels in aortic endothelial cells, Fichtner, H., Frobe, U., Busse, R., Kohlhardt, M. 98:125
—, the steady-state voltage-dependent gating and conduction kinetics of single K^+ channels in the membrane of cytoplasmic drops of *Chara australis*, Laver, D.R., Walker, N.A. 100:31
—, voltage and Ca^{2+}-activated K^+ channel in cultured epithelial cells (MDCK), Bolivar J.J., Cereijido, M. 97:43
—, voltage-dependent K channels in protoplasts of trap-lobe cells of *Dionae muscipula*, Iijima, T., Hagiwara, S. 100:73
Peripheral nerve
—, local anesthetic action of carboxylic esters: evidence for the significance of molecular volume and for the number of sites involved, Elliott, J.R., Murrell, R.D., Haydon, D.A. 95:143
Permeability
—, ATP-sensitive K^+ channels in an insulin-secreting cell line are inhibited by D-glyceraldehyde and activated by membrane permeabilization, Dunne, M.J., Findlay, I., Petersen, O.H., Wollheim, C.B. 93:271

—, modulation of water and urea transport in human red cells: effects of pH and phloretin, Toon, M.R., Solomon, A.K. 99:157
—, non-Stokesian nature of transverse diffusion within human red cell membranes, Lieb, W.R., Stein, W.D. 92:111
—, relationships among sodium current, permeability, and Na activities in control and glucocorticoid-stimulated rabbit descending colon, Thompson, S.M., Sellin, J.H. 92:121
—, permeability of ammonia, methylamine and ethylamine in the cyanobacterium, *Synechococcus* R-2 (*Anacystis nidulans*) PCC 7942, Ritchie, R.J., Gibson, J. 95:131
Peroxisome
—, large cation-selective pores from rat liver peroxisomal membranes incorporated to planar lipid bilayers, Labarca, P., Wolff, D., Soto, U., Neccochea, C., Leighton, F. 94:285
pH
—, amine ion porter in *Chara australis*: effects of alkyl substitution and external pH, Fairley, K.A., Walker, N.A. 98:191
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
—, modulation of water and urea transport in human red cells: effects of pH and phloretin, Toon, M.R., Solomon, A.K. 99:157
—, pH-dependent electrical properties and buffer permeability of the *Necturus* renal proximal tubule cell, Steels, P.S., Boulpaep, E.L. 100:165
—, reconstitution in phospholipid vesicles of calcium-activated potassium channel from outer renal medulla, Klaerke, D.A., Karlish, J.D., Jorgensen, P.L. 95:105
pH dependence
—, direct inhibition of epithelial Na^+ channels by a pH-dependent interaction with calcium, and by other divalent ions, Garty, H., Asher, C., Yeger, O. 95:151
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and N-ethylmaleimide, Duhm, J. 98:15
—, lowering of pH does not directly affect the junctional resistance of crayfish lateral axons, Arellano, R.O., Ramon, F., Rivera, A., Zampighi, G.A. 94:293
pH dependent transport
—, formation of ion-translocating oligomers by nigericin, Toro, M., Arzt, E., Cerbon, J., Alegria, G., Alva, R., Meas, Y., Estrada-O., S. 95:1
pH effects
—, the carrier reorientation step in erythrocyte choline transport: pH effects and the involvement of a carrier ionizing group, Devés, R., Reyes, G., Krupka, R.M. 93:165
pH gradient
—, relationship of the Donnan potential to the transmembrane pH gradient in tracheal apical membrane vesicles, Langridge-Smith, J.E., Dubinsky, W.P. 94:197
pH regulation
—, K-permeabilized human red cells lose an alkaline, hypertonic fluid containing excess K over diffusible anions, Freeman, C.J., Bookchin, R.M., Ortiz, O.E., Lew, V.L. 96:235
—, role of the Na^+/H^+ antiport in the regulation of the internal pH of Ehrlich ascites tumor cells in culture, Doppler, W., Maly, K., Grunicke, H. 91:147
—, volume, pH, and ion-content regulation in human red cells: analysis of transient behavior with an integrated model, Lew, V.L., Bookchin, R.M. 92:57
Phloretin
—, modulation of water and urea transport in human red cells: effects of pH and phloretin, Toon, M.R., Solomon, A.K. 99:157
—, procedure using voltage-sensitive spin-labels to monitor dipole potential changes in phospholipid vesicles: the estimation of phloretin-induced conductance changes in vesicles, Perkins, W.R., Cafiso, D.S. 96:165
Phlorizin binding
—, a method for measuring apical glucose transporter site density in intact intestinal mucosa by means of phlorizin binding, Ferraris, R.P., Diamond, J.M. 94:65
—, use of phlorizin binding to demonstrate induction of intestinal glucose transporters, Ferraris, R.P., Diamond, J.M. 94:77
Phorbol esters
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
Phorbol myristate acetate (PMA)
—, ADH and phorbol ester increase immunolabeling of the toad bladder apical membrane by antibodies made to granules, Masur, S.K., Massardo, S. 96:193
Phosphatidylcholine vesicle
—, potential-sensitive response mechanism of DiS-C_3-(5) in biological membranes, Cabrini, G., Verkman, A.S. 92:171
Phosphatidylglycerol
—, polyamine-phospholipid interaction probed by the accessibility of the phospholipid *sn*-2 ester bond to the action of phospholipase A_2, Thuren, T., Virtanen, J.A., Kinnunen, P.K.J. 92:1
Phospholipase A2 (pancreatic)
—, polyamine-phospholipid interaction probed by the accessibility of the phospholipid *sn*-2 ester bond to the action of phospholipase A_2, Thuren, T., Virtanen, J.A., Kinnunen, P.K.J. 92:1
Phospholipase C
—, phospholipase C and the physical states of polar head groups of lipids, Kimura, Y. 96:187
Phospholipids
—, interaction of the cytoskeleton with the plasma membrane, Niggli, V., Burger, M.M. 100:97
—, lateral diffusion of protons along phospholipid monolayers, Prats, M., Tocanne, J.F., Teissié, J. 99:225
—, maintenance of epithelial surface membrane lipid polarity: a role for differing phospholipid translocation rates, Molitoris, B.A., Simon, F.R. 94:47
—, procedure using voltage-sensitive spin-labels to monitor dipole potential changes in phospholipid vesicles: the estimation of phloretin- induced conductance changes in vesicles, Perkins, W.R., Cafiso, D.S. 96:165
—, reconstitution in phospholipid vesicles of calcium-activated potassium channel from outer renal medulla, Klaerke, D.A., Karlish, J.D., Jorgensen, P.L. 95:105
—, *reply to:* lateral diffusion of protons along phospholipid monolayers, Kasianowicz, J., Benz, R., Gutman, M., McLaughlin, S. 99:226
Photoaffinity labeling
—, nucleoside transport in rat erythrocytes: two components with differences in sensitivity to inhibition by nitrobenzylthioinosine and *p*- chloromercuriphenyl sulfonate, Jarvis, S.M., Young, J.D. 93:1
Photochemical ATP release
—, fast charge translocations associated with partial reactions of the Na,K-pump: I. current and voltage transients after

photochemical release of ATP, Borlinghaus, R., Apell, H.-J., Läuger, P. 97:161
Pinocytosis
—, proton transport and membrane shuttling in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D., Lane, B. 94:233
—, transcytosis in cultured proximal tubular cells, Goligorsky, M.S., Hruska, K.A. 93:237
Planar lipid bilayers
—, large cation-selective pores from rat liver peroxisomal membranes incorporated to planar lipid bilayers, Labarca, P., Wolff, D., Soto, U., Neccochea, C., Leighton, F. 94:285
—, properties of an anionic-selective channel from rat colonic enterocyte plasma membranes reconstituted into planar phospholipid bilayers, Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B. 95:47
—, voltage-dependent channel formation by rods of helical polypeptides, Menestrina, G., Voges, K.-P., Jung, F., Boheim, G. 93:111
Plant protoplasts
—, mechanical study of the deformation and rupture of the plasma membranes of protoplasts during osmotic expansions, Wolfe, J., Dowgert, M.F., Steponkus, P.L. 93:63
Plant vacuoles
—, single potassium channels in membranes of isolated mesophyll barley vacuoles, Kolb, H.-A., Kohler, K., Martinoia, E. 95:163
Plasma membrane
—, electromechanical stresses produced in the plasma membranes of suspended cells by applied electric fields, Bryant, G., Wolfe, J. 96:129
—, H^+-ATPases from mitochondria, plasma membranes, and vacuoles of fungal cells, Bowman, B.J., Bowman, E.J. 94:83
—, interaction of the cytoskeleton with the plasma membrane, Niggli, V., Burger, M.M. 100:97
Plastic deformation
—, complementarity of particles and pits in freeze-fractured hepatic and cardiac gap junctions, De Maziere, A.M.G.L., Scheuermann, D.W., Aertgeerts, P.A.P.M. 97:107
Polyamine
—, polyamine-phospholipid interaction probed by the accessibility of the phospholipid *sn*-2 ester bond to the action of phospholipase A_2, Thuren, T., Virtanen, J.A., Kinnunen, P.K.J. 92:1
Polyamine-phospholipid interaction
—, polyamine-phospholipid interaction probed by the accessibility of the phospholipid *sn*-2 ester bond to the action of phospholipase A_2, Thuren, T., Virtanen, J.A., Kinnunen, P.K.J. 92:1
Polycations
—, polycation inhibition of exocytosis from sea urchin egg cortex, Crabb, J.H., Jackson, R. C. 91:85
Polymorphism
—, polymorphic behavior of gram-negative bacteria membranes, Borovjagin, V.L., Sabelnikov, A.G., Tarahovsky, Y.S., Vasilenko, I.A. 100:229
Polypeptide composition
—, neurotoxin-modulated uptake of sodium by highly purified preparations of the electroplax tetrodotoxin-binding glycopeptide reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:43
Porin
—, patch clamping the outer mitochondrial membrane, Tedeschi, H., Mannella, C.A., Bowman, C.L. 97:21
Potassium
—, ammonium transport in medullary thick ascending limb of rabbit kidney: involvement of the Na^+,K^+,Cl^--cotransporter, Kinne, R., Kinne-Saffran, E., Schütz, H., Schölermann, B. 94:279
Potassium channel
—, activation properties of the inward-rectifying potassium channel on mammalian heart cells, Tourneur, Y., Mitra, R., Morad, M., Rougier, O. 97:127
—, apical membrane K conductance in the toad urinary bladder, Palmer, L.G. 92:217
—, a Ca-dependent K channel in "luminal" membranes from the renal outer medulla, Burnham, C., Braw, R., Karlish, S.J.D. 93:177
—, pH-dependent electrical properties and buffer permeability of the *Necturus* renal proximal tubule cell, Steels, P.S., Boulpaep, E.L. 100:165
—, single channel analysis of the potassium permeability in HeLa cancer cells: evidence for a calcium-activated potassium channel of small unitary conductance, Sauvé, R., Simoneau, C., Monette, R., Roy, G. 92:269
—, single potassium channels in membranes of isolated mesophyll barley vacuoles, Kolb, H.-A., Kohler, K., Martinoia, E. 95:163
Potassium conductance
—, adrenergic regulation of ion transport by primary cultures of canine tracheal epithelium: cellular electrophysiology, Welsh, M. J. 91:121
—, modification of Ca^{2+}-activated K^+ channels in cultured medullary thick ascending limb cells by N-bromoacetamide, Cornejo, M., Guggino, S.E., Guggino, W.B. 99:147
Potassium flux
—, influence of external barium and potassium on potassium efflux in depolarized frog sartorius muscles, Spalding, B.C., Swift, J.G., Horowicz, P. 93:141
—, potassium transport in the rabbit renal proximal tubule: effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
—, volume-stimulated, Cl^--dependent K^+ efflux is highly expressed in young human red cells containing normal hemoglobin or HbS, Canessa, M., Fabry, M.E., Blumenfeld, N., Nagel, R.L. 97:97
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157
Potassium ion channel
—, ATP-sensitive K^+ channels in an insulin-secreting cell line are inhibited D-glyceraldehyde and activated by membrane permeabilization, Dunne, M.J., Findlay, I., Petersen, O.H., Wollheim, C.B. 93:271
—, factors controlling the K^+ conductance in *Chara*, Beilby, M.J. 93:187
—, interaction of diazoxide, tolbutamide and ATP^{4-} on nucleoside-dependent K^+ channels in an insulin-secreting cell line, Dunne, M.J., Illot, M.C., Petersen, O.H. 99:215
—, potassium-selective ion channels in a transformed insulin-secreting cell line, Light, D.B., van Eenenaam, D.P., Sorenson, R.L., Levitt, D.G. 95:63
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
—, the steady-state voltage-dependent gating and conduction kinetics of single K^+ channels in the membrane of cytoplasmic drops of *Chara australis*, Laver, D.R., Walker, N.A. 100:31
Potassium ion conductance
—, effects of anisosmotic medium on cell volume, transmem-

brane potential and intracellular K^+ activity in mouse hepatocytes, Howard, L.D., Wondergem, R. 100:53
—, factors controlling the K^+ conductance in *Chara*, Beilby, M.J. 93:187
—, K^+-conductance and electrogenic Na^+/K^+ transport of cultured bovine pigmented ciliary epithelium, Helbig, H., Korbmacher, C., Wiederholt, M. 99:173
—, regulation of K^+ channels in the basolateral membrane of *Necturus* oxyntic cells, Ueda, S., Loo, D.D.F., Sachs, G. 97:31
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
—, volume regulation in the early proximal tubule of the *Necturus* kidney, Lopes, A.G., Guggino, W.B. 97:117
Potassium ion current
—, a calcium-dependent potassium current is increased by a single-gene mutation in *Parmecium*, Hennessey, T.M., Kung, C. 98:145
—, fused cells of frog proximal tubule: I. basic membrane properties, Dietl, P., Wang, W., Oberleithner, H. 100:43
—, voltage-dependent K channels in protoplasts of trap-lobe cells of *Dionae muscipula*, Iijima, T., Hagiwara, S. 100:73
Potassium ion flux
—, flux ratio of valinomycin-mediated K^+ fluxes across the human red cell membrane in the presence of the protonophore CCCP, Bennekou, P., Christophersen, P. 93:221
—, influence of external barium and potassium on potassium efflux in depolarized frog sartorius muscles, Spalding, B.C., Swift, J.G., Horowicz, P. 93:141
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
—, voltage dependence of the Ca^{2+}-activated K^+ conductance of human red cell membranes is strongly dependent on the extracellular K^+ concentration, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 95:121
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157
Potassium ion selectivity
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by (221)C_{10}-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
Potassium ion transport
—, determination of charge, stoichiometry and reaction constants from *I - V* curve studies on a K^+ transporter in *Nitella*, Fisahn, J., Hansen, U.-P., Gradmann, D. 94:245
—, electrical characteristics of stomatal guard cells: the contribution of ATP-dependent, "electrogenic" transport revealed by current-voltage and difference-current-voltage analysis, Blatt, M.R. 98:257
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
—, *I/V*-curve studies of the control of a K^+ transporter in *Nitella* by temperature, Hansen, U.-P., Fisahn, J. 98:1
Potassium ions
—, kinetic mechanism of Na^+, K^+, Cl^--cotransport as studied by Rb^+ influx into HeLa cells: effects of extracellular monovalent ions, Miyamoto, H., Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Masuya, T. 92:135
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-Cl^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
Potassium permeability
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
—, K-permeabilized human red cells lose an alkaline, hypertonic fluid containing excess K over diffusible anions, Freeman, C.J., Bookchin, R.M., Ortiz, O.E., Lew, V.L. 96:235
Potassium transport
—, potassium transport in the rabbit renal proximal tubule: effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
—, uphill transport of water by electroosmosis, Kuppers, J., Plagemann, A., Thurm, U. 91:107
Potential dependence
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes mediated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
—, voltage-dependent, monomeric channel activity of Colicin E1 in artificial membrane vesicles, Peterson, A.A., Cramer, W.A. 99:197
Potential oscillation
—, evidence for the involvement of calmodulin in the operation of Ca- activated K channels in mouse fibroblasts, Okada, Y., Yada, T., Ohno- Shosaku, T., Oiki, S. 96:121
Pressure-activated channels
—, a cation channel in frog lens epithelia responsive to pressure and calcium, Cooper, K.E., Tang, J.M., Rae, J.L., Eisenberg, R.S. 93:259
Principal cell
—, cell membrane water permeability of rabbit cortical collecting duct, Strange, K., Spring, K.R. 96:27
Prostaglandin E_2
—, prostaglandin E_2-stimulated glandular ion and water secretion in isolated frog skin (*Rana esculenta*) 97:9
Prostaglandins
—, effect of arachidonic acid, fatty acids, prostaglandins, and leukotrienes on volume regulation in Ehrlich ascites tumor cells, Lambert, I.H. 98:207
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
Protamine
—, protamine alters structure and conductance of *Necturus* gallbladder tight junctions without major electrical effects on the apical cell membrane, Bentzel, C.J., Fromm, M., Palant, C.E., Hegel, U. 95:9
Protein kinase C
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
—, protein kinase C activates the renal apical membrane Na^+/H^+ exchanger, Weinman, E.J., Shenolikar, S. 93:133
Protein modification
—, elimination and restoration of voltage dependence in the mitochondrial channels, VDAC, by graded modification with succinic anhydride, Adelsberger-Mangan, D.M., Colombini, M. 98:157
Protein phosphorylation
—, protein kinase C activates the renal apical membrane Na^+/H^+ exchanger, Weinman, E.J., Shenolikar, S. 93:133

Protein translocation
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: the role of protein translocation, Slatin, S.L., Raymond, L., Finkelstein, A. 92:247
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: translocation of regions outside the channel-forming domain, Raymond, L., Slatin, S.L., Liu, Q.-R., Levinthal, C. 92:255
Proteoliposomes
—, proton countertransport by the reconstituted erythrocyte Ca^{2+}-translocating ATPase: evidence using ionophoretic compounds, Villalobo, A., Roufogalis, B.D. 93:249
Proton conduction
—, analysis of ionic channels by a flash spectrophotometric technique applicable to thylakoid membranes: CF_0, the proton channel of the chloroplast ATP synthase, and, for comparison, gramicidin, Lill, H., Althoff, G., Junge, W. 98:69
Proton countertransport
—, proton countertransport by the reconstituted erythrocyte Ca^{2+}-translocating ATPase: evidence using ionophoretic compounds, Villalobo, A., Roufogalis, B.D. 93:249
Proton gradients
—, intracellular pH and membrane potential as regulators in the prokaryotic cell, Padan, E., Schuldiner, S. 95:189
Proton transport
—, membrane electrical parameters in turtle bladder measured using impedance-analysis techniques, Clausen, C., Dixon, T.E. 92:9
—, proton transport and membrane shuttling in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D., Lane, B. 94:233
Protonophores
—, how do protons cross the membrane-solution interface? kinetic studies on bilayer membranes exposed to the protonophore S-13 (5-chloro-3-tert- butyl-2′-chloro-4′nitrosalicylanilide), Kasianowicz, J., Benz, R., McLaughlin, S. 95:73
Protons
—, how do protons cross the membrane-solution interface? kinetic studies on bilayer membranes exposed to the protonophore S-13 (5-chloro-3-tert- butyl-2′-chloro-4′nitrosalicylanilide), Kasianowicz, J., Benz, R., McLaughlin, S. 95:73
—, lateral diffusion of protons along phospholipid monolayers, Prats, M., Tocanne, J.F., Teissié, J. 99:225
—, reply to: lateral diffusion of protons along phospholipid monolayers, Kasianowicz, J., Benz, R., Gutman, M., McLaughlin, S. 99:226
Protoplasts
—, voltage-dependent K channels in protoplasts of trap-lobe cells of *Dionae muscipula*, Iijima, T., Hagiwara, S. 100:73
Proximal tubule
—, fused cells of frog proximal tubule: I. basic membrane properties, Dietl, P., Wang, W., Oberleithner, H. 100:43
—, heterogeneity of calcium compartmentation: electron probe analysis of renal tubules, LeFurgey, A., Ingram, P., Mandel, L.J. 94:191
—, kinetic studies on the stimulation of Na^+-H^+ exchange activity in renal brush border membranes isolated from thyroid hormone-treated rats, Kinsella, J.L., Cujdik, T., Sacktor, B. 91:183
—, osmotic water permeabilities of brush border and basolateral membrane vesicles from rat renal cortex and small intestine, van Heeswijk, M.P.E., van Os, C.H. 92:183
—, pH-dependent electrical properties and buffer permeability of the *Necturus* renal proximal tubule cell, Steels, P.S., Boulpaep, E.L. 100:165
—, renal basolateral membrane anion transporter characterized by a fluorescent disulfonic stilbene, Chen, P.-Y., Verkman, A.S. 100:1
—, transcytosis in cultured proximal tubular cells, Goligorsky, M.S., Hruska, K.A. 93:237
Proximal tubule, renal
—, evidence for water channels in renal proximal tubule cell membranes, Meyer, M.M., Verkman, A.S. 96:107
—, potassium transport in the rabbit renal proximal tubule: effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
—, protein kinase C activates the renal apical membrane Na^+/H^+ exchanger, Weinman, E.J., Shenolikar, S. 93:133
Pseudomonas putida
—, polymorphic behavior of gram-negative bacteria membranes, Borovjagin, V.L., Sabelnikov, A.G., Tarahovsky, Y.S., Vasilenko, I.A. 100:229
Quantitative electron microscopy
—, quantitative gap junction alterations in mammalian heart cells quickly frozen or chemically fixed after electrical uncoupling, Délèze, J., Hervé, J.C. 93:11
Quantitative light microscopy
—, the volume of mitochondria-rich cells of frog skin epithelium, Spring, K.R., Ussing, H.H. 92:21
Quick freezing at 6 K
—, quantitative gap junction alterations in mammalian heart cells quickly frozen or chemically fixed after electrical uncoupling, Délèze, J., Hervé, J.C. 93:11
Quin 2
—, fluorescent measurements of intracellular free calcium in isolated toad urinary bladder epithelial cells, Jacobs, W.R., Mandel, L.J. 97:53
—, transcytosis in cultured proximal tubular cells, Goligorsky, M.S., Hruska, K.A. 93:237
Quinidine
—, apical membrane K conductance in the toad urinary bladder, Palmer, L.G. 92:217
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
Quinine
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
—, effects of anisosmotic medium on cell volume, transmembrane potential and intracellular K^+ activity in mouse hepatocytes, Howard, L.D., Wondergem, R. 100:53
—, separate, Ca^{2+}-activated K^+ and C^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
Rabbit
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, C^-/HCO^-_3 double exchange and Na^+-C^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-C^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
Rabbit cortical collecting duct
—, cell membrane water permeability of rabbit cortical collecting duct, Strange, K., Spring, K.R. 96:27
Rabbit descending colon
—, relationships among sodium current, permeability, and Na

activities in control and glucocorticoid-stimulated rabbit descending colon, Thompson, S.M., Sellin, J.H. 92:121
Rabbit kidney
—, ammonium transport in medullary thick ascending limb of rabbit kidney: involvement of the Na^+,K^+,Cl^--cotransporter, Kinne, R., Kinne-Saffran, E., Schutz, H., Scholermann, B. 94:279
Rabbit parotid
—, evidence for a $Na^+/K^+/C^-$ cotransport system in basolateral membrane vesicles from the rabbit parotid, Turner, R.J., George, J.N., Baum, B.J. 94:143
Rana esculenta
—, prostaglandin E_2-stimulated glandular ion and water secretion in isolated frog skin (*Rana esculenta*) 97:9
Rana temporaria
—, effect of divalent cations on the K contracture of slow muscle fibers of *Rana temporaria*, Schmidt, H. 100:215
Rat
—, cell membrane and transepithelial voltages and resistances in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
—, contribution of solvent drag through intercellular junctions to absorption of nutrients by the small intestine of the rat, Pappenheimer, J.R., Reiss, K.Z. 100:123
—, physiological regulation of transepithelial impedance in the intestinal mucosa of rats and hamsters, Pappenheimer, J.R. 100:137
Rat colon
—, properties of an anionic-selective channel from rat colonic enterocyte plasma membranes reconstituted into planar phospholipid bilayers, Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B. 95:47
Rat heart
—, inwardly rectifying single-channel and whole cell K^+ currents in rat ventricular myocytes, Josephson, I.R., Brown, A.M. 94:19
—, modulation by *n*-alkanols of rat cardiac adenylate cyclase activity, Chatelain, P., Robberecht, P., Wailbroeck, M., Camus, J.C., Christophe, J. 93:23
Rate constants
—, determination of charge, stoichiometry and reaction constants from *I-V* curve studies on a K^+ transporter in *Nitella*, Fisahn, J., Hansen, U.-P., Gradmann, D. 94:245
Rate theory
—, ion permeation through single channels activated by acetylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
Reaction kinetic model
—, interpretation of steady-state current - voltage curves: consequences and implications of current subtraction in transport studies, Blatt, M.R. 92:91
—, *I/V*-curve studies of the control of a K^+ transporter in *Nitella* by temperature, Hansen, U.-P., Fisahn, J. 98:1
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Receptor
—, synthesis and assembly of acetylcholine receptor, a multisubunit membrane glycoprotein, Merlie, J.P., Smith, M.M. 91:1
Reconstitution
—, neurotoxin-modulated uptake of sodium by highly purified preparations of the electroplax tetrodotoxin-binding glycopeptide reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:43
—, reconstitution in phospholipid vesicles of calcium-activated potassium channel from outer renal medulla, Klaerke, D.A., Karlish, J.D., Jorgensen, P.L. 95:105
—, reconstitution of channel proteins from excitable cells in planar lipid bilayer membranes, Montal, M. 98:101
—, spontaneous opening at zero membrane potential of sodium channels from eel electroplax reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:57
Rectification
—, single potassium channels in membranes of isolated mesophyll barley vacuoles, Kolb, H.-A., Kohler, K., Martinoia, E. 95:163
—, voltage-dependent K channels in protoplasts of trap-lobe cells of Dionae *muscipula*, Iijima, T., Hagiwara, S. 100:73
Red cell age
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
Red cell membrane
—, on the equivalent pore radius, Solomon, A.K. 94:227
Red cells
—, biophysical analysis of novel transport pathways induced in red blood cell membranes, Ginsburg, H., Stein, W.D. 96:1
—, furosemide-sensitive K^+ (Rb^+) transport in human erythrocytes: modes of operation, dependence on extracellular and intracellular Na^+, kinetics, pH dependency and the effect of cell volume and *N*-ethylmaleimide, Duhm, J. 98:15
—, modulation of water and urea transport in human red cells: effects of pH and phloretin, Toon, M.R., Solomon, A.K. 99:157
—, nucleoside transport in rat erythrocytes: two components with differences in sensitivity to inhibition by nitrobenzylthioinosine and *p*-chloromercuriphenyl sulfonate, Jarvis, S.M., Young, J.D. 93:1
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes mediated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
—, thio-dependent passive K/Cl transport in sheep red cells: VII. volume-independent freezing by iodoacetamide and sulfhydryl group heterogeneity, Lauf, P.K. 98:237
Regulation prokaryotes
—, intracellular pH and membrane potential as regulators in the prokaryotic cell, Padan, E., Schuldiner, S. 95:189
Regulatory volume decrease
—, effect of arachidonic acid, fatty acids, prostaglandins, and leukotrienes on volume regulation in Ehrlich ascites tumor cells, Lambert, I.H. 98:207
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
—, separate, Ca^{2+}-activated K^+ and C^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
Renal cell culture
—, measurements of intracellular pH in single LLC-PK_1 cells: recovery from an acid load via basolateral Na^+/H^+ exchange, Montrose, M.H., Friedrich, T., Murer, H. 97:63
—, regulation of intracellular pH in LLC-PK_1 cells by Na^+/H^+ exchange, Montrose, M.H., Murer, H. 93:33
Renal membrane
—, the carrier reorientation step in erythrocyte choline transport: pH effects and the involvement of a carrier ionizing group, Devés, R., Reyes, G., Krupka, R.M. 93:165

Reticulocyte
—, volume-stimulated, Cl^--dependent K^+ efflux is highly expressed in young human red cells containing normal hemoglobin or HbS, Canessa, M., Fabry, M.E., Blumenfeld, N., Nagel, R.L. 97:97
Rhodopsin
—, kinetic study on the equilibrium between membrane-bound and free photoreceptor G-protein, Schleicher, A., Hofmann, K.-P. 95:271
RINm5F cell
—, ATP-sensitive K^+ channels in an insulin-secreting cell line are inhibited D-glyceraldehyde and activated by membrane permeabilization, Dunne, M.J., Findlay, I., Petersen, O.H., Wollheim, C.B. 93:271
—, interaction of diazoxide, tolbutamide and ATP^{4-} on nucleoside-dependent K^+ channels in an insulin-secreting cell line, Dunne, M.J., Illot, M.C., Petersen, O.H. 99:215
Rod outer segment
—, kinetic study on the equilibrium between membrane-bound and free photoreceptor G-protein, Schleicher, A., Hofmann, K.-P. 95:271
Rotational freedom
—, phospholipase C and the physical states of polar head groups of lipids, Kimura, Y. 96:187
Rous sarcoma virus
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
—, modification of gap junctions in cells transformed by a temperature- sensitive mutant of rous sarcoma virus, Atkinson, M.M., Anderson, S.K., Sheridan, J.D. 91:53
Rubidium
—, cyclic AMP-dependent stimulation of Na,K-ATPase in shark rectal gland, Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H. 94:205
Rubidium ion flux
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
—, kinetic mechanism of Na^+, K^+, Cl^--cotransport as studied by Rb^+ influx into HeLa cells: effects of extracellular monovalent ions, Miyamoto, H., Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Masuya, T. 92:135
S-13
—, how do protons cross the membrane-solution interface? kinetic studies on bilayer membranes exposed to the protonophore S-13 (5-chloro-3-tert- butyl-2′-chloro-4′nitrosalicylanilide), Kasianowicz, J., Benz, R., McLaughlin, S. 95:73
Sarcolemmal membrane
—, role for sulfur-containing groups in the Na^+-Ca^{2+} exchange of cardiac sarcolemmal vesicles, Pierce, G.N., Ward, R., Philipson, K.D. 94:217
Sarcoplasmic reticulum
—, an anion channel of sarcoplasmic reticulum incorporated into planar lipid bilayers: single-channel behavior and conductance properties, Tanifuji, M., Sokabe, M., Kasai, M. 99:103
—, distribution of calcium ATPase in the sarcoplasmic reticulum of fast- and slow-twitch muscles determined with monoclonal antibodies, Dulhunty, A.F., Banyard, M.R.C., Medveczky, C.J. 99:79
—, trypsin-induced calcium efflux from sarcoplasmic reticulum: evidence for the involvement of the (Ca^{2+} - Mg^{2+})-ATPase, Huang, J.-L., Topping, T.B., He, Z., Folsom, B., Dunker, A.K. 100:193
Sciatic nerve
—, detection of sodium channel distribution in rat sciatic nerve following lysophosphatidylcholine-induced demyelination, Meiri, H., Steinberg, R., Medalion, B. 92:47
SCN^-
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-Cl^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
Sea urchin
—, polycation inhibition of exocytosis from sea urchin egg cortex, Crabb, J.H., Jackson, R.C. 91:85
Secondary active transport
—, the Na-K-2Cl cotransport system, Geck, P., Heinz, E. 91:97
Secondary sensory cells
—, action potentials in epithelial taste receptor cells induced by mucosal calcium, Avenet, P., Lindemann, B. 95:265
Selectivity
—, characterization of a calcium-activated potassium channel from rabbit intestinal smooth muscle incorporated into planar bilayers, Cecchi, X., Alvarez, O., Wolff, D. 91:11
—, nonselective ionic channels in *Aplysia* neurones, Chesnoy-Marchais, D., Evans, M.G. 93:75
—, properties of an anionic-selective channel from rat colonic enterocyte plasma membranes reconstituted into planar phospholipid bilayers, Reinhardt, R., Bridges, R.J., Rummel, W., Lindemann, B. 95:47
Self inhibition
—, denaturation of a membrane transport protein by urea: the erythrocyte anion exchanger, Frohlich, O., Jones, S.C. 98:33
Sendai virus
—, difference in capacities for virion-to-virion fusion of young and aged HVJ (Sendai virus): a model of membrane fusion, Kim, J., Okada, Y. 97:241
Sensory cells
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
Serum stimulation
—, serum stimulation of sodium transport in human fibroblasts containing low and high levels of intracellular sodium, Spurlock, G., Morgan, K., Mir, M.A. 92:163
Shark rectal gland
—, cyclic AMP-dependent stimulation of Na,K-ATPase in shark rectal gland, Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H. 94:205
Short circuit current
—, basolateral membrane K permselectivity and regulation in bullfrog cornea epithelium, Reinach, P.S., Thurman, C., Klemperer, G. 99:205
Sickle cell anemia
—, volume, pH, and ion-content regulation in human red cells: analysis of transient behavior with an integrated model, Lew, V.L., Bookchin, R.M. 92:57
—, volume-stimulated, Cl^--dependent K^+ efflux is highly expressed in young human red cells containing normal hemoglobin or HbS, Canessa, M., Fabry, M.E., Blumenfeld, N., Nagel, R.L. 97:97

Signals
—, intracellular pH and membrane potential as regulators in the prokaryotic cell, Padan, E., Schuldiner, S. 95:189
Single channel current recording technique
—, interaction of diazoxide, tolbutamide and ATP^{4-} on nucleoside-dependent K^+ channels in an insulin-secreting cell line, Dunne, M.J., Illot, M.C., Petersen, O.H. 99:215
Single channel currents
—, single-channel current recordings of acetylcholine receptors in electroplax isolated from the *Electrophorus electricus* Main and Sachs' electric organs, Pasquale, E.B., Udgaonkar, J.B., Hess, G.P. 93:195
Single channel recording
—, calcium and barium permeable channels from *Aplysia* nervous system reconstituted in lipid bilayers, Coyne, M.D., Dagan, D., Levitan, I.B. 97:205
—, potassium-selective ion channels in a transformed insulin-secreting cell line, Light, D.B., van Eenenaam, D.P., Sorenson, R.L., Levitt, D.G. 95:63
Single channels
—, an anion channel of sarcoplasmic reticulum incorporated into planar lipid bilayers: single-channel behavior and conductance properties, Tanifuji, M., Sokabe, M., Kasai, M. 99:103
—, chloride currents in *Chara*—a patch clamp study, Coleman, H.A. 93:55
—, evidence for multiple open states of sodium channels in neuroblastoma cells, Nagy, K. 96:251
—, inwardly rectifying single-channel and whole cell K^+ currents in rat ventricular myocytes, Josephson, I.R., Brown, A.M. 94:19
—, ion permeation through single channels activated by acetylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
—, nonselective ionic channels in *Aplysia* neurones, Chesnoy-Marchais, D., Evans, M.G. 93:75
—, oscillatory activation of calcium-dependent potassium channels in HeLa cells induced by histamine H1 receptor stimulation: a single-channels study, Sauvé, R., Simoneau, C., Parent, L., Monette, R., Roy, G. 96:199
—, single-channel analysis of the conductance fluctuations induced in lipid bilayer membranes by complement proteins C5b-9, Benz, R., Schmid, A., Wiedmer, T., Sims, P.J. 94:37
—, single potassium channels in membranes of isolated mesophyll barley vacuoles, Kolb, H.-A., Kohler, K., Martinoia, E. 95:163
—, the steady-state voltage-dependent gating and conduction kinetics of single K^+ channels in the membrane of cytoplasmic drops of Chara *australis*, Laver, D.R., Walker, N.A. 100:31
—, voltage-dependent K channels in protoplasts of trap-lobe cells of *Dionae muscipula*, Iijima, T., Hagiwara, S. 100:73
Single file diffusion
—, separate, Ca^{2+}-activated K^+ and Cl^- transport pathways in Ehrlich ascites tumor cells, Hoffmann, E.K., Lambert, I.H., Simonsen, L.O. 91:227
Sinusoidal membrane
—, cell membrane and transepithelial voltages and resistances in isolated rat hepatocyte couplets, Graf, J., Henderson, R.M., Krumpholz, B., Boyer, J.L. 95:241
SITS
—, modes of Cl^- transport across the mucosal and serosal membranes of urodele intestinal cells, White, J.F. 92:75
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: I. Na^+/H^+, Cl^-/HCO^-_3 double exchange and Na^+-Cl^- symport, Cremaschi, D., Meyer, G., Rossetti, C., Botta, G., Palestini, P. 95:209
—, the nature of the neutral Na^+-Cl^--coupled entry at the apical membrane of rabbit gallbladder epithelium: II. Na^+-Cl^- symport is independent of K^+, Cremaschi, D., Meyer, G., Botta, G., Rossetti, C. 95:219
Size-dependent diffusion
—, non-Stokesian nature of transverse diffusion within human red cell membranes, Lieb, W.R., Stein, W.D. 92:111
Size exclusion HPLC
—, localization of E_1-E_2 conformational transitions of sarcoplasmic reticulum Ca-ATPase by tryptic cleavage and hydrophobic labeling, Andersen, J.P., Vilsen, B., Collins, J.H., Jorgensen, P.L. 93:85
Skeletal muscle
—, distribution of calcium ATPase in the sarcoplasmic reticulum of fast- and slow-twitch muscles determined with monoclonal antibodies, Dulhunty, A.F., Banyard, M.R.C., Medveczky, C.J. 99:79
—, effects of external K concentration on the electrogenicity of the insulin-stimulated Na,K-pump in frog skeletal muscle, Marunaka, Y. 91:165
Slow muscle fiber
—, effect of divalent cations on the K contracture of slow muscle fibers of *Rana temporaria*, Schmidt, H. 100:215
Small intestine
—, a method for measuring apical glucose transporter site density in intact intestinal mucosa by means of phlorizin binding, Ferraris, R.P., Diamond, J.M. 94:65
—, current - voltage relations of sodium-coupled sugar transport across the apical membrane of *Necturus* small intestine, Lapointe, J.-Y., Hudson, R.L., Schultz, S.G. 93:205
—, isolation of brush-border membranes from rat and rabbit colonocytes: is alkaline phosphatase a marker enzyme? Stieger, B., Marxer, A., Hauri, H.- P. 91:31
—, laterobasal membranes from intestinal epithelial cells: isolation free of intracellular membrane contaminants, Nguyen, T.D., Broyart, J.-P., Ngu, K.T., Illescas, A., Mircheff, A.K., Gray, G.M. 98:197
—, modes of Cl^- transport across the mucosal and serosal membranes of urodele intestinal cells, White, J.F. 92:75
—, the Na^+-independent D-glucose transporter in the enterocyte basolateral membrane: orientation and cytochalasin B binding characteristics, Maenz, D.D., Cheeseman, C.I. 97:259
—, osmotic water permeabilities of brush border and basolateral membrane vesicles from rat renal cortex and small intestine, van Heeswijk, M.P.E., van Os, C.H. 92:183
—, use of phlorizin binding to demonstrate induction of intestinal glucose transporters, Ferraris, R.P., Diamond, J.M. 94:77
Smooth muscle
—, characterization of a calcium-activated potassium channel from rabbit intestinal smooth muscle incorporated into planar bilayers, Cecchi, X., Alvarez, O., Wolff, D. 91:11
—, involvement of calcium in calcium-current inactivation in smooth muscle cells from rat vas deferens, Nakazawa, K., Saito, H., Matsuki, N. 100:13
Sodium
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37

—, lanthanide/proline cotransport across rabbit renal brush borders, Birnir, B., Hirayama, B., Wright, E.M. 100:221
Sodium channel
—, detection of sodium channel distribution in rat sciatic nerve following lysophosphatidylcholine-induced demyelination, Meiri, H., Steinberg, R., Medalion, B. 92:47
—, evidence for multiple open states of sodium channels in neuroblastoma cells, Nagy, K. 96:251
—, ion selectivity of epithelial Na channels, Palmer, L.G. 96:97
—, neurotoxin-modulated uptake of sodium by highly purified preparations of the electroplax tetrodotoxin-binding glycopeptide reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:43
—, spontaneous opening at zero membrane potential of sodium channels from eel electroplax reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:57
Sodium-coupled amino-acid transport
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: I. tight-seal whole-cell recordings, Jauch, P., Petersen, O.H., Läuger, P. 94:99
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: II. comparison with transport models, Jauch, P., Läuger, P. 94:117
Sodium current
—, calcium-dependent sodium currents in *Paramecium*: mutational manipulations and effects of hyper- and depolarization, Saimi, Y. 92:227
—, local anesthetic action of carboxylic esters: evidence for the significance of molecular volume and for the number of sites involved, Elliott, J.R., Murrell, R.D., Haydon, D.A. 95:143
Sodium flux
—, effect of membrane potential on furosemide-inhibitable sodium influxes in human red blood cells, Kracke, G.R., Dunham, P.B. 98:117
Sodium ion channels
—, direct inhibition of epithelial Na^+ channels by a pH-dependent interaction with calcium, and by other divalent ions, Garty, H., Asher, C., Yeger, O. 95:151
Sodium ion-dependent sugar transport
—, common characteristics for Na^+-dependent sugar transport in Caco-2 cells and human fetal colon, Blais, A., Bissonnette, P., Berteloot, A. 99:113
Sodium ion flux
—, acetylcholine-induced Na^+ influx in the mouse lacrimal gland acinar cells: demonstration of multiple Na^+ transport mechanisms by intracellular Na^+ activity measurement, Saito, Y., Ozawa, T., Nishiyama, A. 98:135
Sodium ion-selective microelectrode
—, acetylcholine-induced Na^+ influx in the mouse lacrimal gland acinar cells: demonstration of multiple Na^+ transport mechanisms by intracellular Na^+ activity measurement, Saito, Y., Ozawa, T., Nishiyama, A. 98:135
Sodium ion selectivity
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by $(221)C_{10}$-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
Sodium ion transport
—, an amiloride-sensitive Na^+ conductance in the basolateral membrane of toad urinary bladder, Garty, H., Warncke, J., Lindemann, B. 95:91
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
Sodium ions
—, kinetic mechanism of Na^+, K^+, Cl^--cotransport as studied by Rb^+ influx into HeLa cells: effects of extracellular monovalent ions, Miyamoto, H., Ikehara, T., Yamaguchi, H., Hosokawa, K., Yonezu, T., Masuya, T. 92:135
Sodium microelectrodes
—, cell sodium activity and sodium pump function in frog skin, Garcia-Diaz, J.F., Klemperer, G., Baxendale, L.M., Essig, A. 92:37
Sodium permeability
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
Sodium pump
—, D_2O and the sodium pump in squid nerve membrane, Landowne, D. 96:277
—, voltage dependence of the rheogenic Na^+/K^+ ATPase in the membrane of the oocytes of *Xenopus Laevis*, Lafaire, A.V., Schwarz, W. 91:43
Sodium pump flux
—, cell sodium activity and sodium pump function in frog skin, Garcia-Diaz, J.F., Klemperer, G., Baxendale, L.M., Essig, A. 92:37
Sodium-sugar cotransport
—, current-voltage relations of sodium-coupled sugar transport across the apical membrane of *Necturus* small intestine, Lapointe, J.-Y., Hudson, R.L., Schultz, S.G. 93:205
Sodium transport
—, effects of adenal steroids on Na transport in the lower intestine (coprodeum) of the hen, Clauss, W. Durr, J.E., Guth, D., Skadhauge, E. 96:141
—, intracellular calcium content of human erythrocytes: relation to sodium transport systems, Engelmann, B., Duhm, J. 98:79
—, ion selectivity of epithelial Na channels, Palmer, L.G. 96:97
—, kinetic studies on the stimulation of Na^+-H^+ exchange activity in renal brush border membranes isolated from thyroid hormone-treated rats, Kinsella, J.L., Cujdik, T., Sacktor, B. 91:183
—, protein kinase C activates the renal apical membrane Na^+/H^+ exchanger, Weinman, E.J., Shenolikar, S. 93:133
—, relationships among sodium current, permeability, and Na activities in control and glucocorticoid-stimulated rabbit descending colon, Thompson, S.M., Sellin, J.H. 92:121
—, serum stimulation of sodium transport in human fibroblasts containing low and high levels of intracellular sodium, Spurlock, G., Morgan, K., Mir, M.A. 92:163
—, sodium flux in the apical membrane of the toad skin: aspects of its regulation and the importance of the ionic strength of the outer solution upon the reversibility of amiloride inhibition, Lacaz-Vieira, F. 92:27
—, spontaneous opening at zero membrane potential of sodium channels from eel electroplax reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:57
Sodium transport, transepithelial
—, intracellular solute gradients during osmotic water flow: an electron- microprobe analysis, Rick, R., DiBona, D.R. 96:85
Solubilization
—, reconstitution in phospholipid vesicles of calcium-activated potassium channel from outer renal medulla, Klaerke, D.A., Karlish, J.D., Jørgensen, P.L. 95:105

Solute/substrate concentration
—, interpretation of steady-state current - voltage curves: consequences and implications of current subtraction in transport studies, Blatt, M.R. 92:91
Solvent drag
—, contribution of solvent drag through intercellular junctions to absorption of nutrients by the small intestine of the rat, Pappenheimer, J.R., Reiss, K.Z. 100:123
—, structural basis for physiological regulation of paracellular pathways in intestinal epithelia, Madara, J.L., Pappenheimer, J.R. 100:149
Spin labeling
—, characterization of the band 3 substrate site in human red cell ghosts by NDS-TEMPO, a disulfonatostilbene spin probe: the function of protons in NDS-TEMPO and substrate-anion binding in relation to anion transport, Kaufmann, E., Eberl, G., Schnell, K.F. 91:129
—, procedure using voltage-sensitive spin-labels to monitor dipole potential changes in phospholipid vesicles: the estimation of phloretin- induced conductance changes in vesicles, Perkins, W.R., Cafiso, D.S. 96:165
Spironolactone
—, effects of adenal steroids on Na transport in the lower intestine (coprodeum) of the hen, Clauss, W. Durr, J.E., Guth, D., Skadhauge, E. 96:141
Squid axons
—, D_2O and the sodium pump in squid nerve membrane, Landowne, D. 96:277
—, effects of fatty acids on membrane currents in the squid giant axon, Takenaka, T., Horie, H., Hori, H. 95:113
—, local anesthetic action of carboxylic esters: evidence for the significance of molecular volume and for the number of sites involved, Elliott, J.R., Murrell, R.D., Haydon, D.A. 95:143
src gene
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
src protein
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
SRS-A
—, role of prostaglandins and leukotrienes in volume regulation by Ehrlich ascites tumor cells, Lambert, I.H., Hoffmann, E.K., Christensen, P. 98:247
Stoichiometry
—, current - voltage relations of sodium-coupled sugar transport across the apical membrane of *Necturus* small intestine, Lapointe, J.-Y., Hudson, R.L., Schultz, S.G. 93:205
—, determination of charge, stoichiometry and reaction constants from *I - V* curve studies on a K^+ transporter in *Nitella*, Fisahn, J., Hansen, U.-P., Gradmann, D. 94:245
—, stoichiometry and ion affinities of the Na-K-Cl cotransport system in the intestine of the winter flounder (*Pseudopleuronectes americanus*), O'Grady, S.M., Musch, M.W., Field, M. 91:33
Stomatal guard cells
—, electrical characteristics of stomatal guard cells: the contribution of ATP-dependent, "electrogenic" transport revealed by current-voltage and difference-current-voltage analysis, Blatt, M.R. 98:257
Stopped flow
—, evidence for water channels in renal proximal tubule cell membranes, Meyer, M.M., Verkman, A.S. 96:107
Subconductance states
—, ion channel subconductance states, Fox, J.A. 97:1
Suberyldicholine
—, acetylcholine receptor kinetics: chemical kinetics, Udgaonkar, J.B., Hess, G.P. 93:93
Substates
—, an anion channel of sarcoplasmic reticulum incorporated into planar lipid bilayers: single-channel behavior and conductance properties, Tanifuji, M., Sokabe, M., Kasai, M. 99:103
—, inwardly rectifying single-channel and whole cell K^+ currents in rat ventricular myocytes, Josephson, I.R., Brown, A.M. 94:19
—, ion channel subconductance states, Fox, J.A. 97:1
Sugar transport
—, common characteristics for Na^+-dependent sugar transport in Caco-2 cells and human fetal colon, Blais, A., Bissonnette, P., Berteloot, A. 99:113
—, mechanism of sugar transport through the sugar-specific LamB channel of *Escherichia coli* outer membrane, Benz, R., Schmid, A., Vos-Scheperkeuter, G. 100:21
Sulfhydryl groups
—, role for sulfur-containing groups in the Na^+-Ca^{2+} exchange of cardiac sarcolemmal vesicles, Pierce, G.N., Ward, R., Philipson, K.D. 94:217
—, thiol-dependent passive K/Cl transport in sheep red cells: VII. volume-independent freezing by iodoacetamide and sulfhydryl group heterogeneity, Lauf, P.K. 98:237
Synechococcus
—, permeability of ammonia, methylamine and ethylamine in the cyanobacterium, *Synechococcus* R-2 (*Anacystis nidulans*) PCC 7942, Ritchie, R.J., Gibson, J. 95:131
Synthesis
—, synthesis and assembly of acetylcholine receptor, a multisubunit membrane glycoprotein, Merlie, J.P., Smith, M.M. 91:1
Taste receptor cells
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
Taste transduction
—, action potentials in epithelial taste receptor cells induced by mucosal calcium, Avenet, P., Lindemann, B. 95:265
Taurine
—, alanine and taurine transport by the gill epithelium of a marine bivalve: effect of sodium on influx, Wright, S.H. 95:37
—, volume-sensitive taurine transport in fish erythrocytes, Fincham, D.A., Wolowyk, M.W., Young, J.D. 96:45
Temperature dependence
—, effects of anisosmotic medium on cell volume, transmembrane potential and intracellular K^+ activity in mouse hepatocytes, Howard, L.D., Wondergem, R. 100:53
—, efficiency, Na^+/K^+ selectivity and temperature dependence of ion transport through lipid membranes by (221)C10-cryptand, an ionizable mobile carrier, Castaing, M., Lehn, J.-M. 97:79
—, *I/V*-curve studies of the control of a K^+ transporter in *Nitella* by temperature, Hansen, U.-P., Fisahn, J. 98:1
—, kinetic analysis of the electrogenic pump of *Chara coralina*: IV. temperature dependence of the pump activity, Kami-ike, N., Ohkawa, T., Kishimoto, U., Takeuchi, Y. 94:163

—, single-channel current recordings of acetylcholine receptors in electroplax isolated from the *Electrophorus electricus* Main and Sachs' electric organs, Pasquale, E.B., Udgaonkar, J.B., Hess, G.P. 93:195
Temperature-sensitive viral mutant
—, modification of gap junctions in cells transformed by a temperature- sensitive mutant of rous sarcoma virus, Atkinson, M.M., Anderson, S.K., Sheridan, J.D. 91:53
Tetrodotoxin
—, neurotoxin-modulated uptake of sodium by highly purified preparations of the electroplax tetrodotoxin-binding glycopeptide reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:43
—, spontaneous opening at zero membrane potential of sodium channels from eel electroplax reconstituted into lipid vesicles, Duch, D.S., Levinson, S.R. 98:57
TFP
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara* corallina membrane: I. effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
Theophylline
—, cyclic AMP-dependent stimulation of Na,K-ATPase in shark rectal gland, Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H. 94:205
Thiol
—, nucleoside transport in rat erythrocytes: two components with differences in sensitivity to inhibition by nitrobenzylthioinosine and *p*- chloromercuriphenyl sulfonate, Jarvis, S.M., Young, J.D. 93:1
Tight junction morphology
—, protamine alters structure and conductance of *Necturus* gallbladder tight junctions without major electrical effects on the apical cell membrane, Bentzel, C.J., Fromm, M., Palant, C.E., Hegel, U. 95:9
Tight junction strands
—, protamine alters structure and conductance of *Necturus* gallbladder tight junctions without major electrical effects on the apical cell membrane, Bentzel, C.J., Fromm, M., Palant, C.E., Hegel, U. 95:9
Tight junctions
—, osmotic reversal induces assembly of tight junction strands at the basal pole of toad bladder epithelial cells but does not reverse cell polarity, Chevalier, J., Pinto da Silva, P. 95:199
—, protamine alters structure and conductance of *Necturus* gallbladder tight junctions without major electrical effects on the apical cell membrane, Bentzel, C.J., Fromm, M., Palant, C.E., Hegel, U. 95:9
—, structural basis for physiological regulation of paracellular pathways in intestinal epithelia, Madara, J.L., Pappenheimer, J.R. 100:149
Time-resolved light scattering
—, kinetic study on the equilibrium between membrane-bound and free photoreceptor G-protein, Schleicher, A., Hofmann, K.-P. 95:271
TMB-8
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
Toad
—, voltage dependence of the rheogenic Na^+/K^+ ATPase in the membrane of the oocytes of *Xenopus laevis*, Lafaire, A.V., Schwarz, W. 91:43
Toad bladder
—, ADH and phorbol ester increase immunolabeling of the toad bladder apical membrane by antibodies made to granules, Masur, S.K., Massardo, S. 96:193
—, Ba^{2+}-inhibitable $^{86}Rb^+$ fluxes across membranes of vesicles from toad urinary bladder, Garty, H., Civan, M.M. 99:93
—, an amiloride-sensitive Na^+ conductance in the basolateral membrane of toad urinary bladder, Garty, H., Warncke, J., Lindemann, B. 95:91
—, apical membrane K conductance in the toad urinary bladder, Palmer, L.G. 92:217
—, direct inhibition of epithelial Na^+ channels by a pH-dependent interaction with calcium, and by other divalent ions, Garty, H., Asher, C., Yeger, O. 95:151
—, fluorescent measurements of intracellular free calcium in isolated toad urinary bladder epithelial cells, Jacobs, W.R., Mandel, L.J. 97:53
—, intracellular solute gradients during osmotic water flow: an electron- microprobe analysis, Rick, R., DiBona, D.R. 96:85
—, isolation and characterization of specialized regions of toad urinary bladder apical plasma membrane involved in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S. 96:175
—, osmotic reversal induces assembly of tight junction strands at the basal pole of toad bladder epithelial cells but does not reverse cell polarity, Chevalier, J., Pinto da Silva, P. 95:199
Toad sartorius skeletal muscle
—, ion permeation through single channels activated by acetylcholine in denervated toad sartorius skeletal muscle fibers: effects of alkali cations, Quartararo, N., Barry, P.H., Gage, P.W. 97:137
Toad skin
—, sodium flux in the apical membrane of the toad skin: aspects of its regulation and the importance of the ionic strength of the outer solution upon the reversibility of amiloride inhibition, Lacaz-Vieira, F. 92:27
Toad skin epithelium
—, membrane potentials and intracellular Cl^- activity of toad skin epithelium in relation to activation and deactivation of the transepithelial Cl^- conductance, Willumsen, N.J., Larsen, E.H. 94:173
Tolbutamide
—, interaction of diazoxide, tolbutamide and ATP^{4-} on nucleoside-dependent K^+ channels in an insulin-secreting cell line, Dunne, M.J., Illot, M.C., Petersen, O.H. 99:215
Tonoplast-free cell
—, demonstration and characterization of Ca^{2+} channel in tonoplast-free cells of *Nitellopsis obtusa*, Shiina, T., Tazawa, M. 96:263
TPA
—, diacylglycerols stimulate short-circuit current across frog skin by increasing apical Na^+ permeability, Civan, M.M., Peterson-Yantorno, K., O'Brien, T.G. 97:193
Trachea
—, relationship of the Donnan potential to the transmembrane pH gradient in tracheal apical membrane vesicles, Langridge-Smith, J.E., Dubinsky, W.P. 94:197
Tracheal epithelium
—, adrenergic regulation of ion transport by primary cultures of canine tracheal epithelium: cellular electrophysiology, Welsh, M. J. 91:121
Transcytosis
—, transcytosis in cultured proximal tubular cells, Goligorsky, M.S., Hruska, K.A. 93:237

Transepithelial resistance
—, protamine alters structure and conductance of *Necturus* gallbladder tight junctions without major electrical effects on the apical cell membrane, Bentzel, C.J., Fromm, M., Palant, C.E., Hegel, U. 95:9
Transference numbers
—, pH-dependent electrical properties and buffer permeability of the *Necturus* renal proximal tubule cell, Steels, P.S., Boulpaep, E.L. 100:165
Transmembrane diffusion
—, non-Stokesian nature of transverse diffusion within human red cell membranes, Lieb, W.R., Stein, W.D. 92:111
Transmembrane protein
—, synthesis and assembly of acetylcholine receptor, a multisubunit membrane glycoprotein, Merlie, J.P., Smith, M.M. 91:1
Transport mechanism
—, mechanism of sugar transport through the sugar-specific LamB channel of *Escherichia coli* outer membrane, Benz, R., Schmid, A., Vos-Scheperkeuter, G. 100:21
Transport pathways
—, biophysical analysis of novel transport pathways induced in red blood cell membranes, Ginsburg, H., Stein, W.D. 96:1
Transport regulation
—, a genetic approach to the study of neutral amino acid transport in mammalian cells in culture, Englesberg, E., Moffett, J. 91:199
—, sodium flux in the apical membrane of the toad skin: aspects of its regulation and the importance of the ionic strength of the outer solution upon the reversibility of amiloride inhibition, Lacaz-Vieira, F. 92:27
Trifluoromethyl-[^{125}I]iodophenyldiazirine (TID)
—, localization of E_1-E_2 conformational transitions of sarcoplasmic reticulum Ca-ATPase by tryptic cleavage and hydrophobic labeling, Andersen, J.P., Vilsen, B., Collins, J.H., Jorgensen, P.L. 93:85
Triiodo-L-thyronine
—, kinetic studies on the stimulation of Na^+-H^+ exchange activity in renal brush border membranes isolated from thyroid hormone-treated rats, Kinsella, J.L., Cujdik, T., Sacktor, B. 91:183
Trypsin
—, localization of E_1-E_2 conformational transitions of sarcoplasmic reticulum Ca-ATPase by tryptic cleavage and hydrophobic labeling, Andersen, J.P., Vilsen, B., Collins, J.H., Jorgensen, P.L. 93:85
—, reconstitution in phospholipid vesicles of calcium-activated potassium channel from outer renal medulla, Klaerke, D.A., Karlish, J.D., Jorgensen, P.L. 95:105
—, trypsin-induced calcium efflux from sarcoplasmic reticulum: evidence for the involvement of the (Ca^{2+} - Mg^{2+})-ATPase, Huang, J.-L., Topping, T.B., He, Z., Folsom, B., Dunker, A.K. 100:193
Turtle bladder
—, membrane electrical parameters in turtle bladder measured using impedance-analysis techniques, Clausen, C., Dixon, T.E. 92:9
—, proton transport and membrane shuttling in turtle bladder epithelium, Dixon, T.E., Clausen, C., Coachman, D., Lane, B. 94:233
Two-barrier model
—, permeation of divalent cations through α-Latrotoxin channels in lipid bilayers: steady-state current-voltage relationships, Robello, M., Fresia, M., Maga, L., Grasso, A., Ciani, S. 95:55
U-937 cell line
—, ion channels in human macrophages compared with the U-937 cell line, McCann, F.V., Keller, T.M., Guyre, P.M. 96:57
Uncouplers
—, how do protons cross the membrane-solution interface? kinetic studies on bilayer membranes exposed to the protonophore S-13 (5-chloro-3-tert- butyl-2′-chloro-4′nitrosalicylanilide), Kasianowicz, J., Benz, R., McLaughlin, S. 95:73
Unit conductance
—, analysis of ionic channels by a flash spectrophotometric technique applicable to thylakoid membranes: CF_0, the proton channel of the chloroplast ATP synthase, and, for comparison, gramicidin, Lill, H., Althoff, G., Junge, W. 98:69
Urea
—, denaturation of a membrane transport protein by urea: the erythrocyte anion exchanger, Frohlich, O., Jones, S.C. 98:33
Urea transport
—, modulation of water and urea transport in human red cells: effects of pH and phloretin, Toon, M.R., Solomon, A.K. 99:157
—, serial permeability barriers to water transport in human placental vesicles, Illsley, N.P., Verkman, A.S. 94:267
Urodele
—, modes of Cl^- transport across the mucosal and serosal membranes of urodele intestinal cells, White, J.F. 92:75
Vacuolar membrane
—, H^+-ATPases from mitochondria, plasma membranes, and vacuoles of fungal cells, Bowman, B.J., Bowman, E.J. 94:83
Valinomycin
—, effect of membrane potential on furosemide-inhibitable sodium influxes in human red blood cells, Kracke, G.R., Dunham, P.B. 98:117
—, flux ratio of valinomycin-mediated K^+ fluxes across the human red cell membrane in the presence of the protonophore CCCP, Bennekou, P., Christophersen, P. 93:221
—, potassium transport in the rabbit renal proximal tubule: effects of barium, ouabain, valinomycin, and other ionophores, Soltoff, S.P., Mandel, L.J. 94:153
Vanadate
—, cyclic AMP-dependent stimulation of Na,K-ATPase in shark rectal gland, Marver, D., Lear, S., Marver, L.T., Silva, P., Epstein, F.H. 94:205
—, downregulation of cell-to-cell communication by the viral *src* gene is blocked by TMB-8 and recovery of communication is blocked by vanadate, Rose, B., Yada, T., Loewenstein, W.R. 94:129
—, localization of E_1-E_2 conformational transitions of sarcoplasmic reticulum Ca-ATPase by tryptic cleavage and hydrophobic labeling, Andersen, J.P., Vilsen, B., Collins, J.H., Jorgensen, P.L. 93:85
Vanadate inhibition
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Vascular endothelium
—, single nonselective cation channels and Ca^{2+}-activated K^+ channels in aortic endothelial cells, Fichtner, H., Frobe, U., Busse, R., Kohlhardt, M. 98:125

Vasopressin
—, isolation and characterization of specialized regions of toad urinary bladder apical plasma membrane involved in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S. 96:175
—, ^{31}P NMR analysis of intracellular pH of Swiss mouse 3T3 cells: effects of extracellular Na^+ and K^+ and mitogenic stimulation, Civan, M.M., Williams, S.R., Gadian, D.G., Rozengurt, E. 94:55
Ventricular cells
—, activation properties of the inward-rectifying potassium channel on mammalian heart cells, Tourneur, Y., Mitra, R., Morad, M., Rougier, O. 97:127
Venus flytrap
—, voltage-dependent K channels in protoplasts of trap-lobe cells of *Dionae muscipula*, Iijima, T., Hagiwara, S. 100:73
Verapamil
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: I. effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
Vesicle transport
—, potassium/proton exchange in brush-border membrane of rat ileum, Binder, H.J., Murer, H. 91:77
Vesicles
—, membrane vesicles of cellular dimensions fit in two geometric series, Walters, J.A.L.I., Bours, H., van Os, C.H. 91:73
Vicia
—, electrical characteristics of stomatal guard cells: the contribution of ATP-dependent, "electrogenic" transport revealed by current-voltage and difference-current-voltage analysis, Blatt, M.R. 98:257
Video analysis
—, permeance of Novikoff hepatoma gap junctions: quantitative video analysis of dye transfer, Biegon, R.P., Atkinson, M.M., Liu, T.-F., Kam, E.Y., Sheridan, J.D. 96:225
Virion-to-virion fusion
—, difference in capacities for virion-to-virion fusion of young and aged HVJ (Sendai virus): a model of membrane fusion, Kim, J., Okada, Y. 97:241
Virus aging
—, difference in capacities for virion-to-virion fusion of young and aged HVJ (Sendai virus): a model of membrane fusion, Kim, J., Okada, Y. 97:241
Voltage clamp
—, effects of reagents modifying carboxyl groups on the gating current of the myelinated nerve fiber, Meves, H., Rubly, N. 100:63
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes mediated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
Voltage clamp current
—, membrane potentials and intracellular Cl^- activity of toad skin epithelium in relation to activation and deactivation of the transepithelial Cl^- conductance, Willumsen, N.J., Larsen, E.H. 94:173
Voltage dependence
—, elimination and restoration of voltage dependence in the mitochondrial channels, VDAC, by graded modification with succinic anhydride, Adelsberger-Mangan, D.M., Colombini, M. 98:157
—, inwardly rectifying single-channel and whole cell K^+ currents in rat ventricular myocytes, Josephson, I.R., Brown, A.M. 94:19
—, the steady-state voltage-dependent gating and conduction kinetics of single K^+ channels in the membrane of cytoplasmic drops of *Chara australis*, Laver, D.R., Walker, N.A. 100:31
—, voltage dependence of the Ca^{2+}-activated K^+ conductance of human red cell membranes is strongly dependent on the extracellular K^+ concentration, Vestergaard-Bogind, B., Stampe, P., Christophersen, P. 95:121
—, voltage-dependent, monomeric channel activity of Colicin E1 in artificial membrane vesicles, Peterson, A.A., Cramer, W.A. 99:197
—, voltage gating in VDAC is markedly inhibited by micromolar quantities of aluminum, Dill, E.T., Holden, M.H., Colombini, M. 99:187
Voltage-dependent anion channels
—, voltage gating in VDAC is markedly inhibited by micromolar quantities of aluminum, Dill, E.T., Holden, M.H., Colombini, M. 99:187
Voltage-dependent anion-selective channels (VDAC)
—, elimination and restoration of voltage dependence in the mitochondrial channels, VDAC, by graded modification with succinic anhydride, Adelsberger-Mangan, D.M., Colombini, M. 98:157
—, patch clamping the outer mitochondrial membrane, Tedeschi, H., Mannella, C.A., Bowman, C.L. 97:21
Voltage-dependent channels
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: the role of protein translocation, Slatin, S.L., Raymond, L., Finkelstein, A. 92:247
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: translocation of regions outside the channel-forming domain, Raymond, L., Slatin, S.L., Liu, Q.-R., Levinthal, C. 92:255
—, voltage-dependent K channels in protoplasts of trap-lobe cells of *Dionae muscipula*, Iijima, T., Hagiwara, S. 100:73
Voltage-dependent chloride ion conductance
—, membrane potentials and intracellular Cl^- activity of toad skin epithelium in relation to activation and deactivation of the transepithelial Cl^- conductance, Willumsen, N.J., Larsen, E.H. 94:173
Voltage-dependent cotransport
—, potassium-proton symport in *Neurospora*: kinetic control by pH and membrane potential, Blatt, M.R., Rodriguez-Navarro, A., Slayman, C.L. 98:169
Voltage-dependent regulation
—, acetylcholine receptor kinetics: chemical kinetics, Udgaonkar, J.B., Hess, G.P. 93:93
Voltage gating
—, elimination and restoration of voltage dependence in the mitochondrial channels, VDAC, by graded modification with succinic anhydride, Adelsberger-Mangan, D.M., Colombini, M. 98:157
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: the role of protein translocation, Slatin, S.L., Raymond, L., Finkelstein, A. 92:247
—, gating of a voltage-dependent channel (colicin E1) in planar lipid bilayers: translocation of regions outside the channel-forming domain, Raymond, L., Slatin, S.L., Liu, Q.-R., Levinthal, C. 92:255
—, the steady-state voltage-dependent gating and conduction kinetics of single K^+ channels in the membrane of cytoplas-

mic drops of *Chara australis*, Laver, D.R., Walker, N.A. 100:31
—, voltage-dependent channel formation by rods of helical polypeptides, Menestrina, G., Voges, K.-P., Jung, F., Boheim, G. 93:111
—, voltage gating in VDAC is markedly inhibited by micromolar quantities of aluminum, Dill, E.T., Holden, M.H., Colombini, M. 99:187
Voltage selectivity
—, elimination and restoration of voltage dependence in the mitochondrial channels, VDAC, by graded modification with succinic anhydride, Adelsberger-Mangan, D.M., Colombini, M. 98:157
Voltage-sensitive channels
—, patch clamping the outer mitochondrial membrane, Tedeschi, H., Mannella, C.A., Bowman, C.L. 97:21
Volume-sensitive flux
—, volume-sensitive taurine transport in fish erythrocytes, Fincham, D.A., Wolowyk, M.W., Young, J.D. 96:45
Volume sensitive KCL transport
—, effects of high hydrostatic pressure on 'passive' monovalent cation transport in human red cells, Hall, A.C., Ellory, J.C. 94:1
W-7
—, role of calcium ion in the excitability and electrogenic pump activity of the *Chara corallina* membrane: I. effects of La^{3+}, Verapamil, EGTA, W-7, and TFP on the action potential, Tsutsui, I., Ohkawa, T., Nagai, R., Kishimoto, U. 96:65
Water flow
—, isolation and characterization of specialized regions of toad urinary bladder apical plasma membrane involved in the water permeability response to antidiuretic hormone, Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S. 96:175
—, prostaglandin E2-stimulated glandular ion and water secretion in isolated frog skin (*Rana esculenta*) 97:9
Water permeability
—, cell membrane water permeability of rabbit cortical collecting duct, Strange, K., Spring, K.R. 96:27
—, isolation and characterization of specialized regions of toad urinary bladder apical plasma membrane involved in the water permeability response to antdiuretic hormone, Harris, H.W., Jr., Murphy, H.R., Willingham, M.C., Handler, J.S. 96:175
—, osmotic reversal induces assembly of tight junction strands at the basal pole of toad bladder epithelial cells but does not reverse cell polarity, Chevalier, J., Pinto da Silva, P. 95:199
Water transport
—, evidence for water channels in renal proximal tubule cell membranes, Meyer, M.M., Verkman, A.S. 96:107
—, modulation of water and urea transport in human red cells: effects of pH and phloretin, Toon, M.R., Solomon, A.K. 99:157
—, on the equivalent pore radius, Solomon, A.K. 94:227
—, serial permeability barriers to water transport in human placental vesicles, Illsley, N.P., Verkman, A.S. 94:267
—, uphill transport of water by electroosmosis, Kuppers, J., Plagemann, A., Thurm, U. 91:107
Whole cell clamp
—, voltage and Ca^{2+}-activated K^+ channel in cultured epithelial cells (MDCK), Bolivar J.J., Cereijido, M. 97:43
Whole cell recording
—, activation properties of the inward-rectifying potassium channel on mammalian heart cells, Tourneur, Y., Mitra, R., Morad, M., Rougier, O. 97:127
—, electrogenic properties of the sodium-alanine cotransporter in pancreatic acinar cells: I. tight-seal whole-cell recordings, Jauch, P., Petersen, O.H., Läuger, P. 94:99
—, involvement of calcium in calcium-current inactivation in smooth muscle cells from rat vas deferens, Nakazawa, K., Saito, H., Matsuki, N. 100:13
—, patch-clamp study of isolated taste receptor cells of the frog, Avenet, P., Lindemann, B. 97:223
Winter flounder
—, Na-K-2Cl cotransport in winter flounder intestine and bovine kidney outer medulla: [^{3}H] bumetanide binding and effects of furosemide analogues, O'Grady, S.M., Palfrey, H.C., Field, M. 96:11
—, stoichiometry and ion affinities of the Na-K-Cl cotransport system in the intestine of the winter flounder (*Pseudopleuronectes americanus*), O'Grady, S.M., Musch, M.W., Field, M. 91:33
Xenopus oocyte
—, potential dependence of the "electrically silent" anion exchange across the plasma membrane *Xenopus* oocytes mediated by the band-3 protein of mouse red blood cells, Grygorczyk, R., Schwarz, W., Passow, H. 99:127
Zinc
—, zinc inhibition of potassium efflux in depolarized frog muscle and its modification by external hydrogen ions and diethylpyrocarbonate treatment, Spalding, B.C., Swift, J.G., Horowicz, P. 93:157